MAY ■ 1988 VOL. 7, NO. 5 ■ $4.00

DECWATCH

VAX 8800

DEC PROFESSIONAL

A PROFESSIONAL PRESS PUBLICATION

- Manufacturing: Buy, Make, Sell
- The MicroVMS Merge
- Expanded Mac/VAX Section



Manufacturing

This magazine is not sponsored or approved by or connected in any way with Digital Equipment Corporation. "DEC" is a registered trademark of Digital Equipment Corporation. Digital Equipment Corporation is the owner of the trademark "DEC" and is the source of all "DEC" products.

MEMORY INNOVATIONS SHOWCASE-THREE

Highest Density, Lifetime Warranty, First to Market. . . . It must be Clearpoint.

The MV3000

From the largest manufacturer of workstation memory comes the MV3000, the best package of memory for the MicroVAX or VAXstation 3X00. Backed by a company committed to innovation, competitive pricing and unparalleled support, the MV3000 delivers:

- **Innovative Technology –** Using a custom gate array design, Clearpoint packs a full 32 or 16 megabytes of memory onto the MV3000 boards using state-of-the-art one megabit DRAMs.
- **Pricing Economy –** With either a cost-effective 8 MB design or the innovative 16 or 32 MB package, the MV3000 offers the best pricing for the best package.

Call Clearpoint for specifications on the MV3000.

ENTER 105 ON READER CARD

Clearpoint is a registered trademark of Clearpoint Research Corporation. DEC, VAX, MicroVAX 3000, VAXstation 3000, MicroVAX 2000, MicroVAX II are trademarks of Digital Equipment Corporation.

Unconditional Lifetime Warranty

Clearpoint delivers reliability. With the strictest testing and burn-in in the industry, Clearpoint confidently offers a lifetime warranty. Then backs it up with a 24-hour Repair/Replacement policy, 24-hour-a-day product support and an 800 service number that gives you a warranty with teeth.

Guaranteed Buyer Satisfaction

Need the best memory solution for all your in-house systems? Clearpoint works for long-term satisfied customers, not just short-term sales. With comprehensive, user-friendly documentation, trade-up credits and competitive pricing, Clearpoint guarantees buyer satisfaction.

CLEARPOINT

See us at DEXPO South, Booth #308

Get the DEC-Compatible Facts:

MV2RAM (for the MicroVAX II): Up to 16 MB on a board.

MV2000 (for the MicroVAX 2000): At 16 MB/board, you get MicroVAX II performance – at half the cost!

VXR8800 (for the VAX 88XX, 87XX and 85XX Series) Available in 64, 32 and 16 MB boards.

VXR8600 (for the VAX 86XX Series) Doubles the original slot capacity to 16 MB.

VBIRAM (for the VAX 83XX and 82XX Series) Offering up to 32 MB per slot, 128 MB per BI node!

Call or write for a product brochure, the '88 Product and Services Catalog, or the Designer's Guide to Add-in Memory.

Clearpoint Research Corp.
99 South Street Hopkinton, MA 01748
1-800-CLEARPT (617) 435-2000
Telex: 298281 CLEARPOINT UR
EUROPE *Clearpoint Europe B.V. Tel: 31-23-273744*
CANADA *Clearpoint Canada 416-620-7242*
JAPAN *Clearpoint Asia 03-221-9726*

If my memory serves me right . . . It must be Clearpoint!

Which would you choose?

The Clear Choice: HDS3200 Terminals. From $699 List.

With the HDS3200 Image Leader terminal on the right you get guaranteed DEC, 4014 and SIXEL emulation, plus a choice of powerful features and options that nobody else offers. Like an extra-large 15″ screen with the best clarity and focus available. Integrated text and graphics built into every model. Extra-sharp 1056 × 800 resolution. A pop-up calculator. Redraw zoom and pan graphics with local storage. A 50 line text screen. Six multi-session windows with multiple computer connections. And an HDS Mouse that controls these features easily.

With the DEC terminal on the left you get fewer features, lower screen resolution, and a small, harder-to-read screen.

With the HDS3200 Image Leader terminal on the right you also get the experience and support of Human Designed Systems, the company that ships more integrated text and graphics terminals than any other independent manufacturer. That means a full one year warranty (two or three year warranties are available), guaranteed compatibility, competent technical support, and low cost on-site service from any of the HDS Service Centers around the country.

And, equally as important, with the HDS3200 Image Leader terminal on the right, *you get to keep the money on the right.* Because when you compare an HDS3200 Image Leader to a DEC graphics terminal—head to head—you'll pay over $1000 more to get significantly less terminal from DEC.

If you buy graphics terminals you owe it to yourself to see why HDS sells more of them than any other independent manufacturer. Call today for a free trial of an HDS3200 Image Leader. See the performance and features no other terminal can match. And add up all the money you'll save.

For a free trial of an HDS3200 Image Leader, call 1-800-HDS-1551

HDS
human designed systems

A CLEAR DISPLAY OF EXCELLENCE

ENTER 182 ON READER CARD

© 1988 Human Designed Systems, Inc. 3440 Market Street, Philadelphia, PA 19104. In PA call 215-382-5000. In Canada call 800-263-8999. HDS, HDS3200 Image Leader are trademarks of Human Designed Systems, Inc. DEC, VT are trademarks of Digital Equipment Corp. According to Dataquest, only DEC, Tektronix, Hewlett Packard and IBM shipped more graphics terminals than HDS in 1985 and 1986.

Here are a few plugs for our new software



Making Ends Meet
At Equinox we know how difficult it is to get all your PCs under control. We know you need a reliable, secure network that's easy to install and manage. One that lets PC users exchange information with your mainframe and each other, and allows printers and modems to be easily shared by everyone. A network that won't blow your budget sky-high.

Presenting SwitchLAN
SwitchLAN is an integrated pop-up PC communications program. It provides "hot-key" micro-to-mainframe access, PC-to-PC file transfers and printer management with Equinox Data PBXs. SwitchLAN was designed for organizations that don't require the multi-user features of PC LANs but do want the efficiency and cost savings offered by PC networking.

SwitchLAN's extensive help and pull-down menus guide even the most basic PC users through file transfer, host access and printer operations. People don't have to become network gurus to use it.

The "Switch" in SwitchLAN
An Equinox Data PBX is SwitchLAN's network hub. All connections are made using telephone type twisted-pair wiring and the serial "com" port already in your PCs. You don't need to buy network servers, install expensive network boards in every PC, or struggle with coax cable.

SwitchLAN and an Equinox Data PBX put an end to "Sneakernet", simply and at a fraction of the cost of other approaches, so you can afford to network all your PCs for what you might otherwise spend on just one department.

Don't take our word for it. Plug a free SwitchLAN demo disk in your PC and see for yourself how simple and capable it is.

Call 1-800-DATA PBX
In Florida: 305-255-3500
Equinox Systems Inc.
14260 S.W. 119 Avenue
Miami, FL. 33186

ENTER 122 ON READER CARD

EQUINOX

Simply Better Networks



DEC
PROFESSIONAL

CONTENTS

MAY 1988 VOL. 7, NO. 5

MANUFACTURING

42 **COMPUTER INTEGRATED MANUFACTURING**
by Sue Ann Hawley
Until now, organizations have suffered from a lack of practical, manageable implementation plans.

48 **BUY, MAKE, SELL: COMPUTERIZED MANUFACTURING PLANNING**
by John Staneff
Modeling the manufacturing process can lead to efficiency and savings.

58 **CONFIGURATION MANAGEMENT FOR SOFTWARE MANAGEMENT**
by Darcy F. Young
Automating a CM system requires close examination of your existing system and extensive evaluation of your future needs.

ARTICLES

64 **SCIENCE:** ***CENTRUM***
by Lori A. Snyder
Polygen's *Centrum* helps manage the research and technical data needed for more effective scientific work.

74 **VAX: THE VMS/MICROVMS MERGE**
by Kathleen D. Morse
Why the MICROVMS product was developed and why it's being merged into VMS.

86 **PRINTERS: DEC HAS THE COLOR**
by David B. Miller
DEC's LJ250 printer is a quality text/color graphics printer.

Continued on page 4.

LABORATORY DECPRO TESTING CENTER

The lab seal indicates that the product reviewed has been tested by one of our experts in our Laboratory and Testing Center.

ON THE COVER:
Cover photo courtesy of the TRW Customer Service Division of TRW. Automated Retrieval System (ARS) units have the capacity to locate up to three different port numbers at the same time (see "Robots: Past, Present, And Future," page 156).



CONTENTS

Continued from page 3.

92 COMMUNICATIONS: POLLY WANT A *PARROT*?
by Donna Barron
MicroProducts' *Parrot* lets you record an interactive session in real time.

98 WORD PROCESSING: *IT*OS*
by David B. Miller
A word processing package that performs graphics integration and mathematical functions.

DEPARTMENTS & COLUMNS

Publisher
by Carl B. Marbach
Why Did DEC Make A Deal With Apple? 10

Editorial
by Dave Mallery
Third-Party Field Service 14

DEC Watch
by Evan Birkhead
The Big Picture 108

Training
by Philip Margolis
C Language Training On Video Tape 114

Let's C Now
by Rex Jaeschke
Calling VAX C From Other Languages .. 118

DCL Dialogue
by Kevin G. Barkes
Fortune Cookies For The Masses 124

Managing Your MicroVAX
by David W. Bynon
Capacity Planning And System Design, Part 1 128

Networking Editor
by Bill Hancock
Understanding An NCP, Part 2 138

RSX Clinic
by James A. McGlinchey 150

Cluster Chronicles
by Dave Mallery
The Trials and Tribulations Of ThinWire .. 152

Field Service
by Ron Levine
Robots: Past, Present And Future 156

From The Lab
by David W. Bynon
Micropolis 1500 Series 160

From The Lab
by Michael G. Gonzales
Getting Into A *JAM* 162

Mac/VAX
by Joseph P. Dallatore
PacerShare 166

Back End
by John C. Dvorak
The Future Of Business 208

Letters 16

***ARIS*TALK** 22

Product Watch 24

Bookshelf 144

Products 174

Product Showcase 200

Used Equipment 201

New Equipment 202

Classified 204

Advertisers Index 206

The ARIS symbol on an article indicates that the program segments are available electronically on our Automated Reader Information Service. Dial (215) 542-9458.

We will consider for publication all submitted manuscripts and photographs, and welcome your articles, photographs and suggestions. We cannot be responsible for loss or damage. This magazine is not sponsored or approved by or connected in any way with Digital Equipment Corporation. "DEC" is a registered trademark of Digital Equipment Corporation. Digital Equipment Corporation is the owner of the trademark "DEC" and is the source of all "DEC" products. All materials presented are believed accurate, but we cannot assume responsibility for their accuracy or application.
DEC PROFESSIONAL Magazine ISSN 0744-9216 is published monthly by Professional Press, Inc., 921 Bethlehem Pike, Spring House, PA 19477. Printing and binding by R. R. Donnelley & Sons Company. Subscriptions are complimentary for qualifed U.S. and Canadian sites. Single copy price, including postage, $4. One year subscription rate $30 in the U.S. and Canada; and $60 foreign. All orders must be prepaid. Second Class postage paid at North Wales, PA, and additional mailing offices. POSTMASTER: Send all correspondence and address changes to: DEC PROFESSIONAL, P.O. Box 503, Spring House, PA 19477-0503. COPYRIGHT© 1988 by Professional Press, Inc. All rights reserved. No part of this publication may be reproduced in any form without written permission from the publisher.

VBPA dda ABP

Perfect matches to DEC user needs. Hip. Hip. And Hooray.

One-size-fits-all is an attribute best reserved for inexpensive socks. In the realm of PC-based emulation and communications software for DEC mainframe users, it's important to match specific user needs with specific product attributes. We have.

SmarTerm® 240 features exact four-color emulation of a DEC® VT241 terminal. Along with delivering full-screen ReGIS® and Tektronix® 4010/4014 graphics, SmarTerm 240 offers precise VT220, VT102, VT100, and VT52 text emulation.

For non-graphics applications, SmarTerm® 220 duplicates virtually every SmarTerm 240 text, communication, and ease-of-use feature. Three error-free file transfer protocols, including Kermit and Xmodem, are provided. Downloading minimizes on-line time requirements to boost overall system efficiency. And an optional network package allows direct LAN access to shared modems, printers, as well as host mainframes.

As SmarTerm 240 and 220 focus on graphics and text, new SmartMOVE® makes PC-to-the-rest-of-the-World communications sharper than ever. Speed connect, auto redial, and background file transfer features make this VT100 emulator a loud and clear choice for advanced communications requirements.

Graphics, text, and communications. If you're looking for a perfect fit, seek the software sized and priced to match your needs. Persoft has it. Period.

See us at COMDEX/Atlanta-East Hall 352,
visit your dealer, or phone us at 608 273-6000.

persoft®

© 1987 Persoft, Inc. All rights reserved. Persoft, SmarTerm, and SmartMOVE are registered trademarks of Persoft, Inc. DEC, VT and ReGIS are trademarks of Digital Equipment Corporation. Tektronix is a registered trademark of Tektronix, Inc.

ENTER 175 ON READER CARD

Buy-Make-Sell

Computerized Manufacturing Planning

MODELING THE manufacturing process can lead to efficiency and savings. BY JOHN STANEFF

MANUFACTURING IS BASED on a continual cycle of buy, make and sell. Component parts and materials are brought in, the plant massages them into a value-added product, and then sells the new goods to a consumer.

Manufacturers generally purchase raw materials from other manufacturers, or from miners (those who extract a product from a natural source), then transform them into finished goods. The material used may be pig iron for making steel, sheet steel for making desks, or another company's product incorporated into the new good (like the machine screws used to assemble a desk).

Each area of the manufacturing pinwheel — buy, make, sell — must be given equal attention when managing the manufacturing operation. Computer software, called Manufacturing Resource Planning (MRP), may be used to aid the management activity. The software seeks to achieve a harmonious balance between the phases.

Today's MRP software is an outgrowth of a body of work also called MRP. Here the initials stand for Material Requirements Planning. This work has been a mainstay of computing in manufacturing since the mid-1970s, with earlier implementations on large-scale computers since the mid-1960s.

In MRP, the computer model inverts a series of bills of material that are called out by the production schedule. The inverted product descriptions are examined in a manner similar to the Critical Path Method (CPM) to determine detail component scheduling time lines.

Components common to several products, and which are needed "simultaneously," are grouped together.

Parts needed, but for which an on-hand supply is sufficient, are excluded from further scheduling because they can be drawn from stock. Parts bought from suppliers are ordered for carefully timed delivery. Parts that must be made are scheduled into work centers. The process identifies such snags as inadequate supplies of raw materials, missed production dates and projected manpower shortages.

Bills Of Material

To produce a good from its various components, the manufacturer must have a picture in mind of that completed product. A typical way to represent the product is to begin with a drawing of the finished product, then to "explode" that with a hierarchy of drawings that represent component parts and assemblies. This process is similar to using a structure chart to describe a computer program. The actual representation may be on paper (tracings), or within a computer using computer aided design (CAD) software.

This obviously is a tedious process, especially when the number of individual components for a product climbs into the hundreds and thousands. There's tremendous pressure to "standardize," to use common parts and subassemblies across several products. The pressure is one of economics; the manufacturer can't afford a production-line mistake where a wrong part was used, nor can he often afford to stock all possible sizes of machine screws. Manufacturers frequently select a standard size of screw, or bolt strength, or drawer size, and stay with that standard as long as possible. Resistance to change is built into the manufacturing process as a matter of self preservation.

Even with standardization, the number of assemblies and products made by the manufacturer often will make it difficult to stay on top of the volume of data about parts and assemblies. Typically, each part and assembly is numbered to that starting with the end product; the production planner can find all components by finding the drawings called out at each new level in the hierarchy.

Because of standardization, many parts and assemblies are called out in this way for different end products. Combining the standard parts into a large



production run often is done by seat-of-the-pants guesswork in manual scheduling.

The hierarchy of parts and assemblies making up a product is called its bill of material. This can be computerized easily using two data structures. First, an item record calls out descriptive information about the part or assembly, and may include inventory or purchase information as well. Second, a product structure record calls out linkage information that specifies each higher up level for which the item is used.

Computerized algorithms then can be used to call out all of the component parts and assemblies for a product, or to call out all the products that use a standardized part or assembly. Use of a computerized bill of material can be an aid to further standardization as the product designers discover very similar parts or assemblies and uncover their separate uses.

Master Schedule

Manufacturing ties up liquid assets (cash) into goods that must be sold in order to regain the initial asset and, hopefully, a profit. The idea is to tie up cash only in a product that will turnover or sell.

Two schedules combine to become the "master schedule." These are scheduled sales and scheduled production. The manufacturer must guess in advance at the future sales of each finished good. Individual customers remain unknown; that they will buy is the only certainty. Ensuring that enough customers will buy to meet a schedule is the responsibility of Marketing and Sales.

The sales schedule usually is shown as a forecast and an actual sales volume. The forecast is used to predict stock levels and to know when to issue a production job order. The actual sales volume is a check on the forecast and supersedes the forecast when warranted.

The production schedule is the scheduled inflow of the newly made product. Detail is ignored for this schedule. At a gross level, this schedule is used as a check on production; will customers need to wait for delivery, and if so, for how long?

Using the two schedules, and a beginning inventory, the master schedule predicts stock-out conditions. The production planners then can determine to reschedule either the sales or production schedule to moderate the effects of stock outs or to avoid them altogether.

As a computerized process, this isn't a difficult piece of programming. There are specific methods of analysis that can be applied to the master schedule, which help to prioritize the need for new production as determined by the master schedule. An A-B-C stratification quickly can isolate those products that have a higher turnover, a higher profit margin or a higher cost of manufacture. The computerized analysis then can suggest a new or revised production schedule.

Each product actually committed to production as a factory order is individually scheduled according to its internal requirements. The master schedule software must not allocate a completion date that's earlier than the shortest critical path of production for the finished item. This lead time is a limiting factor for sales schedules; you

Figure.



Entity relationship diagram for the computerized manufacturing planning model.

can't sell what you don't have, so you "lay low" on an out-of-stock product until it's again available.

Inventory Control

Knowing how much of a product to make is a function of expected sales and known production. It also is affected by knowing the current stock on hand.

Stock on hand represents an investment in goods and materials that quickly needs to be converted into cash. Except at the highest levels (finished goods), inventory stock is used up only by including it into a new finished good. Making or buying additional quantities of an inventoried item depends on the level of turnover. For instance, one size machine screw may be used in a thousand different assemblies and constantly be purchased, while a special drawer slide may be used in one or two unusual products and rarely needed.

Inventory, then, is really a multitiered concept. There are parts and materials awaiting inclusion into assemblies. There are assemblies awaiting customer orders for special products, so that they can be assembled to order. There are finished goods awaiting customer purchase.

Each level of inventory may be accounted for differently in the inventory system. It may be that each level is taxed differently with respect to the amount of value added. For instance, a fully built desk, in a box and awaiting shipment, may have a value as a finished product that's based on its expected sales price. In another instance, drawers, pedestals and desk tops may be valued at cost as incomplete parts. Whether for tax purposes or not, the value of inventory is different in these two cases because of the amount of labor invested. The finished product certainly has more labor in it.

Computerizing inventory data usually is a matter of adding appropriate fields to the item record. Each part, assembly and product is inventoried, as are raw materials. Once inventoried, the quantities on hand are easily checked by computer to determine whether or not certain items must be purchased or produced.

KNOWING HOW much of a product to make is a function of expected sales and known production.

As seen earlier, issuing a new-product job order causes the computer to analyze each part in the bill of material to check its current on-hand (inventory) status as compared to the job order's need. The inventory records track this need under a "committed" value. The quantity committed is the number of the item so far allocated to production job orders (aside from finished goods items). So, the amount to make must be a combination of specific needs, production commitments, and current stock on hand.

From a profit-and-loss perspective, inventory also monitors standard and actual cost of goods produced. A computerized inventory system can monitor specific component items easily through the manufacturing process and post completed average cost to the inventory record. These numbers then are used to show an over/under report that details the company's experience in producing items versus what it had expected to experience. The over/under report shows variance from standard cost and can be an effectual means of controlling the production process.

Subsequent to completion of an assembly, or a finished good, all component costs can be "rolled up" into the completed item to produce a basis for the individual cost of goods produced. Analysis of an over/under report for finished goods that also shows expected sales volumes in an A-B-C stratification can serve to help set or adjust product selling prices.

Critical Path Analysis

If you can envision the hierarchical chart of a bill of material somehow laid on its side, you can see that a CPM network has been made. Some paths of the hierarchy are longer than others; some paths of the hierarchy take longer to follow when building the product. Often, portions of the hierarchy need not be considered because the parts and assemblies represented already are inventoried.

When the structure is drawn, the individual quantities of components are multiplied out to the lowest levels. For instance, if a desk requires four drawers of one type, it also requires four times the number of drawer slides, and drawer fronts, etc. Because other drawer types also may be needed, there's a certain amount of accumulation of quantities that can be made for multiple occurrences of the same part. These summed counts are substituted for the first use encountered for the part, and all other uses are marked as following completion of the part.

The remaining chart, with common usage of parts indicated and components already on hand deducted, is now ready to be scheduled. The CPM method is employed to determine the critical path through the chart. The amount of time required, then, is the best case for scheduling. After applying necessary purchasing lead time, which may adjust the critical path, the earliest time the product could be produced is determined from the moment of issuance as a job order.

It's possible that the product can't be produced within the constraints of the production schedule, even if all other production were to cease. This data can be used to adjust the master schedule, causing a recomputation of all MRP processes, or to highlight areas where expediting and specialized make-to-order



Let's Stop All This Finger-Pointing And Get Down To Some Serious Name-Calling.

When something goes wrong with a computer system, everybody wants to know whose fault it is.

We have a better idea.

Solve the problem first. Point fingers later.

As the leading supplier of high performance peripheral subsystems for VAXs, we've seen our share of the unspeakable. But we've rarely seen the unsolvable.

We're not just talking about emergency service, either. Anyone can come in, smell smoke, and replace the offending device. We're also talking about things that are much more subtle. Like when your system is red-lined and it's still just too &@$%#! slow.

DEC is a registered trademark of Digital Equipment Corporation.

We can look at a whole system and figure out what went south and why. Sometimes better than the people who built it.

You see, what our subsystems and services do best is make Digital Equipment's processors perform better.

And except for those people whose checks are signed "Olsen," we have more trained bodies *in the field* to back us up than any other company selling in the DEC marketplace.

So you want to call somebody names?

Call us. **800-333-2220.**

We'll solve your problems faster than you can say "System Industries."

SYSTEM INDUSTRIES

ENTER 243 ON READER CARD

© Copyright 1988 by System Industries, 560 Cottonwood Drive, Milpitas, CA 95035.

processing will be necessary.

The computerization of this process is fairly complex, blending bills of material, small levels of accumulation, inventory records, production and purchasing lead times, and the critical path method. Such things as labor and material shortages or equipment malfunction will throw the schedule out of line. So, the CPM analysis is simply an estimate of the time required.

STOCK ON HAND represents an investment in goods and materials that quickly needs to be converted into cash.

Accumulations

The process of standardization easily can bring significant economy to a manufacturing process, but only if each need for the standardized component isn't filled individually. To avoid this, manufacturers may use various methods.

In one method, a safety stock level is set and monitored for an inventoried item. Whenever the inventory stock drops below that level, the manufacturer automatically issues a purchase or production order to replenish the stock on hand. Such orders usually are written to an economic order quantity, which represents the most efficient amount to acquire considering costs of acquisition and inventory storage.

Computerizing the safety stock strategy is of moderate difficulty and involves setting flags in item records and tracking safety stock and economic order quantity fields. Its calculations and order triggers appear in regular analysis of the inventory and whenever a product is scheduled into production. Of concern to this method is accurate recording of use when the stock on hand is lowered.

Another method for accumulation is to scan the production job orders to identify and sum occurrences of standardized parts. There are some obvious difficulties with regard to positioning the bounds of the period being scanned, and some less obvious difficulties associated with job cost accounting that's product oriented. (To what job do you charge the excess quantity?).

The actual accumulation process isn't difficult: Each part scheduled is put on a list along with its quantity and due date. The list is sorted by part and date. The accumulation by period then is a simple matter of summing up. Use is a matter of drawing from a temporary work-in-process inventory (usually kept on a skid somewhere on the factory floor). When the accumulation is finished and to be implemented, some care must be taken to back up the start date for the now larger quantity of items.

Computerizing this process is relatively straightforward. The snag of cost accounting can be overcome by producing the part to a separate work-in-process job number and distributing the average cost to the initial jobs as the inventory is depleted.

Standard Routings

As a bill of material details what components go into a finished product, a "standard routing" details the steps necessary to build the product. Each part and assembly in a product has its own set of routing steps. At each step some new operation is performed on the item, carrying it along until it achieves its own identity. Once completed, it may become part of a higher level assembly.

A routing details the individual steps required to obtain an item. For example, a drawer bottom may need to be cut from sheet stock, then have holes punched in it and the sides bent up to provide support channels. The standard routing describes these steps and also details the standard time necessary to do each step. The specific work centers where the operation is to be performed are noted, as is unique tooling.

The source of information for standard routing is initially the product designer. The drawing calls out specific operations necessary to make a part or assemble an assembly. Production scheduling will amend the routing by specifying exact operation codes and tool identification. Cost accounting and product scheduling will specify the standard times for each operation.

In a computer system, this file is ancillary to the item file; not all items are routed and most routed parts have multiple steps.

Shop Floor Control

The process of scheduling the component parts and assemblies through the factory during their manufacture is called shop floor control. Each scheduled part or assembly is constructed in accordance with its standard routing. Parts queue up at work centers and are processed according to a prioritization scheme (due date). Completed parts, at one workstation, are transferred to the next work center called out in their routing. When the routing is complete, the parts or assemblies wait in work-in-process inventory until needed in a higher assembly, or until they're stacked in a warehouse as a make-to-order or finished good.

Scheduling on the shop floor differs from production in a major way. The production schedule sets priorities; shop floor scheduling carries out those priorities and is subject to a wide variety of anomaly. At any given time the shop floor may be on or seriously off target. The real world of physical goods, uncooperative equipment and labor is the domain of production scheduling and of the shop foreman.

At an individual workstation, a laborer may track time spent on setup and operation for a given part on a given

Colleague™

PORTABLE TERMINAL

Not just another VT100/VT220® terminal

Colleague
$995
Colleague PLUS
$1295

$995 Colleague Portable Terminal includes:

- *20 Auto Connect/Auto Dial Channels*
- *20 Programmable Function Keys per channel*
- *Full 25 Line x 80 Column Supertwist Display*
- *Internal 300/1200 bps Auto Answer/Auto Dial Modem with Security Callback Modem compatibility*
- *150-19.2K bps RS-232 Port & Parallel Printer Port*
- *Internal 10-Hour Rechargeable Battery with Recharger*
- *VT-52/100/220 7-Bit/220 8-Bit Emulation*
- *Full-Size/Full-Travel Keyboard*
- *Compact — 7.5 lbs.; 13″ x 10″ x 2⅝″*
- *Shock Resistant/High-Impact Plastic Case*

$1295 Colleague PLUS also includes:

- Full-Featured Internal Word Processor
- Data Capture/Send/Screen-Snap
- Session Record/Playback
- Print to Serial or Parallel Port
- 65K of Non-volatile RAM Storage

Also Available:

- External Numeric/Application Keypad
- Ink Jet Printer
- Carrying Cases

581 Northland Blvd. • Cincinnati, Ohio 45240 **Random™ CORPORATION** 1-800-553-6773 (In Ohio: 513-825-0880)

© 1988 Random Corporation VT is a Registered Trademark of Digital Equipment Corp. Random and Colleague are trademarks of Random Corporation.

See us at DEXPO South, Booth #501

ENTER 176 ON READER CARD

job. This data is used later to contrast the standard cost to actual cost, to determine the efficiency of production and the accuracy of standard costs, and to track the job's progress through the factory. This data can be used to point out factory errors (missed operations, quantity shortages, etc.) as well as over or under optimistic production schedules.

From a computerization perspective, shop floor scheduling is forward looking. Production planning, as well as most of MRP, is backward looking to determine a start date that facilitates a given completion date. Shop floor scheduling works from what's available now and moves steadily forward until its stock of work is completed.

A computer model that not only looks at the current and next shift, but also predicts future cycles based on current work center performance, can help production management identify upcoming bottlenecks and isolate areas that could benefit by better production planning.

Purchase Order Writing

Almost all of the materials used in manufacturing are purchased from someone else. By determining what parts are needed, when they are needed, and which of those are purchased items, the manufacturer determines which parts to order. Further, if a vendor's past performance (delivery time, quality of goods supplied, etc.) is tracked, it's possible to predict how long it will take to obtain delivery on any given part.

In a manner similar to that described earlier, production control can sum up all of the purchased parts needed over a set period of time. The accumulation then combines parts needed across all jobs, and groups them together with other parts normally purchased from the same vendor.

By backing up the length of the longest lead time item in the list, the manufacturer can issue a purchase order ahead of time for the whole list of parts. The order can specify that individual items are to be delivered on certain specific dates (to minimize our inventory carrying costs).

Conceptually, this process is the same as writing up work-in-process jobs for the factory; a changed "factory code" shows an outside vendor as the "plant." The differences emerge when there's a need to expedite an order or when deliveries aren't made on time. For these cases, the system issues mini-work orders to Purchasing for specific tracing activities on earlier orders.

THE INVENTORY monitoring process needs access to some form of conversion factor that allows easy cross reference between the two systems of measure.

Specialized Inventory Controls

There are several specialized inventory controls:

1. Raw Materials — Some inventories, like steel or other maleable raw materials, require special tracking. Often the material is sold by one measurement (e.g., weight) while it's used by another length. The inventory monitoring process needs access to some form of conversion factor that allows easy cross reference between the two systems of measure.

The special inventories also may require unique functions, like slit coil tracking from masters. For instance, coil steel is sold in coils that are 48 inches wide. A special mill called a slitting mill is used to cut master coils down to specific widths useful to the factory. Whenever a slit coil is in use and found to be defective, it's useful to know the identities (by coil number) of the other slits made from the original master coil. A process similar to bill of material software can be used to implement this feature.

2. Finished Goods Inventory — Items that are packaged and awaiting sale to a customer are finished goods. They represent an investment in product and usually are accounted for at market value. It's important to track these with care. It's also important not to oversell because an unexpected shortage can do damage to the manufacturer's reputation. Accurate inventory information ties into sales records, sales forecasts and master scheduling.

3. Make-to-Order Inventory — Items that can be packaged quickly into finished product, for shipment in response to sales, are make-to-order. These items usually are left partially complete and may consist of largely "standardized" parts and assemblies.

They are accounted for differently because less labor is used to create them, and also because they often can be combined with other parts and assemblies to produce alternate finished products. It's usually better to assemble an infrequently sold product from parts in a make-to-order bin than it is to pirate a finished product or manufacture a full lot.

These procedures operate on a common database. The Figure shows an entity relationship diagram of the various components of that database. The integrated data structures are based on a central item (inventory) file that has been amended to represent product bills of material hierarchically. Other structures radiate out from the inventory file, and represent the various operating entities of MRP.

Editor's note: For more on bill of materials and shop floor scheduling, see Mr. Staneff's articles "BOMP — Bill of Materials Processor," *VAX PROFESSIONAL* (February 1985), and "Stable Marriage Scheduling," *VAX PROFESSIONAL* (April 1986). *—John Staneff is an independent software consultant in Ellensburg, Washington.*

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 501 Medium 502 Low 503

THE CLEAR PATH TO MANAGING CRITICAL PROJECTS

VIS1ON

Fast, accurate information...total visibility!

It's surprisingly easy.

Guided by pre-formatted screens you put project data into your computer. Then our VIS1ON Project Management System automatically turns that information into network diagrams, barcharts, management graphs and reports.

What you get is visibility to keep you in total control of your project.

Updates and "what-if" analyses can be easily made in minutes too, so you always have a handle on materials, manpower, costs and schedules.

VIS1ON ends costly surprises... it puts you in control.

It could be the most important cost saving investment you'll ever make.

But don't take our word for it. Check out our customer list. For the past 18 years we've been the pioneer and leader in automated project management systems so the names are impressive, covering AT&T to Zenith in the Fortune 1000. They include most government agencies as well as leading aerospace, engineering/construction, petroleum/resource, utility and manufacturing companies.



Call or write today for more information. VIS1ON can put you on the clear path to project management.

SYSTONETICS

1561 E. Orangethorpe Ave., Fullerton, CA 92631 • (714) 680-0910 • Telex 692-327

DOMESTIC OFFICES: Fullerton, CA (714) 680-0910 • San Jose, CA (408) 275-0890 • Seattle, WA (206) 646-4950 • Denver, CO (303) 572-6060 • Houston, TX (713) 493-9731 • Atlanta, GA (404) 955-7740 • Oakton, VA (703) 359-2982 • Eatontown, NJ (201) 544-8800.

INTERNATIONAL AGENTS: PCF Ltd., United Kingdom, Phone: 44-494-775-322, Telex: 851937400 • Software Solutions (Australia) Pty., Ltd., Australia, Phone: 2-439-3055, Telex: AA72618 • Promatica A.S., Norway, Phone: 4742-27555, FAX: 4742-70650 • Sysproduct, Italy, Phone: 011-650-4665, Telex: 224328 • Hans Torsleff Management Systems, Denmark, Phone: 45131-0816, FAX: 45131-0807.

ENTER 232 ON READER CARD

Configuration Management

For Software Manufacturing

AUTOMATING a CM system requires close examination of your existing system and extensive evaluation of your future needs. BY DARCY F. YOUNG

CONFIGURATION MANAGEMENT PROBLEMS are common across companies. The environment of each company can, however, influence the magnitude of certain problems. The Engineering Support Department of Scientific Calculations Inc., a division of Harris Corporation, Fishers, New York, installed and developed a new configuration management (CM) system over the period of one year. This article examines the methods used to determine the requirements for the new system and the solution.

Scientific Calculations licenses CAD/CAM software for printed circuit design. The company's products consist of more than 850,000 lines of code and run on several different computers. The majority of the code is FORTRAN, but other code does exist written in ASSEMBLER and C. The company releases a product upgrade to customers approximately every nine months. There are also some prereleases or special releases containing specific high-priority projects. These special release configurations must be integrated into a general release.

The development life cycle comprises several phases, each of which is the responsibility of one or more groups. One group writes the specifica-

tions, several groups perform coding and debugging, another reviews code for compliance with company standards, and another is responsible for system testing. In addition, there is a configuration management group.

All functional changes applied to the software are defined as projects and tagged with project codes. These codes indicate the development group responsible for implementing the change. A product release then, is a collection of specified projects.

The Old System

The original CM system had evolved over several years. Tools were added as they became necessary to facilitate project development. Under our original system, VAX directories were used to separate project files that were in different stages of their life cycles. The first directory level contained files in the development stage for projects that programmers had completed. These projects were available for testing. The second level, a directory parallel to the first, contained files in the test stage for projects that had been approved by testers for compliance with specifications. Final full integration testing took place on this level. The final level, another parallel directory, contained files in the product stage (i.e., code that was last released).

A data file was associated with each directory level. It could be edited and contained information relating files to specific projects. If a single file was modified for more than one project, there was an entry in the data file for each project, but only the latest version of the file, containing the changes made by both projects, actually resided on the directory.

When a project was ready to move from one level to the next, hardcopy forms were filled out and submitted to the CM group, which moved the files belonging to the project and updated the modules to include the new files.

The CM group also was responsible for controlling the build (link) procedures, because the source code files were used in many different modules. A programmer would submit a hardcopy form to the CM group requesting that new entries be made to build command files.

THE ORIGINAL CM system had evolved over several years. Tools were added as they became necessary to facilitate project development.

Problems

In attempting to define the requirements for our new CM system, we closely examined the old one and found some major problems:

1. VAX directories — The practice of placing files on single VAX directories for the development and testing stages had introduced several problems:

a. Previously changed versions of files were overwritten with newer versions. Straight-line development of files was required; the system did not support parallel development.

b. All changes, even those to fix problems found in testing, had to be introduced to the CM system at the development level directory.

c. Projects that were developed in a specific order became tied together, causing delays in projects reaching testers.

d. Programming teams were responsible for remembering to move all pieces of a project from their own directories to the development directory when programming was complete. If pieces were forgotten, the test module for the first level was unusable.

2. Using hardcopy forms for communications — Communications by way of hardcopy forms, VAX mail and verbal discussions generated problems. Often the forms were incomplete or bypassed completely by verbal requests.

3. Reliance on one key individual — One individual had developed the CM system over several years. Had he left or not been thorough in tracking down each partial request, the development and testing environments and modules would have been unstable.

4. Loose code ownership — Many files that were loosely owned by one development group, were used by others in their executable modules. Any programmer could change any file, no matter to whom it belonged.

5. Source code conversion — Because the product code was executed on different computers, a programming team was responsible for converting the code from the development machine to the others. The conversion effort took place while normal product development continued. Both the conversion and the development teams needed to modify the same code and merge their changes at a later time. This environment required parallel development, which the CM system couldn't support.

6. Overwriting files — The straight-line development of files caused overwriting of previous versions of files. A second change to a file, a second project in the line of development, physically overwrote the first, causing the loss of the first version with only one project's change. Therefore, a file existing on either the development or test level could contain changes from any number of projects.

7. Control of module build procedures — Modifying the build command files was a tedious task for the CM group because it had to be done manually. Release projects aimed at streamlin-

ing modules should have been undertaken but weren't, because programmers couldn't change the build command files easily.

8. Tracking of test rejections — The system provided no way to track test rejections. If the test group found problems with a project, it was returned to the programming group. The programmers then had to fit the project back into the serial development of files. Fixing a simple problem often took longer than necessary, because the programmer would have to wait for the required files to become available. Also, the project with the problem was left on the test level, while the fix for the rejection was being introduced to the development level.

Additional Requirements

After reviewing the existing system's problems, we interviewed managers, programmers and testers for additional requirements for the new system. The following requests were made:

1. Provide enforcement of project plans — Managers wanted the ability to schedule projects and define project teams. They requested that the CM system enforce their authority in three ways:

a. It must ensure adherence to schedules. The CM system must not allow work to begin on a project until all stated priorities are complete.

b. The CM system must enforce the use of defined teams by verifying access privileges to team members.

c. The new system must prevent changes to code by groups outside the manager's control, unless those changes are allowed specifically by the manager responsible for the code.

2. Provide automatic notification — Both programmers and testers requested that automatic notification be used to speed projects from development

AFTER REVIEWING the existing system's problems, we interviewed managers, programmers and testers for additional requirements for the new system.

What you don't need is a lecture on the advantages of a spreadsheet designed for VAX™ computers.

through testing and to warn programmers of potential integration problems. Specifically, the standards review group should be notified as soon as a project is completed and waiting for standards review.

Likewise, the test group should be informed when a project has passed the standards review and is available for testing. Also, because the CM system logs all file claims by project, it should notify leaders of effected projects when parallel development of any file is initiated, because merging of the changes made in parallel will be necessary. With this notification, programmers from the different projects could work together to ensure that the changes are compatible.

Definition

With these observations and with the information collected, we were able to define the following requirements:

1. Store each project's changes to files — The new CM system would have to store every project's version of a file, not just the latest one. Programmers need the ability to trace the exact history of a file's development and simply and safely remove any given changes. Testers need the means to isolate projects when testing them for adherence to specifications.

2. Allow parallel development — The CM system would have to allow multiple projects to change the same files at the same time. It also would have to ensure that the changes made in parallel are merged to a single version for integration testing and release.

3. Provide a method for planning projects — The system would allow a manager to define priorities between projects. It also should allow programmers and testers to define integration dependencies between projects. Finally, the CM system must enable a manager to assign project teams, including a project leader.

4. Reduce paperwork and dependency on verbal communications — The CM system automatically should track project development and update executable modules as projects move into testing. It also should notify key people when major milestones in the development life cycle are reached. This automatic notification is necessary when moving projects among groups responsible for different phases of the life cycle, from project completion to standards verification to testing.

5. Track and control changes — The system should ensure that a user has

CCC
Softool Corporation
340 South Kellogg Ave.
Goleta, CA 93117
(805) 683-5777
ENTER 542 ON READER CARD

What you do need is proof.

Order a 20/20 Evaluation Kit and you'll get a full working program, documentation and Evaluator's Guide. 20/20 is the leading integrated spreadsheet for VAX™ computers. 75% of everyone who tries 20/20, buys 20/20. Once you see what it can do for you, we think you will, too.

Attached is my business card or letterhead. Please send:

☐ Information on ordering a 20/20 Evaluation Kit.
☐ Information on 20/20.
☐ Information on your reseller program.
Computer Model _____

Access Technology, 6 Pleasant Street, South Natick, MA 01760/617-655-9191. In Europe: 66-68 Chapel Street, Marlow, Bucks SL7IDE, England (0628)890345 Telex: 848138 DPA588



20/20™ by Access Technology

ENTER 196 ON READER CARD

DEC UNIBUS* USER:
CONVERT YOUR OBSOLETE PDP-11* TO A POWERFUL '87 MODEL

N1100 PLUS

- *4 Mbytes DRAM*
- *8 KBytes Cache*
- *Hardware Floating Point*
- *Memory Management*

N1100

- *2 Mbytes DRAM*
- *Memory Management*
- *Serial Line Unit*
- *Universal Boot ROM*

J-11* POWER FOR OPTIMUM PERFORMANCE
FITS ALL EXISTING CPUs— NO BACKPLANE CHANGE

Call ED GRIFFIN for FREE PRODUCT INSTALLATION GUIDE
(800) 233-1837 *In Calif. (714) 261-8811*

*UNIBUS *PDP *J-11 are registered trademarks of DIGITAL EQUIPMENT CORPORATION

NISSHO ELECTRONICS

17310 Red Hill Avenue, Suite 200, Irvine, California 92714 • FAX (714) 261-8819, TLX 181-308

ENTER 188 ON READER CARD

proper privileges both to claim a file for modification and to return the file after changes are made. To claim files outside a project's code ownership, special privileges must be attained from a manager responsible for that code. In addition, the new system must track all file claims and code modifications to guarantee that the manager has ready access to this information and to ensure that all pieces are returned before the project is declared complete.

THE COMMANDS are provided to users through (DCL) and FORTRAN programs.

6. Give development groups control of module builds — Development groups should have control over both the content of executable modules and the methods used to build those modules.

7. Track and control test rejections — The CM system should allow testers to name a rejection and have the system track changes made to fix it. Fixing a rejection requires the programmer to update a completed project. It's a special type of code change and should be tracked as such. The system should ensure that any projects based on or developed from the faulty project also are updated.

8. Provide a complete, integrated system — All commands and tools related to the CM system would have to follow a single convention for input and messages, providing a cohesive shell.

The Solution

Scientific Calculations' staff developed a solution satisfying these requirements. To implement it, the company pur-

chased the *Change and Configuration Control (CCC)* software product from Softool Corporation, Goleta, California, and built a customized shell around it. The shell allows us to interface to CCC through batch command procedures.

Each command is a high-level one geared to a specific need. The commands are provided to users through Digital Command Language (DCL) and FORTRAN programs.

The shell we built allows us to view project development composed of the following phases:

1. Planning projects — At the beginning of each product release cycle, managers review the projects targeted for the next release. Some preliminary investigations by programmers have been made to estimate the time required to complete each project. At this stage, managers may plan a strategy for completing the projects. This phase employs four different commands.

2. Beginning work on a project — Before any modifications to source files can be made for a given project, that project must be declared open. Also, special privileges can be granted at this time. This phase employs two distinct commands.

3. Developing a project — Once planning is complete and a project started, the project team may begin to modify the source code and create new source code to implement the project. This phase employs five distinct commands.

4. Completing a project — There are several steps necessary to ensure that a project is completed correctly. At completion, any parallel development must be resolved and merged into a single stable version. A total of five different commands provide an orderly process through which a project moves from the programmer's area to a stable development level environment.

5. Updating a project — If project problems are discovered by either the standards verification group or the test group, the project team must perform an update to correct the problems. This phase employs two distinct commands.

This CM system was designed to answer problems specific to Scientific Calculations. However, our experience can point the way to anyone undertaking the implementation of a configuration management system. —*Darcy F. Young is a senior software enginner with Scientific Calculations Inc., Fishers, New York.*

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 543 Medium 544 Low 545

Comptrol at Your Fingertips

Imagine the touch of a key providing a manager with control of his business. We at **Compu-Share** call such control "comptrol" and offer it to you in our **"Business Comptrol Series"** of **VAX** accounting software. Now you can design your own financial statements showing virtually any comparison you might want; project your cash requirements for the next 90 days; analyze which vendor has the best delivery and terms record; or compare each of your division's profits over the last three quarters. The **Business Comptrol Series** does all this and much more. After all, the Series has been built on the principle that a computer system should afford you control of your company–rather than the computer controlling you. Our software is fully **interactive**, checking for mistakes, providing information, and updating files instantaneously. Our **customer service** department is just as responsive, giving you the help you need, when you need it. Thorough training services equip your personnel to easily handle the system. Isn't it time you took "Comptrol"? Join the hundreds of other companies who have upgraded to the **Compu-Share Business Comptrol Series**, which includes GL, AP, PO, PR, AR, OE, IC, and FA. Call today to speak with one of our consultants. **Comptrol** is right at your fingertips!

Compu-Share
Business Accounting Software

(806) 794-1400
5214 68th Street Lubbock, Texas 79424

ENTER 241 ON READER CARD

SCIENCE

CENTRUM

By Lori A. Snyder

Polygen's *Centrum* Helps Manage The Research And Technical Data Needed For More Effective Scientific Work.

Centrum is a technical information management system specifically designed for use by chemical and pharmaceutical researchers. The *Centrum* system provides a unified environment in which the scientific researcher can record and manipulate data while producing a typeset-quality document from that data. *Centrum* was developed by Polygen Corporation, Waltham, Massachusetts, and runs on Digital Equipment Corporation's VAX line of computers and Sun Microsystems' 3/60 workstation. On the Digital platform, *Centrum* runs under both the ULTRIX and the VMS operating systems, and it runs under Berkeley UNIX on the Sun workstation.

The type of environment that *Centrum* provides isn't new; similar environments are commonplace in the electronic design and software development industries. *Centrum*, however, is said to be the first such environment specifically designed for the chemical and pharmaceutical researcher.

In the electronic design environment, the schematic serves as a definition of the problem and a means of communication among members of the design team. In the research environment, the scientific paper contains all the information gathered during a project and serves as a means of communication. Thus, *Centrum* provides an integrated method of producing the scientific paper, which previously had been produced by cutting and pasting information from many sources.

The Centrum System

The *Centrum* system is menu driven; the user selects activities or options from the menu, either by pointing to them with the mouse or by typing a letter (see Screen 1). Menus appear, even for yes or no responses, so the amount of typing required is minimal.

Centrum's windowing environment, which is based on the X Window standard, is similar to a Macintosh, although there are some differences. According to Polygen, *Centrum*'s pop-up menus, which allow you to take your finger off the mouse button while selecting an item, are easier to use than the Macintosh's pull-down menus, which require you to keep the mouse button depressed until the item has been selected. As with many popular windowing environments, *Centrum* allows multiple windows that can be opened, closed, overlapped, changed in size, moved around and set aside.

The system is designed for use with or without a mouse, and the absence of a mouse doesn't cause any loss of function. For example, to resize a window without a mouse, the WINDOW, EDIT and arrow keys are used. With a mouse, you simply point to the window border and stretch or shrink it as desired. If the system has a mouse, it can be used for all operations except those for which text input is required.

Composing A Document

The word centrum means focal point or center of attention. As the scientific paper or document is the centrum of the system, the Document Composer is one of the key functions.

Our idea for a better graphics programming tool kit is so incredibly simple, we're almost embarrassed to show you its inspiration.

Computers are supposed to help solve big problems. Easily. Yet, today, more often than not, writing programs that do what you want, the way you want, is anything *but* easy.

Why?

Because most programming tool kits are designed to work the way computers think. Instead of the way people think.

Except for one.

TEMPLATE with BLOX. The enhanced graphics programming tool kit so simplified, it's as easy as A, B, C.

Tools that stack the odds in your favor.

Writing a program is difficult enough. Making it easy to use is harder still.

But, by combining BLOX with TEMPLATE, or adding it to your existing TEMPLATE system, you can do it with ease.



Because BLOX allows you to build user interfaces without having to type in endless lines of code. Instead, simply tap in a few simple mouse commands.

And suddenly, almost amazingly, pieces of user interface appear before your eyes. Pull-down menus. Pop-up menus. Screens. And work areas.

With all of the symbols you want. Keyed to the instructions you want. Looking the way you want. Interacting the way you want.

Test it. If you don't like what you see, revise it. And make it right. In minutes.

In fact, TEMPLATE with BLOX is so easy to learn and use, it can cut your programming time by up to 70%. So you're more productive. And have time for other things.

A world of possibilities, from A to Z.

Of course, a user interface, no matter how easy to use, isn't much good if it doesn't put you in command of a wide selection of graphics options.

And here, TEMPLATE won't let you down.

With TEMPLATE, you can do just about anything you can imagine. Plotting. Contouring. Charting. Even 3D modeling, perspective and orthographic viewing.

And TEMPLATE, with or without BLOX, has the portability to run on all major computing platforms.

Best of all, when you buy TEMPLATE and BLOX for your application, you've bought the full support of the industry leader. Template Graphics Software. TGS. With training courses, documentation and toll-free hotline. To get you up and running. And keep you that way.

So remember. Your graphics application problems may be complex. But the solution is simple. TEMPLATE with BLOX.

For more information, including our free brochure, fill out and mail the attached postage pre-paid card. Or call toll-free, 1-800-428-7588 (in California, 1-800-824-4490). Template Graphics Software, 9685 Scranton Road, San Diego, California 92121.

TGS TEMPLATE GRAPHICS SOFTWARE

A United Telecom Company

ENTER 217 ON READER CARD



Centrum *running on a VAXSTATION.*

The Document Composer is a word processor with some special features that make it a sophisticated tool.

Information from other *Centrum* applications can be incorporated into it, creating what's called a compound document. The Document Composer is a true what-you-see-is-what-you-get word processor; a hardcopy will look exactly like what is on the screen. The Document Composer contains standard templates, called style guides, that help format frequently used documents such as memos, letters and overhead slides.

The Graphics Editor

The Graphics Editor lets you create pictures; e.g., pie charts, flow charts, logos and reaction diagrams. It contains a library of parts that are likely to be used repeatedly; you also can add your own parts to a custom library for future use. The Graphics Editor lets you create the basic geometric shapes, such as lines, rectangles and ellipses, as well as text and free-form strokes (see Screen 2). Multiple fill patterns and line styles and thicknesses are available. Objects can be modified and manipulated once placed; i.e., an object can be moved, copied, deleted or mirrored.

ChemNote

ChemNote, which also is called the Chemical Structure Editor, allows the research chemist to construct and examine molecules graphically (see Screen 3). It provides a user-friendly front end to CHARMm and QUANTA, two sophisticated molecular modelling programs from Polygen.

ChemNote automatically can convert a molecule constructed in 2-D stick form to a more realistic 3-D representation. It can calculate a variety of information about the molecule, including bond length and angle, atom distance, dihedral angle and van der Waals collisions.

ChemNote contains chemical intelligence; it won't allow you to make certain molecular constructions that are chemically incorrect. For example, it will issue a warning, if you place a single bond where there should be a double. Like the Graphics Editor, ChemNote contains a library of commonly used molecules, such as amino acids.

Centrum contains a spreadsheet package that's similar to *Lotus 1-2-3*. It lets *Lotus* input data be used without alteration. A spreadsheet can contain up to 9,999 rows x 702 columns of data and allows you to store up to 28,000 cells of numbers, formulas or text. As with all *Centrum* packages, spreadsheets can be incorporated into the Document Composer.

Centrum has a typical database package; it lets you add, change and sort records; delete entries; and search for a particular piece of information. Again, database documents can be incorporated into the document composer.

Centrum provides terminal emulation capabilities that let you upload and download data and graphic files from other computers. It includes emulation capabilities for Tektronix 4010 and 4014 terminals, as well as VT100 and VT640 terminals. It also has a table editor that

From what they say, you'd think that all terminal manufacturers are industry leaders. And that their terminals provide unmatched performance, emulation, reliability, value, and just about anything else you could want. We say all that too, about GraphOn. And about our terminals. So we're not surprised that the other guys say it. They're not about to say that their terminals are almost as good as ours. But the fact is that people *are buying* terminals that are almost as good as ours. We know you want the best DEC and Tek emulations you can get—along with all the other features of a top terminal. So we're happy to send you specifications and other information about GraphOn monochrome and color terminals, but… It's one thing to read about all the features and benefits of a terminal. It's another thing to actually experience them. Face it. There's really only one way to judge a terminal. And that's to see it at work on your own applications, in your own environment. Phone us today for your special hands-on demonstration. 1-800-GRAPHON.

GraphOn

ENTER 265 ON READER CARD

GraphOn is a Trademark of GraphOn Corporation. DEC is a trademark of Digital Equipment Corporation. Tek is a trademark of Tektronix, Inc.
© 1988 GRAPHON CORPORATION • 1901 South Bascom Ave. Campbell, CA 95008 • 408-371-3500 • FAX 408-559-6235 • TLX 499576 GRAPHON



Screen 1:* Centrum's *main menu.



Screen 2: Graphics editor display.



Screen 3: A 2-D molecule is shown in this ChemNote display.

allows researchers to create publication-quality tables. The emulation package automatically can be set up so that you get logged onto the other computer and placed in the desired directory; you need not know the other operating system's commands.

Centrum Evaluated

I conducted the *Centrum* product evaluation on a VAXSTATION 2000 with 6 MB of memory and a RD54 disk (more than 100 MB), running ULTRIX version 2.0-1.

With the *Centrum* system, you never need to interact directly with the operating system. After you log on and type CENTRUM, you don't see ULTRIX again until you exit *Centrum*. Any operation needed to be done to a *Centrum* document, such as creating, copying or deleting, is done from the Filing option of the main menu. Even electronic mail and the calendar functions are options of the main menu.

Centrum's filing cabinet analogy for organizing files further isolates the user from the operating system. Each user is given a personal filing cabinet (a home directory) which subsequently can be divided into drawers, folders, sections and subsections (subdirectories).

At first, I found it confusing to have to make filing cabinet analogies to name my files; I was comfortable with naming and moving among nested subdirectories. After working with the filing system for a while, I began to accept the fact that it was trying to simplify things.

One nice feature of not interacting directly with the operating system is that when you delete a file, that file moves to an area called the wastebasket where it can be "uncrumpled" (restored) if desired. This allows you to change your mind about deleting a file, a comfort that isn't provided by most operating systems.

Centrum's windowing environment is straightforward and easy to use. Windowing operations, such as opening, closing, moving, resizing and setting aside, can be performed intuitively. A

NEW! from SIGMA

THE 3 R's. . . REMOVABLE, RUGGED, AND READY!

Sigma's new 5-1/4" removable drive enclosures will give you the versatility to access, transport and store data!



SA-H168

- **REMOVABLE**
- **RUGGEDIZED CONSTRUCTION**
- **HEAVY-DUTY POWER SUPPLY**

SIGMA's ruggedized SA-H168 is a tough, self-contained chassis for industrial and military applications. Equipped with shock-mounted drive frames containing mounting slots for three full-height 5-1/4" Winchester and/or removable media drives. The SA-H168 includes a 14-slot quad-wide fully-terminated backplane with 0.6" spacing for improved air flow and easier cabling and board installation. This chassis contains a heavy-duty 480 watt power supply.

SA-H163

- **RUGGEDIZED**
- **REMOVABLE**
- **RELIABLE**

SIGMA's rugged enclosure with dual 5-1/4" removable Winchester disk drives in the SA-H163, offers a small chassis for installation in a standard 19" RETMA rack. The SA-H163 includes a 100 watt power supply, as well as a controller interface panel. The unit is equipped with write protect switches and LEDs for each drive.





SA-H162

- **BUSINESS APPLICATIONS**
- **REMOVABLE**
- **FREE-STANDING MODULAR DESIGN**

SIGMA's ready for your business applications with the SA-H162 free-standing enclosure which provides mounting for a Micro-VAX II BA23* box plus additional space for four 5-1/4" ESDI or ST506 Winchester pluggable disk drives and an 8- or 12-slot expansion backplane. A modular pull-out drawer located at the rear of the chassis contains a 400 watt switching power supply assembly.

Remember to contact your nearest Sigma Representative for detailed information and prices on Sigma's DEC* compatible enclosure and Q-bus board products.

CA	(714) 633-0652	MA	(617) 938-6400	TX	(713) 690-8011
	(714) 771-7320	MD	(301) 921-8898		(214) 790-2777
	(408) 241-3770	MN	(612) 435-6550	UT	(800) 521-3007
CO	(719) 528-8893	MT	(800) 521-3007	WA	(408) 241-3770
ID	(800) 521-3007	NM	(800) 521-3007	WY	(800) 521-3007

Belgium	(02)7209038	Holland	(03404)27211	Sweden	(08)7680540
Denmark	(06)848300	Italy	(02)4459351	Switzerland	(038)514353
Finland	(00)52711	N. Zealand	(09)590249	U.Kingdom	(0372)378811
France	(01)47862504	Norway	(02)685230	W.Germany	(02202)52042
Greece	(01)9514944				

ENTER 263 ON READER CARD

Sigma Information Systems

3401 East La Palma Avenue, Anaheim, California 92806
(714) 630-6553 TLX 298607 SGMA FAX (714) 630-5417



Screen 4: A **Centrum** *document can contain both text and graphics, in this case a molecule created in ChemNote.*



Screen 5: **Centrum's** *multiwindowing capability permits documents to be open simultaneously. The rectangles in the upper right corner are tasks that have been set aside.*

nice feature of the *Centrum* system is that processing occurs in windows that have been set aside; therefore, windows containing lengthy tasks need not clutter the screen.

Centrum's extensive menus are helpful to a novice, but they could become a nuisance for the experienced user. Polygen has considered this and offers a prompt mode in which the user sees only the one line prompt on the screen. It's easy to switch in and out of prompt mode, so you can display the options of a menu if you occasionally need them.

ChemNote Evaluated

Centrum is designed specifically for the chemical or pharmaceutical researcher, but ChemNote is the product's only application that other disciplines can't use.

I thought a good way to begin reviewing ChemNote would be to create my own original molecule. After several attempts, the system still wouldn't let me write my molecule. Each try was met with a different warning. I gave up my attempts at creativity and copied a molecule from the manual.

I learned a lot about the system during my experimentation; it has a much better understanding of chemistry than I do. By issuing those messages, it was trying to protect me from my own chemical ignorance.

ChemNote checks for several conditions, as the molecule gets written to disk. It will tell you when there are too many van der Waals hard-sphere contacts and when the valence of the molecule is incorrect. Valence problems can occur when a single, instead of a double (and vice versa), bond is placed and when there are an incorrect number of atoms or bonds on the molecule.

ChemNote allows you to edit molecules; i.e., move, add or delete atoms and bonds. When you move an atom that has bonds attached to it, the bonds move in a rubber-banding effect.

Molecules can be rotated about both the x and y axes, so you can view

Choosing The Right Tool For The Job





Avoid RCSS (Rubber Chicken Shock Syndrome)!
Buy your terminal emulation from the proven leader. To hear about our latest generation of products, or arrange for a demonstration call today 1-800-426-2230/ (in California 1-408-446-1919).

Picking a high-performance graphics terminal emulation package is easy. Consider the following and you won't get stuck with the wrong tool for your job.

A large installed base indicates widespread customer acceptance. Grafpoint has the largest installed base of 4105, 4107, and 4115 Tektronix™ emulation products.

A flexible product will operate in a number of environments. Grafpoint's products also provide DEC VT100™ and VT200 emulation, operate in asynchronous as well as networked environments, and support the broadest possible range of graphics boards for your IBM PC™, XT™, AT™, PS/2™, or compatible.

A partial emulator may work today, but not fill your future requirements. Grafpoint's third generation of Tektronix emulation products stand up to the most rigorous compatibility testing in the industry; the others don't.

Quality technical support protects your productivity as well as your investment. By offering a 30-day money back warranty, a year of free technical support from a readily available team of emulation experts, a year of free software updates, and a generous upgrade policy that protects your investment, Grafpoint sets the standard in customer support.

ENTER 124 ON READER CARD

Yes, I want to learn more about the leader in Tektronix emulation. Send me your **FREE** pamphlet "Spend Less on a Graphics Terminal..."

Name _____

Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone _____

GRAFPOINT™

Please fill in coupon or attach your business card and mail to:
Grafpoint, Spend Less, 1485 Saratoga Ave., San Jose, CA 95129

Grafpoint is a trademark of Grafpoint
Tektronix is a trademark of Tektronix, Inc.
IBM PC, XT, AT, PS/2 are trademarks of International Business Machines Corp.
DEC, VT are trademarks of Digital Equipment Corp.

Centrum
Polygen Corporation
200 Fifth Avenue
Waltham, MA 02254
(617) 890-2888
Prices vary: For a VAXSTATION 2000, the cost is $2,000 per copy. On an IBM compatible PC, networked to a VAX or VAXSTATION, the cost is $1,500 per copy.
ENTER 539 ON READER CARD

them from any angle. Unfortunately, the rotation happens so quickly that it's hard to get a good look at a rotating molecule. The molecule can be stopped at any point, however, which makes this problem less severe.

Document Composer

Because the purpose of *Centrum* is to produce a document, the Document Composer is probably its most important application. Information from other *Centrum* applications can be incorporated or inset into the Document Composer to form a compound document.

Insets can be either local or independent. Independent insets are a powerful concept; any changes made to the inset material will be reflected automatically within the compound document. For example, if a molecule had been incorporated into a compound document as an independent inset and that molecule subsequently was changed using ChemNote, those changes automatically would appear in the compound document. Polygen uses the term living document to describe this powerful feature.

Conversely, local insets exist only as part of the compound document; i.e., they don't have a separate file name. As with independent insets, though, all functions of other applications are available when creating a local inset.

Centrum lets you go from one application to another quickly and easily. If, for example, you point with the mouse and click on a reaction diagram, while in the Document Composer, the reaction diagram will be opened in the Graphics Editor in a new window. The compound document remains open but is no longer in the active window. This feature saves you from having to close an application and return to the main menu to start a new application.

Bottom Line

The two questions that remain are whether *Centrum* is easy to use and whether it's useful. While *Centrum* isn't a difficult system to use, it isn't trivial to use either. Some of the stumbling blocks I encountered probably would have been avoided had I been trained formally by Polygen, as a new user normally would.

However, there are so many features, it still would take time to learn exactly what you wanted to do with the system. Bob Olszewski, *Centrum* product manager, doubts that anyone will use all the capability of the system, and that after two days of formal training, a user would feel quite comfortable in producing a compound document. Olszewski added that Polygen plans to announce a new release of *Centrum* this month. The new version offers some new features, including a forms editor and database integration, scientific equation editor and reaction diagram editor, that will make the product easier to use.

As for *Centrum*'s usefulness, I asked Susan Leiby and Elaine Chang, chemical engineers at Mobil Corporation in Paulsboro, New Jersey, for help. They both agreed that the product would be useful to them in their environment and, if given the opportunity, they would buy it. And, that's the bottom line.

Author's note: Thanks to Mobil Corporation's Susan Leiby and Elaine Chang for contibuting their time and expertise to this review.

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 536 Medium 537 Low 538

Get Control of Your System with SysAdmin™

MENU-BASED UTILITIES FOR THE UNIX® SYSTEM ADMINISTRATOR

- **Security Audits** — monitoring and correction of common filesystem-based security holes;
- **Backup** — multi-volume, multi-level backups with on-line log maintenance, scheduling of unattended file backups, and generic filesystem support;
- **Restore** — single file, multi-file or full filesystem restores, tape lookup via on-line log files;
- **File Archival** — system administrator or user controlled, featuring on-line log maintenance, and user notification;
- User Account Maintenance
- File System Maintenance
- System & Resource Utilization Reporting
- Configuration and Debugging of UUCP
- Remote Tape Support

AVAILABLE OPTIONS INCLUDE:
Network Maintenance • NFS & YP Administration
Disk Quota Management • Resource Chargeback
Remote Software & Account Maintenance

SysAdmin™ is a Licensed software package, consisting of reconfigurable binanes, written in C.

UNI SOLUTIONS ***UniSolutions Associates***
(213) 641-6739
6520 Green Valley Circle, Suite 13-203, Culver City, CA 90230 / Telex: 3722290 UNISL

ENTER 225 ON READER CARD

BBN gives you a world of understanding.

Every manufacturing engineer has different types of quality control problems to solve.

But in one way, their problems are similar.

They all need to fully understand the manufacturing process they're working with.



QCA provides a comprehensive range of control charts.

Which is exactly why we at BBN Software Products Corporation have developed Quality Control Analysis (QCA) software.

With QCA, you get a full range of quality control and manufacturing tools. And all of them are remarkably easy to understand and use. There are control charts, process capability studies, trend analyses and cusum charts that give you in-depth analyses of your data. So you can find out exactly what is happening in your manufacturing process.

QCA also gives you all the powerful capabilities of RS/1®, the cornerstone of the RS Series of data analysis software for technical professionals.

QCA saves time, cuts costs and helps produce consistently higher yields of quality products. In fact, its become an integral part of the manufacturing process at quality-conscious companies in dozens of different industries.

Write and we'll show you how you can understand your manufacturing process with QCA.

Call BBN Software Products at **1-800-251-1717** (in Massachusetts 1-617-873-5000).

BBN Software Products

10 Fawcett Street Cambridge, MA 02238

A Subsidiary of Bolt Beranek and Newman Inc. bbn

Quality Control Analysis (QCA) software runs on a variety of DEC and IBM micro, mini, and mainframe systems.

RS/1 is a registered trademark of BBN Software Product Corporation.

ENTER 199 ON READER CARD



VAX

THE VMS/ MICROVMS MERGE

By Kathleen D. Morse

Why The MICROVMS Product Was Developed And Why It's Being Merged Into VMS.

The introduction of MICROVAX hardware opened new markets for VAX/VMS. A VAX/VMS system cost less than $20,000 and required no more than standard office environmental conditions. It was affordable by single users such as scientists, researchers, lawyers, dentists, accountants, etc. These new users rarely had much computer expertise, never had a computer room with a system manager and operator, and rarely knew anyone experienced in VAX/VMS to whom they could turn for advice.

The VMS Development Group realized that this system would revolutionize the world of VAX/VMS. Until the advent of MICROVAX systems, documentation consisting of 20 three-ring binders was considered acceptable; now, the documentation set was larger than the machine itself. Previously, VAX/VMS systems were installed, managed and maintained by system managers and operators; now, the user would have to be his own system manager, operator and maintainer.

VMS Development also faced technical problems caused by the type of peripherals available at the introduction of MICROVAX I. The system disk was too small to hold the VMS system files, let alone provide room for user files. The only distribution medium available was the RX50, a 400-KB floppy disk, a substantial change from the usual VMS distribution medium, consisting of nine-track magtape. With a single disk system configuration, the VMS tailoring procedures (ones that allow movement of some VMS system files off the system disk) broke, as the tailoring design depended on the availability of two disks.

Software pricing computed in part according to CPU capacity also was affected, now that a system approximately the speed of a VAX 11/780 cost one-sixth the price. How could the value of software to the user be measured in order to set a price? CPU capacity became only a small part of the measure of the usefulness of a system. Backplane limitations, number of disks, terminals, etc., became important factors in determining the value of a system.

MICROVMS Versus VMS

The engineering effort used to create MICROVMS began by tackling the technical problems one by one. First, what would fit on a 10-MB system disk? If you assumed that the system would be used by a single user or a small project team, only a subset of the large variety of VMS utilities would be needed. What were those utilities? Given the size and cost of the MICROVAX, turnkey systems (systems dedicated to running a single application) probably would be common. Could half

SHIPPING NOW.

FREEDOM ONE ANSI.

A HIGH QUALITY, ENTRY LEVEL ANSI TERMINAL OFFERING OUTSTANDING PRICE/PERFORMANCE.

Introducing the newest addition to the Freedom ONE family of terminals from Liberty Electronics. The Freedom ONE ANSI. The ONE terminal for your DEC and Data General requirements. This low-cost, ANSI-only terminal includes many of the same advanced features you'd expect to find in higher priced terminals.

For starters, it provides emulation of DEC VT220,™ VT100™ and VT52,™ as well as Data General DASHER™ D210 and D211. It has the same sleek, award-winning ergonomic styling of the original Freedom ONE. It comes with a high contrast amber 14-inch flat screen, with full tilt and swivel capability. It includes a choice of two detached, low-profile keyboard styles: DEC VT220 and Data General D210/211.

It's all backed by Liberty's comprehensive warranty programs and nationwide network of authorized service centers.

The new Freedom ONE ANSI. You won't find a higher quality ANSI terminal for the price. Anywhere.

Another Choice of Freedom.

Liberty

We build better terminals.

Western Region (714) 476-3113
Central Region (312) 690-3433
Eastern Region (617) 660-1938
Canada (416) 238-0366

ENTER 133 ON READER CARD

> The first step was to determine which files would be required for a turnkey system.

the available disk space be left for user files? That seemed a reasonable goal.

The first step was to determine which files would be required for a turnkey system. Because much of the application development for MICROVAX systems would be done on larger VAX systems, programs linked under full VMS had to run under MICROVMS. Therefore, MICROVMS would have to stay synchronized with VMS releases so that inconsistencies between shareable images (i.e., the run-time libraries) wouldn't occur. Thus, VMS maintenance releases would have to be installable on MICROVMS systems.

Other basic system maintenance, such as backups and file and directory manipulation, also would be required. This set of capabilities became the BASE MICROVMS kit. We didn't assume that utilities required by timesharing systems (such as account management, disk quotas, etc.) were necessary. Nor did we assume that every system would be in a network, used for program development or need the VMS HELP library.

After the BASE MICROVMS files were identified, the rest of the VMS files were categorized. Files that were required for DECNET became one class. General-purpose utilities (i.e., MAIL and DIFFERENCES) for use by different types of users were grouped into a second category called COMMON UTILITIES. The help library was subsetted, and its text was rewritten and targeted at users with less computer expertise. It was expected that some systems would want to set up individual user accounts and monitor such things as disk or CPU use. These utilities were classed as the SECURE USER ENVIRONMENT option.

The MICROVAX system also was affordable by small software vendors. The challenge was to fit programming support onto the 10-MB Winchester disk. First, programming was broken into two types: user programming and system programming. System programming requires intimate knowledge of VMS data structures (i.e., drivers or performance monitoring tools) or execution in kernel mode, while user programming uses standard VAX language features and run-time library routines and executes in user mode (application programs).

System programmers were assumed to be VMS experts who would be able to tailor their system disk with ease, because the 10-MB disk couldn't hold both the system programming and user programming files. However, there still was insufficient room on the system disk to hold all the user programming utilities and leave space for user files. To solve this problem, the VMS object library, STARLET.OLB, was stripped of all object modules that are linked into run-time shareable images (*RTL.EXE or *SHR.EXE) for a savings of 2,200 blocks.

Some files, such as MASSBUS or CI drivers (500 blocks), were discarded entirely as they weren't useful on MICROVAX systems. Others that would be used by less than one percent of all customers also were removed, such as BLISS libraries (3,200 blocks) and the User Environmental Test Package (11,000 blocks).

Cookbook-Style Documentation

Meanwhile, the VMS writers were designing a documentation set that would be sufficient for installing and using a turnkey system. Cookbook installation instructions had to be written. System management duties had to be condensed and documented with specific examples tailored to single-user or small time-sharing environments. Pictures of how to open the floppy drive, the way to insert a diskette and warnings not to remove the black jacket from the floppy are examples of documentation created for MICROVMS manuals.

The manuals were structured into two guides, the *MICROVMS User's Guide* and the *MICROVMS Primer*. The *Primer* included information for someone who needed to create files and send mail. The *User's Guide* included installation, system management and more thorough utility information.

The manuals were made more approachable and friendly by reducing the binder size. Logical names were set up in MICROVMS startup procedures for all peripherals, which were more descriptive than the physical device names (such as $TAPE1: instead of MUA0:). The MICROVMS manuals used these logical names when describing how to use various peripherals for backups, layered product installations, etc.

The *MICROVMS User's Pocket Reference* contained a summary of all commands for several commonly used utilities as well as DCL. One of the nicest features was that it included keypad layouts for the utilities, at a time when keypads were becoming standard as utility interfaces.

Last, sample FORTRAN programming guides were written as examples of how to simplify language manuals. These were expected to be prototypes for future editions of other VMS language manuals. A *MICROVMS Programming Pocket Reference* also was produced.

Simplifying System Management

Many system management duties are repetitive, such as incremental backups or adding user accounts. Frequently, VMS system managers write their own DCL command procedures to handle these tasks. Why shouldn't MICROVMS provide such command procedures? Thus, ADDUSER.COM (add a user account with appropriate Access Control List Identifiers and a user disk directory), BACKUSER.COM (backup user files), RESTUSER.COM (restore user files), etc., came into existence. Later, a manager menu command file was added

The more advanced your training needs, the more you need the experts who created the UNIX® System.

You've gone beyond the basics, and now you need *serious* training developed by AT&T Bell Laboratories.

We're the people who created the UNIX System. We teach the most current and advanced levels of System V Release 3, including courses on Internals.

We also teach—independent of a machine's architecture—Generic System Administration and Generic Device Drivers.

Additionally, we offer Shell Programming and C Languages, including C++.

You can study at our training centers nationwide with AT&T's most skilled computer science instructors, all of whom have hands-on experience as developers and programmers.

Or if you prefer, our instructors will come right to your location. And we even offer a comprehensive range of economical videotape instruction.

If you're ready to step up to advanced UNIX System training, AT&T is ready for you. Call or write now for details.

AT&T COMPUTER TRAINING
Come right to the source.
1-800-247-1212, ext. 860.
Or send in the coupon below.



Registrar, AT&T Training, P.O. Box 45038, Jacksonville, FL 32232-9974

YES! I'd like advanced level computer training right from the source. Please rush me more information about:

☐ Classroom Training, including course descriptions and schedules for the Advanced UNIX® System and programming languages.

☐ Videotape Training in the UNIX System, C Language, and Shell Programming Language.

Name (Please print) _____

Title _____ Phone ( ) _____

Company _____

Address _____

City _____ State _____ Zip _____

DET05018

© 1988 AT&T

AT&T
The right choice.

Why Bother With A Graphics Terminal ?



Put a TwinTerm emulator in your PC

TwinTerm™ turns your PC into a full-featured graphics terminal. Includes support for:

- TEK 4100 and 4200 series
- DEC VT100, VT220, VT240/241
- AT, PS/2, and UNIX/VMS workstation environments

To learn more about the **TwinTerm** family of terminal emulators, call (213) 568-9119.

Advanced Technology Center
5711 Slauson Avenue, Suite 238
Culver City, California 90230
TWX 510-101-1670

ENTER 191 ON READER CARD

to point to the various system management command procedures, as customers indicated that they didn't realize these procedures existed.

Other system management tasks are performed once by the system manager, often by adding new commands to site-specific procedures. MICROVMS easily could provide sample site-specific files showing the system manager how to set up different options. A site-specific startup file, SYSTARTUP.COM, was created that included commands to do such things as start print or batch queues, provide a system welcome message, start DECNET, install privileged utilities, etc.

These sample commands were commented out, because many systems wouldn't want these features; for example, batch queues. Other template files created were SYLOGIN.COM (system-wide login command file), LOGIN.COM (system manager's login command file), EDTINI.EDT (editor initialization file for system manager). For example, the system manager's LOGIN.COM contained symbols for invoking the system shutdown procedures or rebooting the system (SHUTDOWN, REBOOT), meaning the user didn't have to answer 20 questions asked by the shutdown procedure when he turned the system off for the night.

Another feature aimed at simplifying system management was the concept of tied terminals for open systems. This feature enabled the terminals to log into user accounts automatically when they were powered on. MICROVMS was set up so that all terminals, except the console terminal, automatically were logged into a sample account called USER.

Turnkey systems probably would use tied terminals to avoid teaching customers about accounts and login procedures. Each terminal would be dedicated to a particular menu, running only the programs needed by the particular user. A secretary's terminal would have one menu, while a manager's terminal would have another. This is termed an open system, as nothing prevents the secretary from accessing the manager's terminal and thus his menu.

Sample accounts were other features in MICROVMS aimed at simplifying system management. USER was a non-privileged account, which could be copied to create other such accounts.

RX50 Distribution Medium

Use of floppy diskettes as a distribution medium and the restrictive size of the system disk were the major constraints molding the design of the installation and tailoring mechanisms. Although the simplest installation procedure would have been to install one BACKUP saveset containing a bootable system disk, this would have meant inserting more than 35 floppies — both a time-consuming and an impossible process, as the system disk had insufficient space to hold all the VMS files. The MICROVMS installation procedure had to be a tailor-on mechanism that would allow users to choose only the files that they needed.

There were other important considerations: installation time and simplicity. Restoring a BACKUP saveset would be the fastest way to install the files that all users would need; i.e., the BASE kit. After this bootable, run-time environment was installed, the system could be booted, allowing MICROVMS options to be installed using the standard VMS procedure VMSINSTAL.COM, which installs VMS maintenance updates or Digital layered products, such as COBOL or FORTRAN.

Because the available system disk space might not be sufficient for an entire option such as PROGRAMMING, the installation procedures would have to be a form of tailoring, thereby allowing the user to install pieces of the option instead of the entire option. Thus, the MICROVMS options were organized into numerous savesets, each containing one tailorable unit. Each option (USER, UTIL, NET, PROG, SYSP) would start on a new floppy, so a user wouldn't have to insert all the floppies in the MICROVMS kit to install the last tailorable unit.

A tailor-off utility also was pro-

Real-Time UNIX®?

Everyone's talking about it now, but we've been shipping it since 1982. And we've continued to set the real-time standard every year since. RTU™, our real-time enhanced UNIX operating system, provides guaranteed response *plus* the flexibility and compatibility of SVVS-validated AT&T UNIX System V.

Scientists, engineers and OEMs can choose from a whole family of MC68020/030 multiprocessor computers, from 2 to 20 MIPS, designed for high-performance applications in data acquisition, measurement and control, C³I, GIS, imaging, and real-time simulation.

What's behind the trend to real-time UNIX? Want to learn how your real-time application can benefit from UNIX power and compatibility?



Send in the coupon below for your free copy of *Understanding Real-Time UNIX,* by Prof. John Henize.

Get *your* engineers on track with the best real-time systems available.

1-800-451-1824
(MA 617-692-6200)

Send this coupon to MASSCOMP, Dept. A-JM, One Technology Way, Westford, MA 01886

☐ *YES, please send a complimentary copy of Understanding Real-Time UNIX.*

☐ *Send me information on MASSCOMP real-time computer systems.*

NAME _____

TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE _____

MY APPLICATION IS: _____

_____

MASSCOMP

UNIX is a registered trademark of AT&T Bell Labs.
MASSCOMP and RTU are registered trademarks of Massachusetts Computer Corporation.
VME is a trademark of Motorola Corporation.

ENTER 136 ON READER CARD

Network DEC to UNIX?

What You Didn't Know--Will Help You!

TCP/IP Networking Software...

Did you know that most UNIX computers already support industry-standard TCP/IP networking protocols? And that Process Software Corporation gives you TCP/IP networking solutions for more DEC operating systems than anybody?

For VMS, RSX, RT-11, IAS, And TSX-Plus...

Network to UNIX using just our TCP/IP software and your standard DEC Ethernet hardware on the UNIBUS, Q-bus, VAXBI, or the new MicroVAX 2000. And run concurrently with DECnet, LAT, or LAVC.

Designed To Benefit You...

Say goodbye to special hardware, messy installation, and unneeded layers of software. Our TCP/IP products are modular, efficient, and designed for the operating system they run on. You benefit from ease of use, simple installation and virtually no maintenance.

For Every Application...

And we support the full range of popular TCP/IP applications, including FTP (File Transfer), TELNET (Virtual Terminal), TCP, IP, and UDP programming interfaces, and others.

You won't find a better lower-cost way to connect DEC to UNIX anywhere!

Interested? Call Process Software Corporation today.

PROCESS SOFTWARE 413-549-6994

35 Montague Road • PO Box 746 • Amherst, Massachusetts 01004

DEC, IAS, RSX, RT-11, UNIBUS, VAX, and VMS are Digital Equipment Corporation trademarks. Unix is an AT&T trademark. Ethernet is a Xerox Corporation trademark. TSX-Plus is a S&H Computers trademark.

ENTER 153 ON READER CARD

PowerStation™

A Complete VT220 / VT241 Work Station Upgrade for the IBM PC/XT/AT and PS/2

"Now true 800 pixel wide VT241 display and support for VMS Services for MS-DOS."

PowerStation™ 240 **$435**
VT240 style keyboard and ZSTEM VT240 Emulation Software. Optional WPS labelled keys (GOLD KEY MODEL) add $30.

ZSTEM pc™ - VT240 Emulator Emulation Software only. **$295**
VT240/241 Emulation Software with all the features of ZSTEM VT220 plus ZSTEM 4014, sixel and ReGIS graphics.

PowerStation™ 220 **$289**
VT220 style keyboard and ZSTEM VT220 Emulation Software. Optional WPS labelled keys (GOLD KEY MODEL) add $30.

ZSTEMpc™-VT220 Emulator Emulation Software only. **$150**
All the features of ZSTEM VT100 plus 8-bit mode, downloadable fonts, user defined keys, full national/multi-national modes. Extended macros-/script language. True 132 columns on Hercules, VGAs, Super EGAs, and standard EGAs using the EGAmate option. 128 columns on CGAs. 43 line support on EGAs. Enhanced keyboard support. Ungermann Bass Net/One and VMS Services for MS-DOS support.

EGAmate™ **$39**
Daughterboard option for 132 columns and true 800 pixel wide ReGIS display on standard EGA adapters.

PS220/2 **$19**
Keyboard adapter cable for PS200 on PS/2 systems.

ZSTEMpc™-4014 Emulator **$99**
Use with ZSTEM VT100, VT220, or stand-alone. Interactive zoom and pan. Save/recall images from disk. Keypad, mouse, digitizer, printer, plotter, and TIFF support. 4100 color and line style color mapping. 640 x 400 and 640 x 480 on some adapter/monitors.

ZSTEMpc™-VT100 Emulator **$99**
High performance COLOR VT100. True double high/wide, smooth scrolling. ISO and attribute mapped color. XMODEM and KERMIT, softkey/MACROS, DOS access.

KEA Systems Ltd.
#412 - 2150 West Broadway, Vancouver, B.C. Canada V6K 4L9
Telephone (604) 732-7411 **Telex** 04-352848 VCR **Fax** (604) 732-0715
Order Toll Free (800) 663-8702
30 day money back guarantee AMEX/MC/VISA

SEE US AT COMDEX #2044

ENTER 132 ON READER CARD

vided, so that you could remove an option or tailorable unit from the system disk if it was no longer needed.

MICROVMS Licensing

MICROVMS licensing diverged from the standard VMS licensing scheme. A new measurement of software value was defined, consisting of the number of users on the system. Thus, a MICROVMS system being used as a workstation could be licensed as a single user system, while a time-sharing system could be licensed in incremental numbers of users (eight, 16, etc.). An unlimited use license was also available.

This scheme quickly led to the obvious question: What's a user? It was easy to describe this concept in human terms: "A user is a person accessing the system through a terminal." However, it was a bit more difficult to interpret this into programmable terms. Such questions as, "Is a user a batch job? a network job? a remote terminal (SET HOST)? a LAT terminal? a workstation window?" had to be answered.

The answers all went back to the definition of a person accessing the system. If one person was doing multiple things, for example, workstation windows, batch jobs or network jobs, those would be counted as one user. If multiple people were being represented, each would count as a separate user; e.g., LAT terminals or hard-wired terminals. If there was any doubt about the answer, we would assume multiple people; e.g., remote terminals (SET HOST).

MICROVMS didn't contain all the files that were on the VMS kit. The installation procedures were different, providing a tailor-on capability. MICROVMS was distributed on floppies, while VMS was distributed on magtape. The documentation was styled in cookbook format and greatly reduced. System management was aided by the addition of sample procedures and user accounts. Licensing was done by user instead of by CPU capacity.

MICROVMS has its pros and cons. Having separate products introduced some problems, while solving those

DISKEEPER



VAX Performance Like Day One

Keeping your VAX system running as smoothly as it did when it was brand new doesn't have to be a lot of work. It can be the work of DISKEEPER, the #1 selling disk defragmenter from Executive Software.

Once and for all you can put an end to the most common cause of poor system performance—disk fragmentation. DISKEEPER organizes your disks and keeps them that way so your system always runs like new. What's more, DISKEEPER runs online without any operator intervention. You'll never need to spend another minute defragmenting disks.

DISKEEPER's unique design ensures safety of user data and maximizes performance.

Safety Without Sacrifice

DISKEEPER is built to insure that under no circumstances will any data be lost, even if the system crashes. Yet there's never a sacrifice in your system's performance.

Using the VMS read/check and write/check capabilities, DISKEEPER guarantees data integrity without performance-robbing scratch space, second drives or redundant copying.

No File Too Tough

Virtually every fragmented file can be made contiguous. Giant files, partial files, even multi-volume files are processed. DISKEEPER consolidates your free space into a large contiguous area—online—and fast.

Fast and Efficient

DISKEEPER goes right to work on any and all files. There is no unnecessary "analysis" pass to determine which files are the most fragmented.

And forget about CPU-consuming preprocessing to compute the "theoretical" best location for every file and space. Under average system use, such an analysis would become obsolete moments after completion.

DISKEEPER immediately moves each file and space to the best possible location at that moment in time.

Automatic, Easy to Use

What really saves you time is that once DISKEEPER is installed, you do nothing. It automatically monitors your system and activates itself as needed. Just set it and forget it.

Because DISKEEPER uses CPU idle time and unused I/O bandwidth, it runs smoothly and quietly in the background without degrading performance, and without interfering with user access.

Quality Support and Documentation

To top it off we provide you with the kind of documentation and support you'd expect from the leader in the field.

In fact, when you put DISKEEPER to work for you, you get more than just the best performance, reliability and support. You get a company committed to making your job easier.

Call Now

To find out how to put DISKEEPER to work for you, send the coupon below or call our toll-free number today.

DISKEEPER. *Because you've got better things to do with your time.*

800-346-4707 ext.2309

in California call: (818) 249-4707, ext. 2309

Executive Software

3131 Foothill Boulevard, Suite F
La Crescenta, CA 91214-2699
Telex: 910 240 9222

LABORATORY DECPRO TESTING CENTER

YES! I want to know how I can put DISKEEPER to work for me. Send more information today.

Name _____ Title _____ **DP2309**

Company _____ Phone _____

Address _____

City _____ State _____ Zip _____

How many MicroVAXes?___ How many VAX 7XXs?___

How many VAX 8XXXs?___ How many users total?___

How often do your disks need to be defragmented?_____

ENTER 245 ON READER CARD

See us at DEXPO South, Booth #1712

> Having separate products caused duplication of effort in a number of areas.

unique to MICROVAX systems.

Having separate products caused duplication of effort in a number of areas. Two different installation and tailoring procedures meant customers and field support personnel had to learn two methods. Maintenance of two sets of tailoring and installation procedures proved costly.

Two documentation sets seemed like a good idea, but who should get which set? Experienced MICROVMS customers often needed the full VMS documentation. VMS customers wanted to purchase the simplified MICROVMS manuals for some of their users, such as university students. Now two sets of manuals had to be updated at every new release.

VMS customers frequently would purchase MICROVAX systems and want files that weren't included on the MICROVMS kit, such as example files. In each release, the classification of files in and their location in a MICROVMS option was changing.

Each new VMS release added more functionality to VMS. This meant an ever-increasing number of RX50 floppies, almost doubling the number in the original MICROVMS V1.0 kit. Installation time was taking longer. More system disk space was required just to hold the BASE kit. Managing the interactions between components (MAIL and editors, for example), to determine what had to be in which kit and what constituted a tailorable entity, was increasingly difficult.

As systems got faster and larger, deciding which VMS product to offer on each new system became more complicated. A single CPU could be used in multiple systems: VAXSTATION 3200, MICROVAX 3600 or VAXSERVER 3602. While the VAXSTATION 3200 is a single-user system, the MICROVAX 3600 is three times faster than the first VAX, the 11/780.

Larger system disks and expanded physical memory (which had arrived with the MICROVAX II) were doubling in size every year. New distribution media (TK50, TK70) was available instead of floppy diskettes. Even floppies had grown with the introduction of the 1.2-MB RX33.

Another new VMS product had emerged, Local Area VAXCLUSTERS. VMS now provided the ability to boot a workstation system over the Ethernet off a cluster boot node (time-sharing system). That meant that VMS, instead of MICROVMS, would be running on many of the single-user systems. It was no longer necessary to have a backup device (tape) or a system disk available on every system. Files could be stored and backed up on the boot node.

The VMS writers had reorganized the VMS documentation set into a series of reference manuals (large three-ring binders) and guides (smaller, MICROVMS-size books). A *VMS User's Manual* had been written, analogous to the *MICROVMS User's Manual.*

Customers liked the sample system management files in MICROVMS and were asking that they be included in VMS. A tailoring survey had shown that most customers used the tailor-off procedure included in MICROVMS and few were using the tailor-on capabilities.

What Merging Means

Hardware, software, documentation and customer input seemed to indicate that MICROVMS packaging has outlived its usefulness. Was MICROVMS a mistake? Absolutely not. Without MICROVMS, there would have been no way to ship the MICROVAX I and early MICROVAX II systems. MICROVMS was a new method for packaging, pricing and documentation that was targeted at new markets for VAX and VMS.

What does the VMS/MICROVMS merge mean? In simple terms, it means resolving the differences between VMS and MICROVMS so that there's only one product, VMS. Some features in MICROVMS were acclaimed by all VMS users; these will be added to VMS. Other features were not liked and will be discarded. Some things will be rewritten, such as new tailoring procedures, taking the best features from both VMS and MICROVMS.

Features Moving Into VMS

The sample system management files will become VMS template files. For example, VMS will include a SYSTARTUP.COM file, which serves as a starting point for site-specific setup for a new system manager. A duplicate copy of this file, SYSTARTUP.TEMPLATE, also will be included, so a working version will exist on the system.

Other template files include SYLOGICALS.COM (device logical name definitions from UVSTARTUP.COM), SYLOGIN.COM (system-wide login command file), LOGIN.COM (system manager's login command file), etc. The other MICROVMS procedures will be moved to the examples directory, with a pointer to MGRMENU.COM left in the system manager's LOGIN.COM.

The VMS documentation will include a *VMS User's Manual*, which can be ordered separately from the entire documentation set. It contains more information on DCL and utilities than the *MICROVMS User's Guide,* but less information on system management.

The tailoring and installation procedures have been rewritten. With the discontinuation of RX50 distribution media and the new larger system disks, the tailoring design is now to tailor files off rather than tailor on. With this design, installation time can be improved by using only three savesets (the format of the VMS binary kit). The first saveset is analogous to the MICROVMS BASE kit, a run-time environment that can be installed on small disk systems. For small disk systems, tailor-on is still

No other application development software is quite this fast.

Sure, you expect speed. But not this much speed. Truth is, anyone who has ever developed applications is surprised by PROGRESS. Like the developers who gave it the highest satisfaction rating among the 4GL DBMSs recently surveyed by DATAPRO.*

Well, hold your horses.

Because now there's something even better: new PROGRESS V4. It's designed for building, modifying, and customizing database applications. It requires less code than other 4GLs, it's crash-proof, and it's transparently portable across VAX/VMS, UNIX, XENIX, ULTRIX, MS-DOS, LANs, and CTOS/BTOS.

But now it's been enhanced with over 25 major new features, to give you even more speed, flexibility, and control.

For only $95†, you can test drive a complete copy of PROGRESS V4. And if it's not as fast as we say it is, we'll refund your money. So call today.

And hang on tight.

Send $95† for your PROGRESS V4 Test Drive.
Or call: Progress Software Corporation
(Formerly Data Language Corporation)
5 Oak Park
Bedford, MA 01730
1-800-FAST 4GL
(In Massachusetts,
call 617-275-4500)
FAX: 617-275-4595
Telex: 509965



PROGRESS®
FASTEST FROM START TO FINISH.

Offices in: Boston, San Francisco, Washington, D.C., Amsterdam, Brussels, Cologne, Copenhagen, Helsinki, London, Melbourne, Munich, Oslo, Paris, Sydney, Stockholm, Vienna, Zurich

*DATAPRO Reports on Software, DATAPRO 70 © 1986, 1987, DATAPRO RESEARCH CORPORATION †For international orders please call for shipping and handling information.

PROGRESS is a registered trademark of Progress Software Corporation, developers of advanced software technology for business and industry. The following are trademarks of the following companies: VAX, VMS and ULTRIX of Digital Equipment Corporation: UNIX of AT&T; MS-DOS and XENIX of Microsoft Corp.; CTOS of Convergent Technologies Corporation; BTOS of Unisys Corporation.

ENTER 154 ON READER CARD

possible; it just doesn't perform as quickly as tailor-off procedures.

The other two savesets are similar to the old VMS LIBRARY and OPTIONAL savesets. The LIBRARY saveset contains the utilities and libraries needed for program development, as well as those utilities not contained in the first saveset. The OPTIONAL saveset contains system programming tools, sample drivers, BLISS libraries, etc., files needed by a small percentage of VMS users.

The revamp of the installation and tailoring procedures also has allowed long-needed performance improvements, such as converting the data file that drives the procedures (VMSKITBLD.DAT) into an ISAM file.

The tailoring mechanism is now a program, instead of DCL procedures, that improves the performance of tailoring. The tailoring classes and subclasses are similar to those in MICROVMS. It has been enhanced with more prompting, disk free space checking and other niceties.

Best of all, all VAX and MICROVAX systems now will use the same procedures for installation and tailoring.

All files will be shipped for all VAX and MICROVAX systems. For ex-MICROVMS users, the ability to tailor-on still exists and the MICROVMS-specific files are still there, so a MICROVMS-like environment can be created.

The sample user accounts have been removed, as no one used them. The ability to create tied terminals still exists, with a command file showing how to set them up. However, VMS will not automatically tie any terminal to a particular account as MICROVMS did.

Licensing of VMS software by number of users will be made available on VMS to MICROVAX users.

The VMS documentation has been subsetted, so fewer manuals are shipped with MICROVAX systems than with VAX systems. However, all manuals are aimed at users of either system, rather than being targeted at only MICROVAX systems.

MICROVMS was born out of limitations of system disk size and distribution media. The tailoring tools, template files and documentation developed for MICROVAX systems have proved useful for all VMS users. Licensing policies have evolved, as chip technology has brought the computer power to the user's desktop. As MICROVMS merges back into the VMS product, it will pass into the annals of history, but the best features still remain, integrated into the VMS product.

—Kathleen D. Morse is a consulting software engineer for Digital Equipment Corporation, Nashua, New Hampshire.

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 520 Medium 521 Low 522

GRAF KIT™



3D Surface Over a Contour
Quantitative results displayed through contours can be combined with qualitative presentations of the same data using a surfacing routine. Contours can be used for displaying scientific distributions or representing geophysical data.



3D Solids and Contours
Presentation flexibility of 3D data is greatly enhanced by offering variable perspectives on 3D surfaces and solids. Contours and halftones may be added to clarify results.



Histograms and Graphs
2D and 3D histograms are available with color fill or shading capabilities. Choose from a complete set of characters and multiple fonts to enhance your graphs. A wide range of 2D and 3D graphs are also available.

A COMPLETE TECHNICAL GRAPHICS PACKAGE

TO EXPAND: PERFORMANCE
GRAFkit™ provides serious technical graphics capability for VAX computers in a VMS or ULTRIX environment. It allows the user to organize, store and output complex graphs on a wide range of devices by using simple calls to the GRAFkit™ library of routines.

VERSATILITY
GRAFkit™ is based on and includes a Graphical Kernel System (GKS) foundation which organizes graphic data in an ANSI/ISO approved format. It offers better integration with other software programs by using the national and international standards for graphic data. GRAFkit™ also includes an ANSI/ISO approved Computer Graphics Metafile (CGM) which allows data to be stored device independently. Over 100 popular devices are currently supported including: DEC, HP, Tektronix, Calcomp, Apple, Graphon, NDS, Versatec, IBM, BBC, etc.

TO SAVE: TIME
GRAFkit™ allows the user to concentrate on the application programs and pass the results through GRAFkit™ routines to automatically organize, interpolate, smooth, label, color/shade, translate, and produce a finished visual presentation.

EFFORT
In most cases, only a single call is used to access the GRAFkit™ library of routines, and all remaining functions are automatic. GRAFkit™ routines can be accessed from application programs written in C, Pascal, BASIC, COBOL, FORTRAN, PL/I, and ADA.

EXPENSE
Although GRAFkit™ is a complete technical graphics package, the initial cost is usually the same or less than the price of a GKS package alone from another vendor. At $3,995, GRAFkit™ is an ideal graphics solution for a work station. It can also be purchased for a variety of departmental VAX computers for under $10,000.

Our commitment to continuous support of the package at a nominal fee makes GRAFkit™ a fine investment for years of high quality service.

Call Today: 1-800-222-4239 ext. 714

SCO INC

740C South Pierce Avenue
Louisville, CO 80027-9989
303/666-5400
Telex:292682
FAX:666 7054

SCO, Inc. is a wholly owned subsidiary of International Computer Exchange, Inc.

ENTER 253 ON READER CARD

Empress

The High Tech RDBMS



The World's Most Advanced.

Standards

SQL Compatibility
UNIX, VMS and DOS plus a complete 4GL application development system.

Guaranteed Integrity
Referential integrity and warm restart on distributed databases.

Adaptability

Nested Transactions
Savepoints, full DDL support in nested transactions of unlimited size.

Kernel Level Access
Only EMPRESS provides a fully relational direct kernel interface.

Leading-Edge

Fully Distributed
DECNET, NFS, Apollo Ring with two phase commit on any number of databases.

User Defined Functions
No other DBMS allows the user to create their own datatypes.

Contact us today for more information.

Empress
The High Tech RDBMS

TEL (416) 922-1743 FAX 922-0162

ENTER 255 ON READER CARD



PRINTERS

DEC HAS THE COLOR

By David B. Miller

DEC's LJ250 Printer Is A Quality Text/ Color Graphics Printer.

With the increasing popularity of do-it-yourself color graphics in the scientific and business fields, the need for more and better quality color graphics printers is growing. Digital is addressing this need with the DEC LJ250, one entry in a series of DEC Companion printers, along with the LA50 and LA75 that take advantage of ink-jet technology by producing text and/or color graphics.

The 10-pound LJ250 is light and easy to carry. It has a 17- x 1-inch footprint and is 3½ inches high, allowing it to fit into small places. Interface options include standard RS232 25-pin, DECCONNECT and Centronics parallel. A separate power module resides externally.

Installation And Use

Setup requires plugging in the power module, connecting the interface cable, and loading the paper and ink cartridges. Prongs for the power cord and the serial connector are situated so that the cables enter the printer vertically rather than through the back. While a DECCONNECT interface with a flexible phone-type cord works well, I hesitated to replace the plastic lid when using a stiffer cable for fear something might be bent or distorted when the lid bent the cable.

Use standard ink-jet paper to get the highest quality output. Regular paper causes the ink to spread too much, resulting in fuzzy characters. Pin fed and hand fed paper also can be used. Because tractor pins are located on the platen, the loading procedure can be difficult. Adjustment for paper width only can be done from the right tractor because the left can't be moved. The paper feed mechanism works smoothly, but the paper gets caught easily if not positioned properly behind the unit. The LJ250 also accepts transparency film.

Loading the ink is simple. Cartridges are primed at the left rear of the unit and easily fit into their respective slots at the front through a lift-up hatch. Color coding prevents you from placing the cartridges into their holders backward. Indication of an out-of-ink condition is the degradation of print quality within approximately one page of text. There's no empty gauge available, but the output quality remains consistent up to the time the ink wells run out, as opposed to nylon ribbons, which gradually fade, resulting in lighter copies.

Configuration

The control panel contains membrane-type buttons for Power, Ready, Form Feed and Protocol Mode. Another button toggles the printer between DEC and Hewlett-Packard PaintJet Mode. At the rear, along with the interface and power module connections, is a bank of pencil switches to change configuration settings for form length (11- or 12-inch); baud rate (4800 or 9600); word length; buffer control; protocol upon power up (DEC or HP); and character set (PC-8 or Roman), in HP mode only. Switch settings take effect upon next power up. A print-out of the switch settings is obtained by turning on the power while holding the Ready and Form Feed but-

Ahh, yes indeed. The ADDS 2020, with its unique 70 Hz refresh display, is so remarkably flicker-free your operators won't get tired working with it.

You'll love our supporting cast of easy-to-read, double high and double high/wide characters; a choice of 80 or 132 column format; a 14" flat green, amber or white screen; operator selectable settings for brightness and contrast plus HelpNotes℠ that let you program assistance messages directly into the terminal.

The 2020 also gives you intelligent desk accessories like a clock, alarm, calendar and a calculator that can work directly with your current application.

A new screen star is born—the ADDS 2025.

Searching for talents above and beyond the 2020? Take a look at our newest screen star—the 2025. We've added dual host capability; a 44 line display; 3 more emulations—VT 100, PC/Terminal and Viewpoint/78; plus an additional keyboard—the PS/2.

See for yourself. Screen test our flicker-free beauties—the ADDS 2020 or the ADDS 2025. For more information call **1-800-622-2070.**

ADDS
Applied Digital Data Systems Inc.
A Subsidiary of NCR Corporation
100 Marcus Blvd., Hauppauge, NY 11788.

© 1987 W.C. Fields Productions, Inc., L.A., Calif.

ENTER 267 ON READER CARD



Vibrant color charts, graphs and transparencies are possible with the LJ250.

tons on the control panel.

Software-selectable settings include text color; character set; pitch (10, 12 or 18 cpi); line (80, 96, 144 characters per line, depending on pitch); page length (one to 252 lines with a 21-inch limit); vertical line spacing (2, 3, 4, 6, 8 or 12 lpi); margins; word wrap; line termination (LF and CR combinations); perforation skip; and graphics resolution up to 180 dots per inch.

The LJ250's two self tests are useful in determining the proper Alpha Mode and color operation.

Digital LJ250 Printer
Digital Equipment Corporation
146 Main Street
Maynard, MA 01754
(617) 897-5111
Price: $1,695
ENTER 535 ON READER CARD

Printing Text

Because the LJ250 is compatible with other LA series printers, printing text files poses no surprises. The full range of text highlighting features, such as underlining, boldface, italics, super- and subscripts, overstrike and double-wide characters, is available. Text also may be printed in color by sending the appropriate escape sequence from a program or word processor. An LA50 or LA75 printer driver will work well with the LJ250 for word processing purposes.

A full range of text highlighting features, such as underlining, is available.

At 90 characters per second (167 characters per second burst speed), the LJ250 isn't going to light any fires, but it's no slouch either. The biggest advantage is that it's quiet. There's no daisy wheel rat-tat-ta-tat or dot matrix screaming, just a silent whoosh as the cartridges move across the paper.

The 15 x 15 dot matrix produces fine, consistently dark, letter-quality text, comparable to the LA75's Letter Quality Mode.

Color

The LJ250 excels in the color department. Its 256-color palette produces quality color and shading. The color print speed is 16.7 inches per second at 180 dots per inch for graphics and 36 characters per second at 10 cpi for color text.

Printing graphics files is done by performing a screen dump from a VT240, 241, 330 or 340. However, the printed result may not match the screen display in size and aspect ratio. The TYPE command also may be used to print graphics data, as well as graphics produced by programming, as long as the files contain SIXEL graphics. ReGIS files must be converted to SIXEL files before printing, if the screen dump method isn't used. The conversion utility, RETOS, can be used to convert ReGIS graphics files to SIXEL files.

In the HP PCL Mode, the LJ250 can print color graphics produced on IBM PCs and compatibles, or the VAXMATE through direct programming or third-

Measured Against Masterpiece, All Other Financial Software Comes Up Short.



A Total Financial System.
Only Computer Associates' Masterpiece® offers a complete financial software system, with add-on capabilities beyond the reach of any competitor:

- **Graphics** that generate persuasive, executive-quality presentations and reports.
- **Host and PC Project Management** to provide versatile and advanced project management.
- **Distribution Management System** with fully integrated, realtime purchasing, inventory control and order processing.
- **Decision Support System** for more sophisticated financial analysis and business decision making.

Faster, More Informed Decision Making.
Effective corporate financial management requires more than just the basic accounting software products. Masterpiece's total solution is designed to improve your ability to manage and control your financial information for faster, more informed decision making.

Don't Come Up Short—Evaluate Masterpiece!
Offered with an unmatched on-site installation and implementation program, Masterpiece is native to your Digital VAX. We invite your comparison. Find out how Masterpiece and Computer Associates offer the best solution for all your financial needs. Call Chris Andrews today:

1-800-343-4133 (Ext. 1905)
(In Massachusetts, 1-800-322-0491)

Computer Associates
One Tech Drive, Andover, MA 01810-2497

ENTER 193 ON READER CARD

© 1988 Computer Associates International, Inc.

COMPUTER ASSOCIATES™
Software superior by design.

- World's leading independent software company.
- Broad range of integrated business and data processing software for mainframe, mid-range and micro computers.
- Worldwide service and support network of more than 70 offices.

Resource & Operations Management • RDBMS • Financial • Banking • Graphics • Spreadsheets • Project Management



The LJ250 excels in the color department. Its 256-color palette produces quality color and shading.

party application programs. The only requirement is to get a Hewlett-Packard PaintJet driver. More software packages are supplying this driver as the PaintJet gains popularity (see Figure 1).

Satisfaction with the speed of graphics printing is a matter of relativity. Computer graphics students at Beaver College, Glenside, Pennsylvania, were happy with the speed of the LJ250 as compared to an older DEC dot matrix graphics printer. On the other hand, the pie chart shown in Figure 1 took approximately five minutes to complete. That may be slow, but the quality and vibrancy of the resulting color is worth the wait.

Brilliant color transparencies can be produced in the Transparency Mode. This mode can be software selected by sending the appropriate escape sequence or, from the control panel, by powering up the LJ250 while depressing the DEC/PCL mode switch. DEC recommends a drying time of five minutes before projecting the transparencies. No indicator light is available for the Transparency Mode, so you'll have to observe the printer making two passes across the film to be sure the proper mode has been selected.

Programming

The LJ250 is a programmer's delight. DEC's programming guide provides the necessary control and escape sequences needed for programming in Text Mode, as well as in SIXEL graphics and HP PCL modes. DEC's technical set and a number of international character sets are available.

Maintenance

Little maintenance is required, but you must make sure that the ink-jet printer is loaded with the proper side of the paper facing out and that the dried ink is kept from interfering with the metal ink-jet cartridge connectors. Paper dust, ribbon fragments, misfiring dot matrix pins and broken daisy wheels won't be a problem. However, watch for clogged nozzles (a special cartridge wiping surface is provided for unclogging) and jammed paper. A complete troubleshooting checklist is provided in the user's manual.

Documentation

The documentation set includes a wire-bound user's guide and a separate programming manual, which provides print codes for DEC and Hewlett-Packard PCL modes. A help card is affixed to the bottom of the printer which slides out when needed.

The LJ250 produces bright color graphics and letter-quality print. The ability to switch personalities between DEC and the Hewlett-Packard Mode is an advantage, because it lets the printer connect to PCs and DEC equipment. If you're looking for a high-quality text/color graphics printer, the LJ250 may suit your needs.

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 532 Medium 533 Low 534

INTRODUCING THE PDP-11/70 HYPER-CACHE

THE HYPER-CACHE COMBINED WITH THE PEP-70, PRODUCES UP TO 65% PERFORMANCE IMPROVEMENT IN A PDP-11/70 RSTS ENVIRONMENT. COMPARABLE PERFORMANCE IMPROVEMENTS WILL BE REALIZED IN ALL OPERATING SYSTEMS.

RUNS STANDARD DEC DIAGNOSTICS

SEE YOU AT DEXPO SOUTH BOOTH #504

!

ENHANCED PDP-11/70 AHEAD

1-305-792-3290

DDS®

Experience enhanced performance in your PDP-11/70.

INTRODUCING

PEP-70

From DDS and SETASI, the companies that brought you the "**World's Fastest UNIBUS Memory**," now bring you the "**World's Fastest PDP-11/70 Memory.**" 4MB of memory all on one plug and play module that resides in the CPU backplane. The PEP-70 eliminates existing memory cabinets, associated hardware, and maintenance costs $$.

The PEP-70 increases CPU and bus throughput, thus allowing a previously CPU bound system to have the same user response as a lightly loaded system. The additional Unibus bandwidth allows you to increase I/O capacity, I/O transfer rates, and user loads.

- Add years of life to your DP investment.
- Stay with your existing operating system.
- Improved user response on CPU bound systems.
- Plug & Play—NO Major upgrade required.
- Add new and fastest disk technology.
- Less than 1 year pay back based on MK-11 maintenance costs.

Over two decades of design experience enables us to offer performance products of unfailing reliability at the lowest possible cost. How do you know?? Because we have a lifetime warranty and 24-hour replacement guarantee. **THE INTELLIGENT SOLUTION**

Note: PDP-11 und UNIBUS are registered trademarks of Digital Equipment Corp.
PEP-70 is a trademark of DDS & SETASI

ENTER 228 ON READER CARD

For additional information call or write.

DIGITAL DATA SYSTEMS INC.
1551 N.W. 65TH AVENUE
FORT LAUDERDALE, FL 33313
(305) 792-3290
TWX: 910-997-4751 (DIGITAL)
FAX: 305-581-1325

SETASI/DDS® RESEARCH AND DEVELOPMENT

©1987 DIGITAL DATA SYSTEMS, INC.





COMMUNICATIONS

POLLY WANT A *PARROT*?

By Donna Barron

MicroProducts' *Parrot* Lets You Record An Interactive Session In Real Time.

At first glance, PC-to-VAX communications and desktop presentations appear to make an unlikely software combo. Yet these two areas are precisely where MicroProducts Inc. of Boca Raton, Florida, has aimed *Parrot*. Or, more specifically, it's where *Parrot* has allowed MicroProducts to go.

MicroProducts recently introduced *Parrot* to the public but has been using the software in-house for more than two years. The package, which runs on an IBM-type personal computer, is an anomaly for MicroProducts, which normally develops and sells large transaction processing systems for DEC mainframes and minicomputers. Before the company developed *Parrot*, explaining software changes to its clients required sending an entire delegation to the installation site to provide demonstrations and local training. Now, MicroProducts sends a *Parrot* presentation. If it knows a client has a PC on site, all it needs to send is a *Parrot* and a disk-based presentation.

Parrot is a tool for creating customized training and demonstration diskettes. However, it doesn't operate like most existing desktop presentation software products that require you to create individual screen images and then string them together into a presentation that can be displayed like a slide show. With *Parrot* you log onto the VAX and record an interactive session in real-time.

Parrot is a small program. It comes on a single diskette with a brief and attractive manual that walks you through the installation on either a floppy or hard drive, and provides a short description of each function and menu selection. In addition to the hardcopy manual, there's a complete online help manual included on the diskette.

Recording Mode

Parrot contains three modes: Recording, Edit and Show. In the Recording Mode, *Parrot* acts as a VT100/220 emulator that lets the PC contact and talk to the VAX. The software provides VT220 function key mapping and includes a pop-up online mapping schedule to remind you which PC keyboard keys are mapped to which VT220 keys while you're working.

Because MicroProducts found that it needed to exchange data often with clients, a file transfer function was built into *Parrot* that works like a standard communication program for sending and receiving files. Transmission parameters are set by toggling through selections in the easy-to-use parameter file. In addition to providing communications selections, the parameters file also lets you customize the colors of your *Parrot* screen display (if you have a color monitor and define several other minor program specifications).

All commands in the Recording Mode are executed through the *Parrot* Functions Menu, which is activated by pressing the F10 key. Once the connection to the host is made, you tell *Parrot* when to begin and it starts recording what's displayed on your screen. You can have it capture the syntax necessary to log on

There's training...

and then there's TRAINING!

It's simple: the more experienced the training facility, the better the learning experience. And for years TRW has been the undisputed leader in alternative DEC training, achieving a solid reputation for the highest quality instruction at very reasonable prices.

Hardware Maintenance Training

TRW's wide curriculum of hardware maintenance courses provide real world ability to solve real field engineering problems and minimize system downtime. From basic VAX concepts through VAX 8000 series processors, TRW's practical, comprehensive courses serve many of the world's largest in-house service organizations—as well as third-party maintainers.

VMS and UNIX Training

That same in-depth experience and expertise marks TRW's range of VMS and UNIX courses for system maintainers, users, operators and managers. All hardware and software courses are available on-site or at TRW's fully equipped Virginia training center. And when your operations or applications are unique, TRW can design and conduct courses tailored to meet your specific training requirements.

Call or write today for a comprehensive catalog of TRW's hardware and software course offerings, or for information on other support services available from TRW. Rely on the leader to put you on the right track to quality training.

TRW Technical Training Center
420 Hudgins Road
Fredericksburg, VA 22401
1-800-255-3029
In Virginia Call: 1-703-898-3878

DEC, VAX, PDP are trademarks of Digital Equipment Corporation. UNIX is a trademark of AT&T. Trademarks are used solely for identification purposes.

ENTER 165 ON READER CARD

TRW

© TRW, Inc., 1988. TRW is the name and mark of TRW Inc.

or off the host or to locate a program. You can show exactly what the host-based program looks like when you call it up, what happens when you make various menu selections, how and where data should be entered, how to exit the program and how to log off the host computer when finished. As with a video camera, the record function can be turned on and off, so you can record an entire session or only those parts you need.

You can send a screen image to the printer with the print screen option or output onto the screen and printer at the same time via the print on/off selection. You also can dump any screen to the disk and use the file as a graphic image with your word processing or page layout program. This is useful if you're creating documentation for the host-based software. *Parrot* automatically highlights all of your keyboard entries so that when you play back the session, you'll be able to distinguish your entries from the program text.

Edit Mode

Once the recording session is completed, you can go into *Parrot*'s Edit Mode. In this mode, each screen appears in freeze frame so you can review and make changes. For example, you can save the screen just as it is and move onto the next or you can delete the entire screen. You can jump directly to the end of the session or search for a specific text string and move to the point where that string appears.

If you have more than one *Parrot* session on your disk, you can open a second session and copy screens from there into the session you're currently working on, or append one session to the end of another to create an extended presentation. The main Edit Menu appears in the center of the screen and tends to block your view of the screen. However, this can be removed temporarily so you can view the entire screen. As you move forward through the screens or pages of the recording, *Parrot* automatically saves each page.

Unfortunately, the program doesn't allow you to move backward to previous pages when in the Edit Mode, which can be inconvenient. If you've forgotten to do something or want to change an earlier edit, you have to exit to DOS, reopen the file and start paging through from the beginning. Another inconvenience is that, while the program tells you which page you're working on, it doesn't indicate how many pages there are in the entire file.

Detailed editing is done from within the Edit Submenu. By using the Edit Submenu commands, you can move from field to field within each

EMULEX DELIVERS THE FIRST TERMINAL SERVER THAT'S LAT-COMPATIBLE...

Performance 4000
Powerful...expandable...a terminal server for DEC Ethernet. With more lines and better performance than the DECserver 200, and *totally LAT compatible*. True "plug and play," no need for special hardware or software.

Performance 4000 Ethernet Terminal Server

More Capacity
The Performance 4000 puts more lines in less space...up to 32 lines in a package only 4½ inches high. Run all 32 at 19.2Kbps, or 16 at 38.4Kbps, *simultaneously*. The Performance 4000 delivers more!

DEC, DECnet, DECserver, and VMS are trademarks of Digital Equipment Corp.
Emulex and Performance 4000 are trademarks of Emulex Corporation. ©1988 Emulex Corporation, Inc.

Parrot
MicroProducts Inc.
370 W. Camino Gardens Blvd.
Boca Raton, FL 33432-9921
(305) 392-9800
Hardware Environment: *Parrot* runs on the VAX and PDP lines. Also, Data General, Hazelton 1500 and Tandon mainframe computers. Free (800) telephone support for 30 days.
Price: $195
ENTER 527 ON READER CARD

screen, a flashing arrow shows you where you are, adding pauses at each place on the screen that you wish to highlight. You can incorporate pauses of fixed time length or pauses that will require the viewer to strike a key to continue the playback. You also can add help text boxes that the viewer can activate in order to get more information while the demonstration is paused on a particular field or function taking place.

Parrot lets you assign section labels to different areas of your presentation. Using section labels as search strings lets you move quickly through your session as you edit it, and allows the viewer to jump directly to a particular part of the final presentation. This is useful in cases where the viewer will be going through the presentation in stages, perhaps over several days, or where he may wish to review only a certain area of the presentation.

Help text can be created in a word processing program and stored in ASCII format or composed on the fly via a desk accessory such as Borland's *SideKick*. While help text appears in a window on the screen, it's not limited to the size of the window. The viewer can scroll freely through help text windows to see text not immediately visible. You can allow *Parrot* to decide where to place help windows on the screen or you can determine whether they will appear on the right or left.

If your computer supports graphics, you can enhance your *Parrot* presentation with computer graphics created with Z Soft Corporation's *PC Paintbrush*. It's also possible to incorporate into your Parrot presentation's word processor and spreadsheet files, saved in text format, which are wider than the screen. By creating a report file, you can add documents up to 132 characters wide.

Show Mode

You play back or show your presentation in the Show Mode. Menu selections in this mode also are accessed through the F10 key. Once you specify which file you wish to view, the program automatically will begin presenting screens

AND MORE.

More for Everyone
Network management is made simpler with full remote control of DECnet devices. Better multiscreen displays...enhanced security features... plus a superset of DECserver commands and VMS-like command editing.



More to Come
For more of everything you want in a terminal server, you need the Performance 4000. Our detailed brochure will tell you more. Circle the reply card or call toll free (800) EMULEX-3. In California, (714) 662-5600.

EMULEX

Emulex Corporation, 3545 Harbor Blvd., Costa Mesa, CA. 92626.

Regional Offices: Anaheim, CA (714) 385-1685 Atlanta, GA (404) 587-3610 Burlington, MA (617) 229-8880
Chicago, IL (312) 490-0050 Dublin, CA (415) 829-1170 Teaneck, NJ (201) 836-3717 Washington, DC (703) 264-0670
International Offices: Bracknell 344-484234 Munich 89-3608020 North Sydney 2-957-1669 Paris 134-65-9191 Tokyo 3-234-8951 Toronto (416) 673-1211

ENTER 264 ON READER CARD

Best Becomes Better With WordPerfect® 4.2

WordPerfect's new version 4.2 for VAX/VMS provides versatility and word processing independence. Streamlined for speed, WordPerfect delivers more power than ever.

Feature-laden

Now VAX users can have all the features which have taken the IBM PC world by storm. Version 4.2 for the VAX contains the well known typing, editing, and printing features so popular on the version for IBM PCs. Powerful capabilities include Document Comments and Summary, Parallel and Newspaper-style Columns, Table of Authorities, Line Numbering, Sort, a 10,000-headword Thesaurus, and an Auto-hyphenation Dictionary. With WordPerfect, you can edit multiple documents, edit and print in Reveal Codes, preview a document before printing, and adjust the horizontal and vertical limits of any screen.

Transferrable

Now you can select hardware without the burden of software concerns. WordPerfect files created on the VAX system are fully compatible with versions of WordPerfect on any other machine—no conversion program is needed. If you wish to convert files from other word processing formats, WordPerfect supports DX/DCA conversion programs.

Integrated

WordPerfect now integrates with DEC's ALL-IN-1, enabling you to replace WPS Plus or other editors within ALL-IN-1. WordPerfect documents can be mailed and handled in the same manner as WPS Plus or EDT documents. Integration of WordPerfect with ALL-IN-1 requires that the ALL-IN-1 image be relinked—a standard procedure for integrating products into ALL-IN-1. This integration occurs at the DSAB (Data Set Access Block) level. Products which are *not linked* as part of the ALL-IN-1 image are not truly integrated.

For the VAX 8350 and smaller systems, the integration option is $500. The options for VAX 8500 and larger systems costs $1000.

Multi-lingual

With a worldwide reputation for product quality and support, WordPerfect Corporation has responded to meet international needs. For example, WordPerfect 4.2 is now available in English, Danish, Dutch, Finnish, French, German, Icelandic, Norwegian, Spanish, and Swedish.

Superlative

WordPerfect Corporation continues to improve product speed and productivity. With a 40% increase in speed over version 4.08, WordPerfect 4.2 is the fastest word processor available for VAX/VMS.



See for yourself. Try an evaluation copy on your system for the cost of media and handling. For more information, contact your local VAX Reseller or WordPerfect Corporation.

WordPerfect Corporation
288 West Center Street
Orem, Utah 84057
(801) 227-5500

WordPerfect is a registered trademark of WordPerfect Corporation. VAX, ALL-IN-1, WPS Plus, and EDT are trademarks or registered trademarks of their respective holders.

ENTER 170 ON READER CARD

WordPerfect
CORPORATION

SideKick
Borland International Inc.
4585 Scotts Valley Dr.
Scotts Valley, CA 95066
(408) 438-8400
ENTER 529 ON READER CARD

PC Paintbrush
Z Soft Corporation
450 Franklin Rd., Ste. 100
Marietta, GA 30067
(404) 428-0008
ENTER 528 ON READER CARD

as they appeared in the original session or as you have edited them.

Where you have installed pauses, for example, the cursor will stop and a note saying "Pause" will appear on the screen. If you have inserted a PAUSE-UNTIL-KEYSTROKE command, the action will stop and a prompt will appear saying, "Press any key to continue." Where you've added help messages, a prompt will appear advising the viewer to press H if he wants more information. Pressing H will bring the help window on screen and the viewer can scroll through the text on the screen and then proceed when he's done. Graphics will stay on the screen until the Return key is pressed.

The viewer can jump directly to a particular section of the show, page forward or backward through screens using Page Up and Page Down keys or switch to another show on the same disk. While *Parrot* shows are interactive, allowing the user to physically end pauses and request help, they also can be set to function automatically with no viewer intervention. The viewer can pause the show manually at any time and for as long as needed.

Because *Parrot* can mimic an interactive session with a host computer, it's well suited for demonstration and training purposes. Not only is *Parrot* portable, but it makes it possible to create presentations of host-based software, which are graphic and contain textual explanation so that the demonstrator or salesperson doesn't need to be facile in handling computers or competent with the software.

As a training tool, *Parrot* provides a way to offer new employees online training in an off-line environment. Users can learn at their own pace and review functions and procedures until they feel competent to work with the software. *—Donna Barron is a free-lance writer from Hollywood, Florida.*

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 504 Medium 505 Low 506

WIN/TCP.™ The standard of excellence in network communications.

Not just parts: a complete implementation of industry standard TCP/IP for all VMS™ systems. Expandable connectivity. Transparent operability. For maximum network performance, Wollongong is the only way to travel. For more information, call 800-872-8649 (in California 800-962-8649) or send us this ad with your business card. The Wollongong Group, Inc., 1129 San Antonio Road, Palo Alto, Ca. 94303.

WOLLONGONG
We are the standard.℠



© 1987, The Wollongong Group, Inc. WIN/TCP is a trademark of The Wollongong Group, Inc.
All other product names are registered trademarks of their respective manufacturers.

ENTER 239 ON READER CARD



WORD PROCESSING

IT*OS

By David B. Miller

A Word Processing Package That Performs Graphics Integration And Mathematical Functions.

As offices become more automated, demands are being placed on application programs to function as word processors. Users expect them to do more than text editing, and word processing vendors are trying to meet that demand by incorporating more non-word processing features, such as graphics integration and mathematical functions, into their software without sacrificing ease of use. One such package is *IT*OS* from Intermation Corporation, Pasadena, California. Recently I tested version 6.1.

Installation

Installation went well, with the exception of defining printers; that was confusing and required reading between the lines and experimentation. The installation guide seemed to be a draft from a larger document, because some of the tables and examples referenced in it didn't exist, causing some of the confusion. Inexperienced system managers may need more detailed instructions; puzzled users can call Intermation's helpful staff. Cleanup operations involved both modifying the system startup command file to ensure that *IT*OS* would be restarted automatically if the system were ever shutdown, and entering proper SET TERMINAL commands for printer ports.

Entering IT*OS started the program and a list of terminal definitions appeared. The opening menu (Create, Edit, Print) presented the current operations for the document, allowing me to create a document, print, assign a password or exit.

I could access subsequent menus by pressing Return. Separate screens display available choices for document Index Operations, allowing for management of documents in various directories; Copy; Insertion; Spelling Corrector, which also includes *IT*OS*'s document conversion facilities; List Processing, for mail merge operations; Background Processing Control, to control printing operations; and User Defined Keys, for MACRO definition. I found that menu choices may be entered from any screen, even though they don't appear on the one in use. I couldn't find a way to access a specific menu screen, bypassing those in between, nor to return to a prior menu without flipping through the others.

Creating, Editing, Saving

When creating a new document, the initial screen is displayed and editing begins below the ruler line labeled with an L on the left, indicating single line spacing and the left margin, and an S indicating "semi-right justification" and the right margin. You can store 10 rules for later recall.

After you've established the initial ruler lines and formats, you can begin to enter text. A typical editing screen with optional status information display is shown in Screen 1.

Initially in insertion mode, *IT*OS* uses the usual wordwrap feature, but this can be overridden temporarily for words you wish to keep together.

Because *IT*OS* is keyboard driven, it pays to have a keyboard map handy for reference. Those used to a WPS keyboard will find the

LABORATORY DECPRO TESTING CENTER



With some databases writing a complex application can be a punishing experience.

VAX programmers can take it on the chin if they try to create applications using a database without a complete fourth-generation language.

You'll find them working in cumbersome, time-consuming third-generation ways.

The alternative is FOCUS—a complete fourth-generation language with its own powerful database manager.

FOCUS includes all the productivity tools your programmers need. They can write any application completely in FOCUS, without lapsing into any other language.

You can expect FOCUS to improve programmer productivity by a factor of ten or more.

Easy on the Mind

From the first day, programmers can learn as they earn using a window-driven interface. Even old hands find this technique useful for super-quick prototypes.

Then, as knowledge of FOCUS grows, so does the depth and richness of the language. You'll never outgrow FOCUS.

Applied FOCUS

Thousands of FOCUS applications run in all of these categories:

- Financial
- Accounting
- Tracking Systems (e.g., Inventory, Assets, Equipment)
- Marketing Analysis
- Sales Reports
- Personnel
- Payroll
- Strategic Planning and Analysis
- Research Studies and Surveys
- Order Entry
- Production Control

Big on Support

FOCUS presents a common language in the DEC VAX, IBM 370, Wang VS, UNIX and PC/PS environments. Applications are fully portable, and so are programmers' skills.

FOCUS has a large and independent user group. And we back FOCUS with local help lines in 12 regional offices, a central hotline, and a national network of technical support and training centers.

Protect yourself. Ask for more information on FOCUS. Call 1-212-736-4433, Ext. 3700. Or write Information Builders, Inc., Dept. I9, 1250 Broadway, New York, NY 10001. Without sticking your chin out.

digital™
Cooperative Marketing Program

ENTER 126 ON READER CARD

FOCUS
Information Builders, Inc.

GOLD Key-oriented commands familiar. In addition to the normal directional arrows for character and line movement, the edit keypad keys have assignments which when used with the Advance and Backup keys allow movement by words, lines, sentences, paragraphs, pages and tab stop. There is a search capability that can be used in either case-sensitive or non-case-sensitive modes and begins in the direction selected by Advance or Backup. A cut and paste feature allows you to remove or relocate portions of text and automatically reformat the paragraphs.

Libraries

*IT*OS* provides Abbreviation Libraries which are established as separate files and contain blocks marked off by unique two-character abbreviations. There's no limit to the amount of text allowed in each block as long as all blocks are named appropriately. Parts of the text library can be called in while the current document is active, or the library may be selected before calling up the main document, so that it's ready for use.

Paragraph Libraries allow you to enter a designator of up to 50 characters per block rather than two. This extra descriptive information can be helpful if shorter abbreviations aren't suitable. *IT*OS* also permits the insertion of entire documents into the current one, whether or not they reside in the current directory, as long as all file protections are set correctly.

Text highlighting functions are available, including boldfacing, underlining, centering, overstriking, case swapping, superscripting and subscripting. More sophisticated formatting features, such as changing fonts, pitch and print quality, also are available. These

```
Document : itos.review                                    Page :  1
Line :     5  Column :     1          Mode : Advance     Font : Stand

Entering ITOS started the program and a list of terminal definitions appeared. The
opening menu (Create, Edit, Print) presented the current operations for the docu-
ment allowing me to create a document, print, assign a password or exit.

      Subsequent menus are accessed by pressing RETURN.
L---T----T----T----T----T----------------------S-------------------------
....:....1....:....2....:....3....:....4....:....5....:....6....:....7....:....8
```

Screen 1: Typical* IT*OS *editing screen display with status and ruler lines turned on.

EUNICE™
A masterpiece in UNIX/VMS harmony.

EUNICE BSD. Our latest technology to blend UNIX™ 4.3 BSD and VMS™ on a single system. Imagine: a transparent, fully integrated, fully supported environment for all VMS systems. A pretty picture indeed. For more information, call 800-872-8649 (in California 800-962-8649) or send us this ad with your business card. The Wollongong Group, Inc., 1129 San Antonio Road, Palo Alto, Ca. 94303.

WOLLONGONG
We are the standard.℠



© 1987, The Wollongong Group, Inc. EUNICE is a trademark of The Wollongong Group, Inc. All other product names are registered trademarks of their respective manufacturers.

ENTER 169 ON READER CARD

formatting commands insert special codes into an *IT*OS* document but remain invisible during normal editing. To see them, press PF1-V. Repressing PF1-V lists the available character modifiers for various pitches, fonts and proportional spacing. At this point, you could select a code that allows the character under the current cursor to be modified. Blocks of text can be treated similarly, affording flexible formatting and customizing sections of documents.

Other special features are available by defining them in what *IT*OS* terms Control Blocks. These are non-printing blocks of text containing commands that control the document's format for features such as headers and footers, special print commands, non-printing comments, multiple column printing and calculation features. An example of control block use is defining a paragraph numbering scheme (see Screen 2).

Pressing PF1-[starts the control block definition. N informs *IT*OS* that this control block will be used to define paragraph numbering until another control block with the N command is encountered. CH, S and SS are markers for chapter, subchapter and subsubchapter respectively. The actual markers you use are up to you. 1-N-1, 1-A-A and 1-a-a define the numbering scheme for each marker. The first number 1 ensures that chapters, subchapters and subsubchapters are grouped together.

N, *A* and *a* determine the numbering scheme: *N* for numeric, *A* for uppercase alphabetic and *a* for lowercase. When the time comes to do the numbering, rather than type the actual number, the marker is typed with an appropriate character to cause incremen-

```
This is a typical control block definition:

---------- Start of Control Block ----------
N
<CH> <1,N,1>
<S> <1,A,A>
<SS> <1,a,a>
---------- End of Control Block ----------

It will be used to number chapters, subchapters and subsubchapters.
```

Screen 2: One typical application of IT*OS's central block formatting is that of numbering chapters or paragraphs.

This announcement is neither an offer to sell nor a solicitation to buy these securities

March 22, 1988

EMC² **EMC Corporation**

EMC Corporation is pleased to announce the commencement of trading of its common shares of stock on the New York Stock Exchange, under the symbol EMC.

Salomon Brothers Inc. Merrill Lynch Capital Markets

ENTER 256 ON READER CARD

Unlock Programmer Productivity



With System 1032 Application Facility

System 1032/AF automatically generates most of your application code from menu selections. Yet you can add custom procedures wherever you need something special.

CompuServe
Data Technologies
Tel: (617) 661-9440

ENTER 111 ON READER CARD

See us at DEXPO South, Booth #1122

ting, if desired. For example, the text:

```
<CH> IT*OS REVIEW
<S> INSTALLATION
<+S> USAGE
<SS> SPECIAL FEATURES
```

would look like this when printed:

```
1 IT*OS REVIEW
A INSTALLATION
B USAGE
a SPECIAL FEATURES
```

The plus sign causes incrementing, no plus sign keeps the current value, and an equal sign forces numbering back to the original value of the first plus sign.

Printing

*IT*OS*'s printing facility lets you stop and restart or halt printing between page breaks. The Document Settings and Print Menus list the parameters that can be modified before printing begins. These include language (if more than one is installed), font style, automatic page breaking (which ignores any page markers placed in the document), page size, margins, number of copies and range of pages to print. Nine sets of print parameters, in addition to the default, may be saved for future recall.

A listing of the date, time, owner, document name and print parameters may be printed with the document. Even- and odd-numbered pages can be printed separately. And for running off dittos and transparencies, the entire document can be printed extra dark. Because *IT*OS* considers printing a background process, certain jobs may be given higher priority, stopped, restarted, canceled, etc.

Spell Checker

*IT*OS*'s spell checker is easy to use. Choose SP from any main menu, and type the name of the file to be checked. A count of the words checked is displayed until a mismatch is found; then a menu appears allowing you to replace or ignore this single occurrence or all occurrences of the word throughout the document. You have the option of adding the word to the dictionary. You also can save (or not save) the changes made through the spell checking process. With *IT*OS*, you'll need a dictionary if the spelling is unknown; alternative words aren't offered.

```
L---.----------.----------.----------.----------S----------
---------- Start of Control Block ----------
P
BEGIN
ROUND
FORMULA <:D1> + <:D2> = <:D3>999,999.99
FORMULA <:D1> + <:T1> = <:T1>999,999.99
FORMULA <:D2> + <:T2> = <:T2>999,999.99
FORMULA <:D3> + <:T3> = <:T3>999,999.99

---------- End of Control Block ----------

      34.23          35.21          69.44
      12.45          89.67         102.12
      23.78         123.786        147.57
        .67            .987           1.66
       1               2.1            3.10
---------- Start of Control Block ----------
P
SUBTOTAL
---------- End of Control Block ----------
      72.13         251.75         323.88
       1              2              3.00
       3              4              7.00
---------- Start of Control Block ----------
P
TOTAL
---------- End of Control Block ----------
      76.13         257.75         333.88
---------- Start of Control Block ----------
P
END
---------- End of Control Block ----------
```

***Screen 3.* IT*OS*'s powerful math capabilities allow for the definition of spreadsheet-like row and column formulas, which are recalculated automatically if any figures are changed. Note that :Dn parameters indicate row figures at the decimal tabs, and :Tn indicates the calculation of column totals. Any required formatting is done by following a parameter with patterns of 9s with necessary commas, dollar signs and decimal points, COBOL style.**

Calculator

*IT*OS* has sophisticated calculation features that allow computations and their results to be obtained while editing, and then saved in the document, a very useful tool if you write proposals and documents involving calculations.

There are two flavors of computing capability:

1. Calculator mode — The numeric keypad becomes a calculator for num-

File transfer and conversion capabilities include copying *IT*OS* documents between work areas, transferring from *IT*OS* to ASCII and vice versa.

bers of up to 13 digits, which appear from right to left. The typical math symbols +, -, /, * and = are used to carry out the calculations.

2. Column and row mode — *IT*OS* can perform row and column calculations including totals, subtotals, rounding, truncation, special formatting (COBOL programmers should look carefully at Figure 3) and averages. The control blocks are used with ruler lines, and set up with decimal tab stops to create the table format and perform the operations.

Other calculation features allow for the computation of columnar averages and the use of variables, thus not restricting you to figures entered in columns. Complex computations using constants, variables and figures in columns and rows are also possible. Output from accounting or similar programs can be converted to a list file for performing computations using those figures; the files can be placed in a form document, eliminating the need to do each one individually.

Document Management

*IT*OS*'s document management system doesn't create files simply by user-specified names in the current directory. Rather, it keeps a document index containing a list of files for the current work area and names all files ITDCMT.xxx where xxx is some integer number. Performing such tasks as copying, renaming and deleting files is accomplished through *IT*OS* utilities, accessed via the second menu screen. Although cumbersome at first, this method of file naming allows for such features as index sorting on criteria like name, number, version, creation or modification dates and size.

File transfer and conversion capabilities include copying *IT*OS* documents between work areas, transferring from *IT*OS* to ASCII and vice

SHIFT YOUR MICROVAX INTO HIGH GEAR WITH MSCP RAM DISK

Available in 16MB, 48MB, or 80MB for all DEC Q-Bus computers. Ideal for disk intensive applications.



ELIMINATES ROTATIONAL LATENCY and SEEK TIMES

BATTERY BACKUP OPTION AVAILABLE

SEE FIRST TECHNOLOGY INC.
3255-7 Scott Blvd. Suite 103 Telephone (408) 748-7717
Santa Clara CA 95054-3013 Facsimile (408) 748-7621

*VAX, MSCP are trade marks of DIGITAL EQUIPMENT CORPORATION

ENTER 157 ON READER CARD

Unlock M.I.S. Backlogs



With System 1032 Application Facility

One keystroke builds a standard application from any System 1032 database you indicate. You then extend this prototype into a full-fledged system by filling in specification menus.

CompuServe
Data Technologies
Tel: (617) 661-9440

See us at DEXPO South, Booth #1122

ENTER 112 ON READER CARD



IT*OS's *Diagram Editor makes bar charts and other drawings simple to create.*

versa. Transferring extended ASCII files allows the retention of some special features, like bolding and underlining.

*IT*OS*'s ability to convert list files to data files for use by other programs is a powerful feature. By creating a conversion specification document, *IT*OS* will transfer the data contained in the list into the format specified in the conversion specification file. This file contains the names of the fields in the list file records, their data type and the number of bytes in that field to transfer to or from the data file. When conversion finishes, the result will be either a list file or data file containing records in the correct format for input to the appropriate software.

List Processing

*IT*OS* list processing involves the creation of three documents: data, form and selection. Creating the records for the data file is straightforward. Each field is placed on a separate line with field names enclosed in angle brackets (< >) followed by contents, as in:

```
<Company>DEC PROFESSIONAL
<Street>921 Bethlehem Pike
<City>Spring House
<State>PA
<Zip>19477
< >
```

Empty angle brackets and double RETURNs separate records. The form document uses the same field names placed in the appropriate area of the file, also enclosed in angle brackets.

The selection document controls which records from the list file are to be processed, for example:

```
IF <State> = PA
AND <Zip> = 12345 OR LESS
BUT NOT IF <City> = Itosville
THROUGH
Wordsberg
THEN PROCESS RECORD
```

Many "program language-like statements" are available to control the selection process. OR, OR MORE and compound IFs are available, giving you control over record processing. A self-test option provides a logic check of the selection document before invoking it. Merging can be directed to the printer immediately or to a disk file for printing later.

Other options include the ability to create tables from a list document. *IT*OS* can mark text in the form document as non-repeating, so that when the merge takes place, information from the list file is merged with the form document without forcing page breaks to occur, and the same form text is printed for each record.

List documents can be sorted using a Sort Specification Document, similar to a selection document. Sort parameters include alphabetic, numeric, ascending, descending, length (which tells *IT*OS* to look at only the first n characters of a field rather than the whole thing) and position (the position within the key field to consider first in the sort rather than the first position in the field). Several fields may be specified as primary and secondary keys.

List processing is used to create tables of contents. Assuming a document includes paragraph numbering, the *IT*OS* TC command extracts the previously marked titles and headers from the document and creates a list file for you. After the list file is generated, a form file controls the table's appearance. You can control the appearance by defining separate formats for chapter, subchapter, heading lines, etc. The selection document (necessary in *IT*OS* for any merge) only needs the words THEN PROCESS RECORD, because the table of contents will include all the records in the list file.

In addition to allowing graphics

IT*OS
Intermation Corporation
234 E. Colorado Blvd.
Pasadena, CA 91101
(818) 796-9371
Price: $950 to $6,500 depending on CPUs.
ENTER 574 ON READER CARD

files to be inserted into the document, *IT*OS* provides limited graphics capabilities of its own through the Diagram Editor. Lines and boxes can be drawn and filled in with characters and other graphics. Vertical and horizontal labels may be added to charts and graphs. With the right printer, you can generate charts similar to the one in Figure 1.

After you've entered the diagram mode, *IT*OS* provides short and long menus to help guide you through the process. The menus display choices to select characters, draw lines and boxes, do fills of areas, and join and move things around. Arrow keys are used to do the drawing in the specified direction. Diagram screens are limited to 22 lines, and breaks occur automatically between each diagram. Automatic centering occurs unless changed by the user.

The keypad changes mode as different diagramming options are used. For instance, when using the Fill Area option, the keys represent graphics characters rather than diagram functions. With practice, sophisticated diagrams can be drawn quickly. Diagram mode is useful for drawing simple charts when graphics from a spreadsheet program aren't necessary or available.



The fundamentals guide is intended more as a reference manual than a tutorial.

MACRO Economics

User Defined Keys can execute up to 255 commands that may execute once or repeat to the end of the document. This program can be looped and is interrupt-

How a software engineer got to captain the lunar landing module.

The Computer Museum is a lot more than a collection of the most famous machines in the history of information processing, it's also a lot of fun.

For more information, or to become a Museum Member, write The Computer Museum, or call (617) 423-6758.

The Computer Museum

B O S T O N

There's something in it for everyone.

300 Congress Street, Boston, MA 02210

ENTER 268 ON READER CARD

Unlock VAX Resources



With System 1032 Application Facility

System 1032/AF integrates everything on your VAX: VMS services, 4GL, existing 3GL modules. Integrate at the menu level or invisibly weave everything together inside an application.

CompuServe

Data Technologies
Tel: (617) 661-9440

See us at DEXPO South, Booth #1122

ENTER 113 ON READER CARD

FIGURE 2.



The three keypad modes within the Diagram Editor.

able so that the user can enter text or other commands during MACRO execution. Also, if 255 commands aren't enough, multiple MACRO keys can be chained, providing more power and flexibility. Up to 99 UDKs may be created, more than enough for even the most prolific user.

Help!

Extensive, online help is available from within a document or any menu. Pressing HELP on a VT220 or PF1-H on a VT100 puts you in Help mode. If help is requested from inside a document, a menu appears listing help categories from which you may choose one. The next screen displays the available functions for that category; e.g., moving the cursor. For help on a specific function, enter the keystrokes needed to accomplish it, and *IT*OS* will provide detailed descriptions and examples to guide you. Requesting Help from a menu provides detail on each of the choices from that screen.

Documentation

Intermation provides a wirebound fundamentals guide of more than 600 pages. The documentation is presented in well-defined steps and is intended more as a reference manual than a tutorial.

*IT*OS*'s pocket reference guide contains short descriptions of all main menu commands, ruler settings, main keyboard keys, keypad keys, view mode symbols and what they mean along with a complete VT220 keyboard diagram.

For system managers, a short guide is provided explaining the workings of the *IT*OS* MANAGER, a utility that allows you to set up and modify print devices, directories and languages, as well as provide file security, authorize users, etc.

*IT*OS* is an integrated office system. It offers features, like the diagram editor and calculator, for example, that other word processors don't. It's Gold key editing functions make it easy to learn, especially for those familiar with similar systems. *IT*OS* is filled with many fine features. If you're looking for a full-featured, powerful word processing "system" loaded with options, check out *IT*OS*.

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 571 Medium 572 Low 573

MORE THAN A DATABASE FOR THE DEPARTMENT COMPUTER

Over the noise of corporate issues, your department's computing needs are not always heard. In the stack of things to do, they often wait at the bottom of the pile.

RDM is the ONLY application developer designed specifically to get department software development done. More than just a database, **RDM** is a complete application development system AND full relational database — integrated into one flexible, table-driven tool.

RDM's table-driven technology is a generation beyond conventional database development. **RDM** supplies all the parameters that shape standard application components. You add your own custom-designed specifics. **RDM** eliminates the need to code and recode routine application features.

RDM is nonlanguage, fill-in-the-form application development. With no programming code to analyze, the learning curve is short and productivity increases. With or without software development specialists, you create the entire application: data input forms, summaries and reports, command menus, on-line help files and processes to validate and manipulate data. You'll implement even the most procedural tasks — without procedural language syntax.

After initial software development — your department's needs will evolve. **RDM** makes system modification and maintenance easy. You add new forms and reports — when you need to. You create new files or change data relationships — quickly. And without any change or rewrite, **RDM** applications will transfer and share data across 10 different operating systems. You save time and money with one software product for your VAX, PDP-11 and IBM-PC.

Since 1980, **RDM** has been the choice of more than 2500 departmental application developers. For quick application development and easy maintenance, for increased productivity and extended portability, for stand-alone, integrated, distributed or networked systems . . . there's no better software solution than **RDM**.



Find out how your applications can rise to the top of the stack. Call today.

800-362-6203
In Canada, call 800-255-6378

Interactive Technology, Inc.
460 Park Plaza West
10700 SW Beaverton-Hillsdale Highway
Beaverton, OR 97005
503-644-0111
TLX 703920

RDM®

ENTER 190 ON READER CARD

VAX and PDP-11 are trademarks of Digital Equipment Corporation. IBM-PC is a trademark of IBM. RDM is a trademark of Interactive Technology, Inc.

DEC WATCH

Evan Birkhead

The Big Picture

Savoring a different role — that of a maverick monopoly buster — DEC entered the new year with some different ideas to topple the leaders at all levels of computing. At the low end, Ken Olsen went with the strategy, "Two heads are better than one." DEC teamed up with Apple to battle IBM at the micro level and with Evans & Sutherland to contend with Sun at the workstation level. The team concept has been used before. It was an extension of 1987's diplomatic front-end pact with the goliath supercomputer producer Cray, which permanently anchored the VAX as a player at the highest end.

With those typically non-DEC areas seemingly in hand (stirring controversy, if not praise), and with the MICROVAX II safely on top in its nebulous market, DEC went back to the drawing board at the mid-range, where it has had the bloodiest slugfests with IBM. (That is, the mid-range, according to what DEC currently is calling the mid-range.) Based on its supercomputer gateway and a mainframe-class single-processing machine that DEC sources tantalizingly hinted could be released as early as the beginning of 1989, it seems that DEC now has a new definition of mid-range.

Whether you think it's cocky, condescending or fully imagined, DEC now calls its mid-range the new series of VAX multiprocessors that rivals low-end IBM 3090 throughput power.

If it sounds like a matter of semantics, it is. DEC's introduction of the newest VAX family, the 8800s, involved redefining and realigning the present high-end VAX line, the third such realignment in three years. In fact, Bill Demmer, vice president of mid-range VAXs, provided onlookers with the first assessment of the VAX 8800, the long-awaited Polarstar, which everyone expected to be presented as a high-end VAX. "Rest assured," Demmer justified, with more than a touch of irony, "this is not the highest performance system Digital ever will announce."

Spin-Off Of The 8700

Technically, it wasn't even the highest performance system to date, although the 8800s leave the current top-of-the-line mainframe clustering solutions (8974 and 8978) in the dust in price/performance. But DEC says that these clustered systems still will be better suited for certain types of industries, which were called "high availability and fault-tolerant applications."

For comparison, an 8978 has twice the performance of an 8842, which will be the standard off-the-shelf cluster of two 8800 family processors. It also has twice the performance of the maximum configuration of four multiprocessing 8800s.

The 8800 family is basically building blocks of CPUs combined in a VMS sphere that supports symmetric multiprocessing, a capability that in this case permits up to four CPUs to function in concert as one, and allows incremental increases in processing power.

VAX 8800 Series
Digital Equipment Corporation
146 Main St.
Maynard, MA 01754
(617) 897-5111
Price: $592,000 for the base 8810 configuration, upgradable in $280,000 increments to an 8840. An 8842 preclustered system costs $1.7 million.
ENTER 483 ON READER CARD

> ***"The 8800 family is basically building blocks of CPUs combined in a VMS sphere . . ."***

The basic starting block is the VAX 8700, fueled in this incarnation by either a MICROPDP-11 or a MICROVAX II engine, depending on your configuration.

The series has five family members:

1. The 8810, which is basically a renamed 8700.
2. The 8820, which is two 8810s, much like the current dual-processing 8800.
3. The 8830, which is three.
4. The 8840, which is four.
5. The 8842, which is a preconfigured cluster of two 8820s.

The 8820s share data through regular cluster file sharing, using HSCs, etc. (All 8800s are clusterable.)

An 8820 was reported to produce 1.9 times the performance of the 8810; an 8830, 2.8 times; and an 8840, 3.7 times. DEC avoided quoting mips and mops.

"High performance is much more than just CPU cycles," defends Demmer. "You need to balance performance with efficient software, more I/O and larger memories."

Where Is VMS 5.0?

DEC deserves a lot of credit for this innovative approach to achieving mainframe-sized numbers (see Figure). Only one year ago, symmetric multi-

Ask An Intelligent Question And You'll Get An Intelligent Answer!

Introducing The World's First English Language Front-End Text Retrieval System That Prioritizes Responses By Relevance To Your Search Query

Imagine a text retrieval system that's so advanced, it allows you to instantly search and display references from thousands of pages of text, simply by asking a question in plain English.

CP International announces IQ,™ an English language front-end for its STATUS™ text retrieval system. STATUS/IQ couples the world's most sophisticated text retrieval system with the simplest interface of all . . . your own language. The combination is nothing short of amazing!

Simply ask a question. STATUS/IQ will provide you with instant access to any information in your files, both structured and unstructured. Thousands of pages of contracts, product reports, large volumes of government regulations and legislation, patent summaries, legal documents, catalogs and sales memos can be searched and referenced in almost any way imaginable, right down to specific words and phrases. STATUS/IQ will not only find appropriate references, it will automatically prioritize them by degree of relevance to the original search question. STATUS/IQ is the only text retrieval system in the world to offer this technology.

Best of all, STATUS/IQ is backed and supported by CP, a leader in data processing technology for 20 years. Our staff of text-based systems experts are specially trained to conduct complete analysis, training, and support, in any industry environment. For more information, a trial, or product brochure, call or write:

STATUS/IQ™

International, inc.

One Water Street, White Plains, NY 10601
(914) 686-9030

ENTER 102 ON READER CARD

If your
mess, it's
cola

development backlog is a time to update your tools!

National CASEcon, The Computer Aided Software Engineering Conference and Show, is your best opportunity this year to see hundreds of high productivity CASE tools. National CASEcon takes place in New York's Javits Convention Center, June 21-23, and offers the nation's premier forum for hundreds of major vendors to show you what's new and what works in the CASE industry.

New and exciting things are happening in the software tool business, and National CASEcon alone will bring you together with the most up-to-date CASE technology for achieving high productivity in your application development activities. The National CASEcon show floor will feature CASE toolbenches and workbenches, equipment vendors, automation training and consulting services, and scores of new products and techniques — all in a set-up which allows you to speak one-on-one with company representatives who can answer your questions about specific CASE applications.

In addition to a wide array of displays, National CASEcon offers a full conference program, CASEconference, from which you can choose sessions that are significant to you. CASEconference features five tracks appropriate for each phase of the software development cycle: Management, Requirements, Analysis & Design, Programming, and Maintenance. Fees for the CASEconference portion of National CASEcon range from $495 to $845, and you can obtain a complete program brochure by writing to the address below.

Or, if you'd rather, **you can attend National CASEcon exhibits and demos without registering for the conference program.** If your main interest is in seeing a wide range of CASE products, you can register only for the show, spending your time efficiently in hands-on investigation of CASE tools for up to three days. Just use the registration coupon below.

NATIONAL CASECON℠

The Computer Aided Software Engineering Conference & Show

June 21-23, Jacob Javits Convention Center, NYC

ENTER 274 ON READER CARD

ADVANCE NO-LINE REGISTRATION FORM

NAME _____
BUSINESS
TITLE _____

COMPANY _____
CO.
ADDRESS _____

CITY _____ STATE _____
MAIL STOP
(if any) _____ ZIP _____

TELEPHONE _____

Use one form per person. **Photocopy if necessary**

By attending National CASEcon, I consent to the use of photographs of me in any promotional materials related to the show and/or events

Signed _____ Date _____

__Check here for hotel information

Check only your main job function from box below

AA __ Accountant
BB __ Administrator
CC __ Consultant
DD __ Corporate Officer
EE __ Creative Arts (All)
FF __ Designer (All)
GG __ DP/WP Manager Operator
HH __ Engineer (all)
II __ MIS Dir./Mgr.
JJ __ Programmer
KK __ Purchasing
LL __ Sales/Marketing
MM __ Scientist
NN __ Securities/Fin.Analyst
OO __ Service Technician
PP __ Systems Analyst
QQ __ Systems/Aplctn. Mgr.
RR __ Systems/Architect
SS __ Systems/Maintenance
TT __ Systems/Mgr.
UU __ Systems/Project Mgr.
VV __ Systems/Prototyper
WW __ Other (specify)_____

III

Check your co.'s main activity from only one of the boxes below

TRADE RESELLERS

1__ Computer Consultant
2__ Computer Dealer/Dist.
3__ Computer OEM
4__ Office Products Dealer
5__ Service Vendor
6__ Software Developer
7__ Systems House
8__ Turnkey Vendor
9__ Value Adder
10__ Other (specify)_____

I

CORPORATE VOLUME BUYERS

A__ Accounting Firm
B__ Advertising
C__ Banking
D__ Communication
E__ Const./Architects
F__ Credit
G__ Education
H__ Engineering
I__ Government/Military
J__ Hospital
K__ Hotel
L__ Industrial Design
M__ Insurance
N__ Law Office
O__ Management Consult.
P__ Manufacturing
Q__ Publishing
R__ Real Estate
S__ Research Development
T__ Retail Sales
U__ Securities Broker
V__ Transportation (all)
W__ Utility
X__ Wholesale/Retail Sales
Y__ Other (specify)_____

II

1 Day $25-
Date must be given here_____
2 or 3 Days - $50

On-site registrations are
$30 for 1 day,
$60 for 2 or more days

MAIL ORDERS must be received by National CASEcon no later than May 20, in which case your show badge will be mailed to you on or before June 7. Mail orders received after May 20 will be processed and the badge held for arrival under the individual's name at the "Pre-registered attendee" counter in the Crystal Palace Lobby.

Registration fees must be in U.S. funds. All foreign mail orders, except Canada, must be received by May 13, and such badges will not be sent by return mail, but held at the "Pre-registered attendee" counter for pick-up on arrival. All registrations are non-refundable. Confirmation for all registrations will be sent by National CASEcon upon receipt of your registration form and payment.

Mail check payable to National CASEcon with completed registration form to: P.O. Box 1807, Englewood Cliffs, NJ 07632.

Incomplete or improperly completed forms will be returned. National CASEcon attendees must be qualified. Minors under 18 may not register.

F



This diagram illustrates the relating throughput performance of the entire VAX family. New CPUs are indicated by shaded bars.

processing (SMP) appeared to be a futuristic capability that didn't appear marketably feasible as part of an operating system, but DEC has joined Prime Computer and a few others as technological leaders in this area.

As another advantage, DEC stressed the lack of personnel needed to support an 8800 cluster. The cost of an 8842 includes resident software support by a DEC engineer, who stays on-site for the first six months after the system is purchased.

On the down side, most analysts were expecting the 8800s to be the debut processors for pure VMS version 5.0, not version 2 of its field test version. Version 5.0 now is expected with the next generation of VAXs, possibly the next MICROVAX, and Demmer says that version 5.0 VMS with SMP soon will be available for the 8300, 8350 and 8800.

Despite its shortcomings regarding the facilities we were expecting in VMS 5.0, this lame duck version of VMS will be remembered for producing SMP capability and for combining clustering with SMP in the VAX 8842.

"VMS with symmetric multiprocessing support maximizes the potential of each processor by balancing the workload across all processors," explains Demmer. "Each processor does its share of work automatically, without involving the user or the system manager."

DEC says 5.0 will have online transaction processing and extra facilities that support SMP and asymmetrical multiprocessing (ASMP), which was used in the high-end VAXs announced two years ago. The company also said it's "committing to the future availability of ULTRIX" for the new machines.

Two solutions packages are also standard with the 8800s. These include a startup and service package for starting a VAXCLUSTER, and a high data availability package that has redundant access, volume shadowing and a new HSC.

Inside The Cabinet

Beta users report that the system pays for itself with its ease of expansion. When you buy an 8820, for example, you get the whole cabinet (two VAXBI channels, 128 MB of memory) and an upgrade requires more hardware added inside this cabinet. Additional I/O and memory increases linearly with the number of processors you add. By the time you've built your cabinet into an 8840, you can support the following incremental expansions:

1. 8810 — 48-MB main storage, one BI-bus, one Ethernet adapter and one VAXCLUSTER adapter.
2. 8820 — 128 MB, two BIs, one Ethernet and one CI.
3. 8830 — 128 MB, two BIs, two Ethernets and one CI.
4. 8840 — 128 MB, two BI, two Ethernets, one CI, an HSC70 and a 2.5 GB SA482.
5. 8842 — two 8820s, an HSC70 and an SA482.

Therefore, the total ceiling configuration can include up to 512 MB, six BI channels and a 50 percent increase in I/O.

Although analysts were worried about it running high-intensity programs such as U.C. Berkeley SPICE, DEC says that it already has an installation running SPICE in stream mode.

Delivery is expected to be a big problem. Two simulation software companies, Structural Dynamics Research Corporation of Milford, Ohio, and Intera-ECL of Denver, Colorado, already have decomposed applications optimized for 8800 multiprocessing, and as many as a dozen are expected to follow. However, there are still skeptics.

In a change of recent policy, DEC declared that it's delivering the 8800s "immediately." This left many buyers and analysts scratching their heads, particularly those who had ordered MICROVAX and VAXSTATION 3500s last year and haven't seen delivery yet.

Overall, DEC has greater momentum than the competition in devising a general-purpose computing strategy at all levels. If IBM has the bigger picture, then it's evidently comparing itself to DEC. With this announcement, and a few imminent improvements to the MICROVAX II and the VAX high-end (DEC's *high* high-end), DEC will prove that it has a firm grip on the big picture. ■

While you're waiting for your DEC PrintServer™ 40 Think about Our model 3840



25% Lower Purchase Price; Half the Cost-per-Copy

Sure, your DEC PrintServer 40 is *rated* at 40 pages per minute, and it will run at that rate, provided the form has only fixed text fonts and very simple graphics. Let the job get a little complicated, however, and you'll see a *pronounced* performance degradation. And that's *after* you've paid about $15,000 more for the printer and *while* you're paying about twice the cost per copy compared with NBS Southern's Model 3840 Laser Printer.

By connecting directly through a high-speed NBS parallel port, no special software is required to run the model 3840. With the addition of NBS Southern's PAGEWARE™ Forms Description Language (FDL), you can merge text with complex documents, logos, signatures and other special graphics without sacrificing speed.

Our 3840 will deliver complex forms, text and ANSII X3.64 graphics, in any combination, at a true 40 pages per minute with 300-dots-per-inch resolution. All day. Every day. Up to 200,000 pages per month — four times the duty cycle of the DEC PrintServer 40.

The 3840 houses a true 57 resident fonts, expandable to over 150 — all in bitmap form, ready to use. In fact, the printer supports the entire Bitstream® font library.

If you're running any DEC system with big print output requirements, you need to investigate the NBS Southern model 3840! Contact us at 100 North Belcher Road, Clearwater, FL 34625. Telephone 813/441-1981; outside Florida 800/327-5602; FAX 813/447-3012.

Typical one-hour output of a graphics/text combination form.

NBS model 3840

DEC PrintServer 40

NBS Southern, Inc.

ENTER 142 ON READER CARD

C Language Training On Video Tape

TRAINING

Philip Margolis

It used to be that the only way to learn how to program in C was to delve through a copy of Kernighan & Ritchie's *The C Programming Language*. Many programmers refer to this book as the bible, because it's the definitive description of C but also, I suspect, because using the book to learn the language involves a fair amount of praying. Today, there are dozens of books covering practically every facet of the C language, and in most colleges, C courses are standard offerings in computer science programs. There are also numerous companies that offer C training seminars, and as evidence that C is finally being accepted as a general-purpose programming language, there are even C training videos.

Two such products are *C Language for Programmers* from AT&T and *C Video Workshop* from Hands-On Learning Corporation. Both are directed toward experienced programmers who are unfamiliar with the C language. Each package is based on a set of video tapes and a workbook. In addition to the core material, *C Language for Programmers* includes six weeks of telephone support to help you through the course. *C Video Workshop* includes a diskette containing program examples and a copy of Tom Plum's textbook, *Learning To Program in C*.

C Language For Programmers

As you might expect from the company that invented C, the tapes by AT&T are technically competent, but the style is reserved.

The course is divided into 12 modules. In each module a professional narrator, complete with hush puppies and a flannel sweater, describes a C topic. To drive home the point that this is a training tape, the course is set in an empty classroom. On one of the desks sits a terminal on which program examples are displayed. As the narrator discusses examples, relevant sections of code are highlighted. Disappointingly, this is about the full extent of the graphics used in the course.



The video covers all of the main areas of the C language, including the preprocessor, bit manipulation, I/O and many of the new features proposed by ANSI. The workbook summarizes most of the points made on the video and contains some useful tables and exercises.

What it lacks is creativity. Rarely does it take advantage of its medium to graphically illustrate a point. Watching the video is like sitting in on a class taught by a competent but unimaginative professor.

C Video Workshop

If creativity were the sole criteria for training programs, *C Video Workshop* would be hard to beat. Unfortunately, much of the energy that goes into making these videos entertaining comes at the expense of technical accuracy and breadth.

The course is divided into six medium-length modules. Each module covers a lot of territory. For example, Module 3 covers arrays, strings and I/O.

There are two narrators who introduce and explain topics. When they show program examples, though, the scene switches to a cozy, fireplaced living room with Joe Programmer sitting at a terminal. Joe Programmer is intended to represent the target audience, an intelligent and experienced programmer looking at C code for the first time. After going through an example, the camera switches back to the pair of narrators who provide further explanation.

Periodically, especially in the later modules, certain topics are illustrated by actors who represent various components of a program. In one of the more

COLORSCAN®/2 Workstation



One big idea in one small space.

The COLORSCAN/2 color graphics workstation "is an idea whose time has come," reported *Digital Review*. It fits two capabilities - VAX™ access and the ability to run PC applications - into one very small, low-profile enclosure with quiet, diskless operation.

It's a built-in plug-compatible VT™200 text/color graphics terminal for all your VMS™ and UNIX® information access. And it's a high-performance MS-DOS® personal computer for today's business applications. All in one sleek ergonomically-designed desktop workstation.

There's more, too. Parallel VT200 and MS-DOS operations. ReGIS™, Sixel, Tektronix™ and EGA plus-compatible color graphics (640×480×16 resolution). Built-in cut and paste. Full 132-column display.

In other words, "The COLORSCAN/2," according to Frank J. Derfler, Jr., editor of *PC Magazine*, "is an excellent solution to desktop clutter for any combination of PC, LAN-based and host-based applications."

To find out more, call Datamedia at 1-800-DMC-INFO.

Unretouched screen
10 × 15 × 2.5-inch base unit

DMC
DATAMEDIA CORPORATION
The Positive Response™

COLORSCAN is a registered trademark of Datamedia Corporation. VAX, VT, VMS and ReGIS are trademarks of Digital Equipment Corporation. UNIX is a registered trademark of AT&T Bell Laboratories. MS-DOS is a registered trademark of Microsoft Corporation. Tektronix is a trademark of Tektronix, Inc.

11 Trafalgar Square, Nashua, NH 03063

ENTER 189 ON READER CARD



WANTED: Communications Wiring System

Isn't it about time you hire the best!

The **MOD-TAP Communications Wiring System** is a modular solution for voice and data building wiring. **MOD-TAP System** is not biased towards any particular manufacturer's equipment or Local Area Networking scheme. **MOD-TAP System** is guaranteed to interconnect any compatible equipment utilizing twisted pair wiring.

MOD-TAP System
285 Ayer Road
P.O. Box 706
Harvard, MA 01451
(617) 456-3500

MOD-TAP System UK Ltd.
City Commerce Centre
Marsh Lane
Southampton Hants, S01 1EX.
England
44 703 212120

ENTER 185 ON READER CARD

Trademarks are the property of their respective owners.

MOD-TAP System

Call today 1-800-252-1100/617-772-5630 for our new 1988 Applications Catalog.

Visit us at DEXPO South, Booth #1615

ATTENTION VENDORS

The *DEC PROFESSIONAL* magazine will consider DEC-specific hardware and software products for review. We do not endorse or guarantee any products reviewed or discussed.

For further information contact:

The Editorial Department, Professional Press,
921 Bethlehem Pike, Spring House, PA 19477.

C Video Workshop
Hands-On Learning Corp.
27 Cambridge Street
Burlington, MA 01803
(800) 537-0040
Price: $995
ENTER 525 ON READER CARD

C Language for Programmers
Registrar AT&T Video Tape Library
P.O. Box 2160
Jacksonville, FL 32232
(800) 247-1212 ext. 1001
Price: $2,100
ENTER 526 ON READER CARD

effective segments, the actors represent functions inside a computer to show how arguments are passed on the stack.

In general, the presentation style is varied and interesting, but unfortunately, the actual content of the course is sketchy. Major topics, such as the preprocessor, barely are covered. Other topics, such as function prototypes and bit manipulation aren't mentioned at all. Many of the topics discussed are oversimplified and some of the style hints are dubious. For example, the video encourages the use of the comma operator to separate assignments, a practice frowned on by most C programmers.

C Language for Programmers costs $2,100 and *C Video Workshop* sells for $995. If the purchase price seems too high, you may wish to rent the videos. *C Language for Programmers* is $300 for one month and the Hands-On Learning version is $195 for two weeks. It's important to note that these prices don't entitle you to make copies of any of the material, including the workbooks. Whether you rent or buy, you may want more than one person to use the course. If each person would like his own workbook, you may purchase additional copies. AT&T sells its version for $25 and Hands-On Learning charges $65 (this includes Plum's textbook).

—Philip Margolis is a business writer based in Boston, Massachusetts.

IN A NOISY WORLD...



BLAST IS THE UNCHALLENGED LEADER IN COMMUNICATIONS SOFTWARE

PERFORMANCE LOSS WITH INCREASING NOISE



Noise simulation tests run with a 30K binary spreadsheet file at 1200 baud between IBM-PC's, using BLAST II, rev. 8.1. Comparable or better results on VAX and other environments.

Most communications software performs well under ideal conditions. But in the *real* world of noisy communications circuits and satellite-routed phone calls, there's only one consistent performance leader—BLAST.

The secret is **BL**ocked **AS**ynchronous **T**ransmission, BLAST's protected-pipelining protocol that won't slow down to a snail's pace, drop data or disconnect in adverse conditions. Noisy phone lines . . . satellites . . . PBX switches . . . X.25 packet network delays—your valuable data BLASTs through it all.

Link PCs, Macs, Minis & Mainframes

Only BLAST guarantees you fast, 100% error-free file transfer among micros, minis and mainframes running under 30 different operating systems. No matter *what* systems you need to connect, BLAST software links them all. Connect hundreds of sites at down-to-earth prices—and let BLAST's speed cut your phone charges, too.

And the new BLAST II expands upon this rugged power with a streamlined user interface, VT-100/220 emulation, superior data compression, auto-dialing and all the other "state-of-the-art" features you'd expect. Plus, you get **BlastScript**, a powerful English-like programming language that lets you quickly create custom menu-driven applications on multiple systems. Easily set up remote polling, data collection, order entry and other powerful applications.

The choice of the FORTUNE 500

When Bankers' Trust, Blue Cross, Exxon, Nabisco and many other FORTUNE 500 companies chose communications software for their financial data transfer operations, they chose BLAST to cut through the noise. Shouldn't *you* choose BLAST too? Give us a call today.

1-800-24-BLAST

Any computer with BLAST can talk to any other computer with BLAST:

IBM	VM/CMS or MVS/TSO
DEC	VAX/VMS; PDP/RSX;RT-11
DATA GENERAL	RDOS; AOS; AOS/VS
WANG	VS
PRIME	PRIMOS
HEWLETT-PACKARD	3000/MPE; 1000/RTE
HARRIS	VOS
TANDEM	LXN
IBM-PC & PS/2	MS-DOS
APPLE	Macintosh
UNIX/XENIX	AT&T; Altos; Apollo; Sun; Gould; HP; VAX & MVAX; SCO Xenix; etc.

Many others available; please inquire.



BLAST®

Communications Research Group

5615 Corporate Boulevard • Baton Rouge, LA 70808 • (504) 923-0888

Crosstalk is a registered trademark of Digital Communications Associates, Inc. © Copyright 1988, Communications Research Group, Inc.

ENTER 180 ON READER CARD

Calling VAX C From Other Languages

LET'S C NOW

Rex Jaeschke

Editor's note: In this issue, Mr. Jaeschke again delves into the VAX Calling mechanism. This time, he discusses the differences between the CALLS and the CALLG VAX instructions, both of which are used by VMS languages when they call external procedures.

The standard argument passing mechanism for C functions is by value. A copy of each actual argument passed is put on the stack, where it can be manipulated by the called function without fear that these modifications will have any effect on the original argument. In fact, we treat formal arguments as automatic objects defined within the called function. Note, though, that arrays are passed by reference.

This is part of the definition of C, and it will work in any environment in which we call C from C. The key qualifier here is "call C from C." Things change when we begin to interact with other language environments, because those environments can impose further restrictions on the interface mechanism. That's the case with VAX FORTRAN, VAX LISP and any other VAX language that uses the CALLG instruction for external procedure linkage.

CALLS Versus CALLG

The VAX has two main procedure CALL instructions, CALLG (call with general argument list) and CALLS (call with stack). They can be used as necessary, with a routine using one or the other, or both, as appropriate. VAX language compilers use one or the other with VAX FORTRAN and LISP using CALLG, and VAX C (and other languages) using CALLS. Both calling methods are sanctioned by the VAX Architecture Calling Standard.

Let's look at how procedure linkage works on the VAX. When control is passed to a subroutine, the argument pointer register (AP) points to a data block of the following form:



The argument count **n** is an unsigned byte in the first byte of the argument list. The maximum number of arguments, therefore, is 255. The high-order three bytes in the first longword are reserved by DEC for future use. Each argument on the stack takes up a longword and may represent either a value, the address of a data object or piece of executable code, or the address of a descriptor.

The difference between CALLG and CALLS is that CALLS generates this block on the stack at run time, and CALLG causes AP to point to a block already in existence, possibly created at compile time. Specifically, CALLG doesn't recreate the parameter block dynamically each time the procedure is called, but CALLS does; herein lies the problem.

A Simple Demonstration

The following function called **copy** is my version of the library routine **strncpy**. I've added some trace print calls to enhance the explanation. The classic way to implement this function is to decrement the formal argument **count** and increment the formals **in** and **out** as shown here. Note that the C examples use the new style function definition syntax recommended by the Proposed ANSI C Standard.

```
void copy(int *in, int *out, int count)
{
        printf("count starts at %d\n", count);
        printf("in = %x, out = %x\n", in, out);

        while (count){
                printf("%d\n", count);
                *out++ = *in++;
                --count;
        }
}
```

This works when called from C or any other language, using the CALLS linkage instruction. However, it won't work with the following FORTRAN program. This FORTRAN program is unrealistic, because it copies the array **in** to the array **out** three times in succession; however, it will serve the purpose of this exercise. Note that because FORTRAN passes by address by default, we need to explicitly pass 10 by value.

```
program ftest1

implicit none
integer in(10), out(10), i

do i = 1, 3
        call copy(in, out, %val(10))
end do

end
```

The output generated is:

```
count starts at 10
in = bdc, out = c04
10
9
8
```

```
7
6          count starts at 0
5          in = c04, out = c2c
4          count starts at 0
3          in = c04, out = c2c
2
1
count starts at 0
in = c04, out = c2c
count starts at 0
in = c04, out = c2c
```

That isn't quite what you might have expected, because **count** is set to 10 at the start of the first loop but not for the second or third. On closer inspection, we also can see that the addresses of **in** and **out** have changed after the first loop. The address of **in** in the second and third loops is the same as the address of **out** in the first loop. All is not well, but why? To answer that, let's look at the machine code generated by both the FORTRAN and C compilers. (Use /list/machine compilation switches on the compilers.)

```
void copy(int *in, int *out, int count)
{
/* copy: */
/*       .entry  copy,^m<r2> */
/*       subl2   #4,sp */
/*       movab   $CHAR_STRING_CONSTANTS,r2 */

        printf("count starts at %d\n", count);
/*       pushl   12(ap) */
/*       pushal  (r2) */
/*       calls   #2,PRINTF */

        printf("in = %x, out = %x\n", in, out);
/*       pushl   8(ap) */
/*       pushl   4(ap) */
/*       pushal  20(r2) */
/*       calls   #3,PRINTF */

        while (count){
/*       tstl    12(ap) */
/*       beql    sym.2 */
/*       tstl    r0 */
/*       nop      */
sym.1:

                printf("%d\n", count);
/*       pushl   12(ap) */
/*       pushal  39(r2) */
/*       calls   #2,PRINTF */

                *out++ = *in++;
/*       movl    8(ap),r1 */
/*       addl2   #4,8(ap) */
/*       movl    4(ap),r0 */
/*       addl2   #4,4(ap) */
/*       movl    (r0),(r1) */

                --count;
/*       decl    12(ap) */

                }
/*       bneq    sym.1 */
/* sym.2: */

        }
/*       ret      */
```

See how the three arguments are modified directly by the addl2 and decl instructions as we expect, because this list is supposed to be a copy of the real arguments. The **copy** function expects the argument list to be set up as follows, and it finds it this way:

```
------------------------
|        0       | 3  |  <-- ap
------------------------
|    address of in    |  ap + 4
------------------------
|    address of out   |  ap + 8
------------------------
|        count        |  ap + 12
------------------------
```




GURU®:
When you expect the world from your expert system.

Tired of being limited? It's time to discover GURU—an expert system environment with comprehensive inference engine and rule management controls.

Incredible flexibility.

GURU lets you design an expert system that runs exactly the way you want. By using fuzzy variables, certainty factors, reasoning rigor, rule selection order, and numerous environmental and utility variables, you have virtually unlimited control over the consultation environment.

Unprecedented development efficiency.

Using GURU's case saving and replay, you can track the effects that rule changes have on system behavior. You can also use meta rules to examine or alter other rules during a consultation. And using GURU's knowledge tree, you can display the relationships and dependencies between an application's rules, variables, and goals.

Quick and thorough.

By mixing forward and backward chaining, goal search time can be shortened dramatically. And, using GURU's multiple rule firing capability you can re-fire rules as values change. GURU also comes equipped with seamlessly integrated 4th generation decision support capabilities such as data base, spreadsheet, and report generator.

GURU runs on PCs, LANs, and VAXs.

To find out how GURU can exceed your expectations, call 1-800/344-5832 or 317/463-2581.

Explore the world of expert systems with GURU Tutor!

This full-featured development environment allows you to prototype GURU applications using rule sets, data bases, spreadsheets, and more for only $75. To order, call us at 1-800/344-5832 or write. VISA, MasterCard, and American Express accepted.

mdbs®
P.O. Box 248
Lafayette, IN 47902
1-800/344-5832
317/463-2581

GURU is a registered trademark of mdbs, Inc.
VAX of Digital Equipment Corp.

ENTER 137 ON READER CARD



(WITH REVIEWS LIKE THESE, WHO NEEDS CLEVER HEADLINES?)

Find out why magazines like DEC Professional and PC Week and over 60,000 PC users appreciate the convenient yet powerful features of VTERM/220, VTERM III and VTERM/4010.

Send in this coupon to see for yourself the most functionally complete emulation of DEC VT220, VT100, VT52 or Tektronix 4010 terminals. **VTERM***

I would like to find out why magazines like DEC Professional, PC Week and others rate VTERM/220 so highly.

☐ Please send me the DEC Professional and PC Week reviews.

☐ Please send me information on your free 30-day evaluation of VTERM/220, VTERM III and VTERM/4010.

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE NUMBER _____

Write: Coefficient Systems Corporation
611 Broadway, New York, N.Y. 10012

DP588

or call **(212) 777-6707** ext **617**
FAX: (212) 228-3137 TELEX: 6503156498
*VTERM refers to VTERM/220, VTERM III and VTERM 4010 from Coefficient Systems Corporation.

ENTER 107 ON READER CARD

In FORTRAN code:

```
0050     .PSECT  $LOCAL
0050     .LONG   ^X00000003
0054     .ADDR   IN
0058     .ADDR   OUT
005C     .LONG   ^X0000000A

0000     .PSECT  $CODE

0000  FTEST1::
0000     .WORD   ^M<IV,R11>
0002     MOVAL   $LOCAL+^X50, R11

0009     MOVL    #1, R12
000C  L$1:

000C     CALLG   $LOCAL+^X50(R11), COPY

0013     AOBLEQ  #3, R12, L$1

0017     MOVL    #1, R0
001A     RET
```

the argument block is allocated statically at compile time in PSECT $LOCAL at offset 0x50, and the argument pointer is set to point here by the CALLG instruction.

Note that the argument list isn't reinitialized on each iteration of the loop. Therefore, at the end of the first loop, **count** has been decremented to 0. Because it's still 0 on subsequent loops, it tests false, so no copying is done.

Likewise, at the end of the first loop, the pointers **in** and **out** point to the character beyond the end of their respective arrays. Because the array **out** is stored in memory immediately following the array **in**, the pointer **in** points to the start of the array **out**.

Forcing FORTRAN To Reload The Arguments

Part of the problem is that **count** never gets reset to 10 for each loop. The following program solves this:

```
program ftest2

implicit none
integer in(10), out(10), i, n

n = 10
do i = 1, 3
        call copy(in, out, %val(n))
end do

end
```

This produces the following output:

```
count starts at 10
in = bdc, out = c04
10
9
8
7
6
5
4
3
2
1
count starts at 10
in = c04, out = c2c
10
9
8
%SYSTEM-F-ACCVIO, access violation, reason mask=00,
virtual address=00000000, PC =0000106D, PSL=03C00000
%TRACE-F-TRACEBACK, symbolic stack dump follows
module name     routine name line       rel PC

FC1             copy            8       0000004D
FTEST2          FTEST2          8       00000017
```

The count is reset to 10 for each loop; however, the program aborts while executing the second loop. This is because the addresses being passed still are being modified accumulatively for each loop. The first loop copies **in** to **out**, while the second tries to copy 10 bytes from **out** to the area beyond **out** that we don't own, causing the access violation. The offending statement is ***out++ = *in++;** because it's attempting to write outside the program's address space.

The code generated from the FORTRAN compiler is interesting. The argument block has space for the count, but it's initialized to 0 at compile time. It's set to 10 at the start of each loop at run time, even though the assignment statement is outside the loop.

```
0050     .PSECT  $LOCAL
0050     .LONG   ^X00000003
0054     .ADDR   IN
0058     .ADDR   OUT
005C     .LONG   ^X00000000

0000     .PSECT  $CODE

0000  FTEST2::
0000     .WORD   ^M<IV,R11>
0002     MOVAL   $LOCAL+^X50, R11

0009     MOVL    #1, R12
000C  L$1:

000C     MOVL    #10, $LOCAL+^X5C(R11)
0010     CALLG   $LOCAL+^X50(R11), COPY

0017     AOBLEQ  #3, R12, L$1

001B     MOVL    #1, R0
001E     RET
```

Passing Addresses By Value From FORTRAN

To ensure the argument block is completely initialized at run time, each loop can use the following FORTRAN code:

```
program ftest3

implicit none
integer in(10), out(10), i, n
integer in_addr, out_addr

n = 10
in_addr = %loc(in)
out_addr = %loc(out)
do i = 1, 3
      call copy(%val(in_addr), %val(out_addr), %val(n))
end do

end
```

The output produced is:

```
count starts at 10
in = bdc, out = c04
10
9
8
7
6
5
4
3
2
1
count starts at 10
in = bdc, out = c04
10
9
8
7
6
```




Gone as far as your data base can take you? MDBS III® can take you further.

You know the situation. You need to develop a system that will handle massive amounts of data and involves complex data relationships. And not only do you need it in an unreasonable time, it has to run on a PC or a mini. And on top of that, your current dbms simply can't handle the job.

Design real world schemas.

MDBS III supports data bases into the hundreds of megabytes and beyond, yet you can still retrieve data in split-seconds.



You can design a data base to represent structures as they are in the real world, capturing many-to-many, one-to-many, many-to-one, one-to-one, forked and recursive relationships. There's no time-wasting, space-hungry dummy records or extra coding. Every time you modify your data structure, MDBS III modifies your data base automatically.

Develop more efficient applications.

MDBS III offers high performance with flexible data-structures, airtight data integrity, automatic recovery, password, encryption and read/write protection, transaction logging, spur-of-the-moment query, report generation, easy schema restructuring, and much, much more.

From PCs to LANs to VAXs, see how far MDBS III can take you. Call 1-800/344-5832 or 317/463-2581.

mdbs®

P.O. Box 248
Lafayette, IN 47902
1-800/344-5832
317/463-2581

Technical specifications

• records/data base—unlimited • fields/record—32,767 • max db size—4GB • records/set (file)—unlimited • fields/index—32, 767 • indexes/record—2,500 • access codes—65,535 • plus performance tuning, significantly reduced storage requirements, clustering, multi user, multiple language I/Fs

MDBS III is a registered trademark of mdbs, Inc. VAX of Digital Equipment Corp.

ENTER 138 ON READER CARD

```
5
4
3
2
1
count starts at 10
in = bdc, out = c04
10
9
8
7
6
5
4
3
2
1
```

The corresponding machine code for ftest3 is:

```
0050     .PSECT  $LOCAL
0050     .LONG   ^X00000003
0054     .LONG   ^X00000000
0058     .LONG   ^X00000000
005C     .LONG   ^X00000000

0000     .PSECT  $CODE
0000   FTEST3::
0000     .WORD   ^M<IV,R2,R3,R11>
0002     MOVAL   $LOCAL+^X50, R11
0009     MOVAL   IN(R11), R12
000D     MOVAL   OUT(R11), R2
0011     MOVL    #1, R3
0014   L$1:

0014     MOVL    R12, $LOCAL+^X54(R11)
0018     MOVL    R2, $LOCAL+^X58(R11)
001C     MOVL    #10, $LOCAL+^X5C(R11)
0020     CALLG   $LOCAL+^X50(R11), COPY

0027     AOBLEQ  #3, R3, L$1

002B     MOVL    #1, R0
002E     RET
```

The argument list block is reinitialized before each CALLG, and the program works fine. However, the cost has been to write some very unwieldy FORTRAN code.

The Solution

There's a more elegant solution: Modify the C function to accommodate the CALLG instruction, as follows:

```
        void copy(int *in, int *out, int count)
        {
                int *incopy = in;
                int *outcopy = out;
                int countcopy = count;

                printf("count starts at %d\n", count);
                printf("in = %x, out = %x\n", in, out);

                while (countcopy){
                    printf("%d\n", countcopy);
                *outcopy++ = *incopy++;
                --countcopy;
        }
}
```

By making copies of the formal arguments and modifying those copies, there's no need to know whether CALLS or

KEEP UP IN A CHANGING WORLD

Take advantage of the wealth of knowledge available from your Government. The U.S. Government Printing Office has produced a new catalog. It tells about the most popular books sold by the Government—nearly 1,000 in all. Books on agriculture, business, children, diet, energy, health, history, space, and much more. For a **free** copy of this new catalog, write—

New Catalog
Post Office Box 37000
Washington, D.C. 20013



CALLG were used, because we never try to modify the formal argument list. While this solves the problem, it's contrary to established C programming practices, and it may seem unreasonable to seasoned C programmers.

However, if you want to have a C library that's callable by other VAX languages, follow the VAX linkage model. The *VAX Architecture Handbook* says, "The argument list must be treated as read-only data by the called procedure." Unfortunately, you won't find this in the VAX C manual.

Another VAX hardware manual says that an argument list can be passed in either of two ways: by passing only its address [CALLG] or by passing the entire list on the user stack [CALLS]. The first method is used to pass long argument lists or lists that you want to preserve, and the second is used when calling procedures that don't require arguments or when building an argument list dynamically.

Despite this explanation, each VAX language seems to use only one of the CALL instructions. Note that FORTRAN calls its intrinsic functions using the JSB instruction, and future versions of VAX C (possibly beginning with V3.0) also will provide a mechanism to generate JSB linkage.

In the meantime, if you're calling C from C, it's OK to modify formal arguments. However, this violates the VAX standard linkage model and should be taken into account as appropriate.

While researching this article, I was reminded of another problem. The code:

```
void copy(int *in, int *out, int count)
{
        while (count){
                *out++ = *in++;
                --count;
        }
}
```

isn't quite the same as:

```
void copy(int *in, int *out, int count)
{
        while (count--)
                *out++ = *in++;
}
```

In the first case, **count** is only decremented if it's true (hopefully, it's positive). In the second case, even when **count** is zero and tests false, it's decremented, so it becomes -1. If we call this from FORTRAN twice in a row, **count** will be -1 at the start of the first loop. Because -1 tests true, we get an infinite loop that results in an access violation. This is only true when CALLG is used; for CALLS, the two examples are equivalent. Although it's generally safe to use the second method, it's not maximally portable.

Readers are encouraged to submit any C-related comments and suggestions to Rex Jaeschke, 2051 Swans Neck Way, Reston, VA, 22091. *—Rex Jaeschke is an independent consultant, author and lecturer. He is the C language editor of* DEC PROFESSIONAL *and is our representative on the ANSI C Standards Committee.*

QUEMAN

THE VAX QUEUE MANAGER



Only QUEMAN automates the complete control and processing of all your print (output) queues, batch queues, and print forms in a single CPU or cluster environment. QUEMAN provides full screen displays which easily monitor, detect, and correct any errors which may occur. Additional features of QUEMAN include:

- Elimination of cumbersome DCL commands and reduced CPU time in processing of queues.
- Batch and Print queues can automatically be merged, paused, reset, started or stopped.
- Print queues are easily assigned, deassigned, and forms changed at any time.
- All forms utiiized by print queues are maintained and can easily be created, modified or changed.
- Special **ZOOM** feature lists information about each job in the queue and allows the following job command to be executed: Delete, change destination, hold, release, and restart (change form also for print jobs).

For more information or a free trial on how **QUEMAN** can automate and control all of your print queue and batch queue processing call or write:

DATA CENTER SOFTWARE

DATA CENTER SOFTWARE
218 Maple Street
Danvers, MA 01923
Tel. 617-777-1221

*VAX is a registered trademark of Digital Equipment Corporation

ENTER 233 ON READER CARD

DCL DIALOGUE

Fortune Cookies For The Masses

Kevin G. Barkes

As an independent consultant, you never know what type of challenges await you. Clients want the darndest things. One of them asked for a DCL-based fortune cookie program. He was tiring of the messages in his current public-domain COOKIE, but as a MICROVAX user in an office environment, he had no languages available to him, except DCL.

Charging a client to produce something this frivolous was distressing, so I produced it on my own time, made it public domain, and placed it on my BBS system where it can be copied and distributed freely. It's currently on ARIS, so feel free to download it and have fun.

When invoked, a fortune cookie program produces a random quotation. This poses two interesting problems for the DCL version: how to store the quotations, and how to access them randomly.

I dismissed the use of indexed files because of their susceptibility to damage. I had visions of getting all sorts of calls from unwitting users who edited the indexed quote file with a text editor and totally whacked the file structure. Of course, the same thing is possible if the library file is edited, but a user is more likely to recognize a VMS file in text library format to be something other than a normal file.

I settled on using a text library, with the numbers 1, 2, 3, etc., as module names. The module can be called by the randomly generated number. By using lexical functions, I generated the library module number by extracting the ones and hundredths of seconds fields of the current time. This approach permits modules numbered from 0 to 999, or 1,000 possible quotes.



BAKE.COM

First, cookies have to be prepared before being consumed, and the DCL variety isn't any different. BAKE.COM reads in a plain text file containing the quotes and produces a text library (see Program 1).

To run BAKE.COM, you need to do three things: assign the name COOKIE_JAR to the file that will contain the library; assign the name OLDCOOKIES to the file where old COOKIE_JARs will be copied; and be certain the quote file COOKIE.IN exists in the directory where BAKE.COM is invoked. Also, make sure you give full file specifications, device, directory, name and extension to the files. COOKIE.IN, the quote file, requires no special formatting, except that there must be blank lines separating each quote.

When invoked, BAKE.COM sets up environmental conditions and checks for the existence of needed files. The present cookie library is copied to another file for safekeeping, and then deleted. BAKE reads COOKIE.IN, generates temporary files one at a time, assigns them numerical module numbers and adds them to the text library file. This isn't an efficient procedure, but its infrequent use didn't warrant spending an enormous amount of time on optimization. Besides, the price is right.

COOKIE.COM

COOKIE extracts a quote from the library and displays it on the user's terminal (see Program 2). If it can't find the cookie jar, it exits immediately. Otherwise, it generates a random number, and tries to pull a quote from the library. This method has one major drawback. What if the cookie jar has less than 1,000 quotes or a gap exists in the module numbers? COOKIE circumvents this problem by checking the status of the LIBRARY/EXTRACT command. If it fails, it divides the COOKIE number by two and tries again; it will continue to do this for five iterations, and then give up.

For example, assume the random number generated is 840. You don't have 840 quotes in your library; the extract fails. But, COOKIE will divide 840 by 2, producing 420, 210, 105, 52 and 26 before giving up. You can make COOKIE run faster by dividing by a larger number, (three or four probably are more efficient). Also, you can increase the size of your library by duplicating entries if you're short on pithy sayings.

The quotes file from my BBS, SYS$OUTPUT, is available for download by calling (412) 854-0511. It contains approximately 260 entries, but be forewarned, the quotes were compiled by someone who feels Tom Lehrer is the greatest composer and lyricist of our time. Speaking of bulletin board systems, because of the lead time involved in producing *DEC PROFESSIONAL*, BBS

Introducing the Ditto 320XL...

With More Than 15 Major Improvements over The DEC VT320*... Perhaps DEC Should Be Emulating Us!

If you're looking to upgrade your DEC environment with a new terminal, don't settle for the limited features and functionality of the DEC VT320. The Ditto 320XL from Networx Data Products Co. has all the features of the VT320 plus over a dozen major improvements, including a 70Hz refresh cycle flicker-free screen, 2 standard and 6 optional pages of memory, an 80-132 column switchable "hot key", and 64K expandable firmware memory for custom OEM applications. And with our optional graphics upgrade (not available on the DEC VT320), you can create incredible graphs, charts, plots and drawings . . . without disturbing any of the 320XL's alpha-numeric features.

Even with all these extra features, the Ditto 320XL comes with a price tag that's hard to beat. And the Ditto 320XL is backed by a full, one-year nationwide service warranty. Another $49 buys you a 3-year extended warranty available directly from Networx.

Why settle for less. See why DEC users are calling the Ditto 320XL video display terminal the best value in today's market. For more information and spec sheets, write or call Networx today at 1-800-531-0019 or (516) 754-2798 within New York State. FAX 516-864-5875.

Networx™

DATA PRODUCTS COMPANY, Inc.

80 Modular Ave. Commack, New York 11725

ENTER 235 ON READER CARD

*DEC VT320 is a trademark of the Digital Equipment Corporation

numbers published can become outdated quickly. To circumvent this problem, you can get a listing of most of the VAX, PDP-11 and Rainbow-oriented BBS systems by sending a stamped, self-addressed business-sized envelope to: BBS List, Kevin G. Barkes Consulting Services, 4107 Overlook Street, Library, PA 15129.

In the months ahead I'll feature some nifty user-submitted procedures. If you'd like to join in the fun, send your submissions to me at the above address. I prefer submissions on magtape, because I don't have the time to rekey all the material we get.

And please, no more default-changing command files. I received a letter from a reader who boasted the ultimate utility, requiring only a single parameter in order to operate. The command file is:

```
$ SET DEFAULT 'P1'
$ EXIT
```

Easy to debug, and it works!

—Kevin G. Barkes is a specialist in VAX systems software, management, tuning and training, in Library, Pennsylvania.

PROGRAM 1.

```
$! BAKE.COM
$! Generates text library file for COOKIE.COM
$! (see information at bottom of file)
$!
$! The following logical name assignments must be made:
$!       COOKIE_JAR  (Text library)
$!       OLDCOOKIES (Old copies of text library)
$!
$! Set error handling:
$       SET NOON
$!
$! Handle control-c:
$       ON CONTROL THEN GOTO DONE
$!
$! Save current messaging level, then disable messages:
$       SAVE_MESSAGE = F$ENVIRONMENT("MESSAGE")
$       SET MESSAGE  /NOF/NOI/NOS/NOT
$!
$! Make a few symbol assignments:
$       WSO := WRITE SYS$OUTPUT
$       TOP_OF_FILE = 1
$       COOKIE_COUNT = -1
$!
$! Stop if we can't find the cookie file:
$       IF F$SEARCH("COOKIE.IN") .EQS. "" THEN GOTO NOCOOKIES
$       DELETE/NOCONFIRM/NOLOG COOKIE.TMP;*
$!
$! Stop if we can't find our cookie jar or place to put old cookies."
$       IF F$TRNLNM("COOKIE_JAR") .OR. -
        F$TRNLNM("OLDCOOKIES") .EQS. "" THEN GOTO NO_LOGICAL
$!
$! Delete the old library and create a new one:
$       COPY/NOLOG 'F$TRNLNM("COOKIE_JAR")' 'F$TRNLNM("OLDCOOKIES")'
$       DELETE/NOCONFIRM/NOLOG 'F$TRNLNM("COOKIE_JAR")';*
$       LIBRARY/CREATE/TEXT COOKIE_JAR
$!
$ OPEN_COOKIE:
$       OPEN/READ/ERROR=DONE/END=DONE INFILE COOKIE.IN
$!
$ OPEN_LIBRARY:
$       OPEN/WRITE/ERROR=DONE/END=DONE OUTFILE COOKIE.TMP
$       HAS_TEXT = 0
$!
$ LOOP:
$       READ/END=DONE/ERROR=DONE INFILE RECORD
$       TESTRECORD = F$EDIT(RECORD,"TRIM")
$       IF TESTRECORD .NES. "" THEN HAS_TEXT = 1
$!
$! The following line takes care of blanks lines at the top of cookie.in:
$       IF TOP_OF_FILE .AND. TESTRECORD .EQS. "" THEN GOTO LOOP
$       IF TESTRECORD .NES. "" THEN TOP_OF_FILE = 0
$       IF TESTRECORD .EQS. "" THEN GOTO INSERT
$       WRITE OUTFILE RECORD
$       GOTO LOOP
$!
$ INSERT:
$       CLOSE OUTFILE
$!      If there's nothing in the file, don't do anything:
$       IF .NOT. HAS_TEXT THEN GOTO TOSS_COOKIES
$       COOKIE_COUNT = COOKIE_COUNT + 1
$       WSO "Adding cookie #''COOKIE_COUNT'... "
$       LIBRARY/INSERT/TEXT COOKIE_JAR COOKIE.TMP /MODULE='COOKIE_COUNT'
$       SAVE_STATUS = $STATUS
$       IF SAVE_STATUS THEN WSO "Cookie added!"
$       IF .NOT. SAVE_STATUS THEN WSO "Oops.. cookie not added."
$       WSO ""
$!
$ TOSS_COOKIES:
$       DELETE/NOCONFIRM/NOLOG COOKIE.TMP;*
$       GOTO OPEN_LIBRARY
$!
$ NOCOOKIES:
$       WSO "Input file COOKIE.IN not found."
$       GOTO DONE
$!
$ NO_LOGICAL:
$       WSO "The logical names COOKIE_JAR and/or OLDCOOKIES is unassigned."
$!
$ EXIT:
$       CLOSE INFILE
$       CLOSE OUTFILE
$       DELETE/NOCONFIRM/NOLOG COOKIE.TMP;*
$       SET MESSAGE 'SAVE_MESSAGE'
$       EXIT
$!*****************************************************************************
$! BAKE.COM
$! Copyright c 1988 by Kevin G. Barkes Consulting Services
$! Non-commercial reproduction and distribution permitted.
$! This procedure provided "as-is".  No warranty expressed or implied.
$!
$! Kevin G. Barkes Consulting Services
$! 4107 Overlook Street
$! Library, PA 15129
$! 412-854-2550      (Voice)
$! 412-854-0511      (SYS$OUTPUT BBS)
$! 412-854-4707      (Facsimile)
```

PROGRAM 2.

```
$! COOKIE.COM
$! Extracts messages at random from the cookie jar
$! (see information at bottom of file)
$!
$! The logical name cookie_jar must be assigned for this procedure to work.
$       IF F$TRNLNM("COOKIE_JAR") .EQS. "" THEN EXIT
$       IF F$SEARCH("COOKIE_JAR") .EQS. "" THEN EXIT
$!
$       SET NOON
$       ON CONTROL THEN GOTO EXIT
$       COOKIE_COUNT = 0
$!
$! Save message level, then disable messages:
$       SAVE_MESSAGE = F$ENVIRONMENT("MESSAGE")
$       SET MESSAGE /NOF/NOI/NOS/NOT
$!
$! Get the cookie number:
$       COOKIE = F$INTEGER(F$EXTRACT(17,4,F$CVTIME())-".")
$!
$! Try to get a cookie:
$ GET_COOKIE:
$       LIBRARY/TEXT COOKIE_JAR /OUT=SYS$OUTPUT: /EXTRACT='COOKIE'
$!
$! If we were successful, exit:
$       IF $STATUS THEN GOTO EXIT
$!
$! Increment the cookie count and exit if we've wasted too much time:
$       COOKIE_COUNT = COOKIE_COUNT + 1
$       IF COOKIE_COUNT .EQ. 5 .OR. COOKIE .EQ. 1 THEN GOTO EXIT
$!
$! Divide the cookie number by 2, and try again...
$       COOKIE = COOKIE / 2
$       GOTO GET_COOKIE
$!
$ EXIT:
$       SET MESSAGE 'SAVE_MESSAGE'
$       EXIT
$!*****************************************************************************
$! COOKIE.COM
$! Copyright c 1988 by Kevin G. Barkes Consulting Services
$! Non-commercial reproduction and distribution permitted.
$! This procedure provided "as-is".  No warranty expressed or implied.
$!
$! Kevin G. Barkes Consulting Services
$! 4107 Overlook Street
$! Library, PA 15129
$! 412-854-2550      (Voice)
$! 412-854-0511      (SYS$OUTPUT BBS)
$! 412-854-4707      (Facsimile)
```

In Disaster Recovery, It's Experience That Counts . . .

To date, CDRS has helped 10 companies survive computer disasters.



CDRS is now serving DEC users!

Comdisco Disaster Recovery Services Inc. (CDRS) is the world's largest disaster recovery resource. We have supported more customers in disaster situations than any other company.

Now, we're offering our unmatched capabilities to users of Digital Equipment Corporation systems. Our facility in Cranford, New Jersey, is totally dedicated to the DEC world. It is a fully configured facility, and offers DEC equipment up to and including the VAX 8700, plus telecommunications capabilities ready to use. If, for any reason, your DEC equipment becomes unavailable, you can occupy the site and continue your vital data processing functions, virtually without interruption. You can also have remote access to our facility through our Mobile Cluster capability.

Besides providing equipment, we can consult you on everything from contingency plan development to data center design and reconstruction.

COMDISCO®

Comdisco Disaster Recovery Services, Inc.

6400 Shafer Court, Rosemont, Illinois 60018

ENTER 109 ON READER CARD

Experience proves you can count on Comdisco.



Yes, CDRS! I'm concerned about a DEC computer disaster.

☐ Send me more information.
☐ Have your representative phone for an appointment.

Name

Company Title

Address Phone

City State Zip

Clip and return to: Charles Gladfelter, Director of Marketing, CDRS Inc., 6400 Shafer Court, Rosemont, IL 60018.

Or call 312/698-3000.

MANAGING YOUR MICROVAX

Capacity Planning And System Design, Part 1

David W. Bynon

In 1983, I learned that Digital had reduced the VAX architecture to two quad Q-bus boards. By mid-1984, I had received and installed my first MICROVAX I system, packaged in a BA23. As I remember, Digital received an additional $10K for providing 4 MB on a single board.

The MICROVAX I wasn't very exciting (mostly because it was a slug), but the idea of having a VAX beside your desk was. And, I knew then, as I do now, that this machine was only the beginning.

At first, it was simple to choose a MICROVAX system. If you needed an entry level one- to four-user system, the MICROVAX I was the selected system. If you needed a five- to eight-user system, you went with a MICROVAX II in the BA23 chassis. At the high end, for eight to 16 users, you could choose a MICROVAX II in the BA123 configuration.

Digital now manufactures three basic MICROVAX CPUs in dozens of configurations. From the one- to eight-user MICROVAX 2000 systems to the one- to 100-user MICROVAX 3000 systems, MICROVAX configurations are myriad and often confusing. Determining the one that's right for your application isn't always simple, and you can't always rely on your sales representative to be correct.

The Line Up

At the bottom, Digital manufactures the MICROVAX 2000. It's based on the same CPU chip set (78032 microprocessor and 78132 FPU) as its larger brother, the MICROVAX II. What distinguishes the MICROVAX 2000 from all other VAX systems is its single circuit board design.

There's a misconception that the MICROVAX 2000 is a busless system. It has several circuit paths that provide for internal expansion of memory, video subsystem, Ethernet, async/sync communication ports and a circuit path for external expansion of storage devices.

The external path implements the SCSI bus interface; however, a standard Digital device driver isn't available. For this reason, the MICROVAX 2000 only is expandable with Digital peripherals or Digital equivalent peripherals. Note: As of this writing, two memory manufacturers have produced expansion memory, and several OEMs are selling equal disk drives for the MICROVAX 2000.

In the middle of the line up is the four-year-old MICROVAX II, the most popular VAX to date and probably for some time to come. The MICROVAX II interfaces with its peripherals using a backplane variation based on Digital's well-known Q-bus, the Q22-bus. The Q22-bus accommodates 22-bit addressing and a full 32-bit local memory interconnect, implemented in the C and D rows of the first three backplane slots. DEC refers to this modification as the CD interconnect.

The Q-bus and the relatively low cost of the MICROVAX II are the reasons for its great success. When the MICROVAX first was introduced, dozens of OEMs already were manufacturing controllers, memory and add-on peripherals for DEC LSI systems, which used the original Q-bus backplane. It was, in most cases, very simple to modify these same devices to work with the MICROVAX. In fact, many needed no modifications.

> ***"Determining the one that's right for your application isn't always simple, and you can't always rely on your sales representative to be correct."***

The MICROVAX II is available in three basic cabinet configurations: the BA23, which has an eight-slot backplane and room for two 5¼-inch peripherals; the BA123, with a 12-slot backplane and room for five 5¼-inch peripherals; and the H9642, an equipment rack for one or two horizontally mounted BA23 chassis and two 14-inch drives. Because of the variety of storage devices, memory expansion and interfaces available, many variations of the MICROVAX II are possible, with only a handful offered as standard line items.

Finally, the new kid on the block, the MICROVAX 3000, is Digital's most powerful MICROVAX processor. The MICROVAX 3000, currently available in two chassis configurations (3500 and 3600), is a technological progression of



CA-TELLAGRAF.
The mainframe graphics leader. Giving you the power to visualize the meaning of information.

More than just graphics software, the CA-TELLAGRAF™ family brings visual information system power to your corporation. And it handles data from key sources—databases, financial systems and spreadsheets—making CA-TELLAGRAF the corporate graphics solution.

Power and flexibility limited only by your imagination.

Produce both ad-hoc and production graphics, in a wide range of colors and formats. Create one-of-a-kind graphs interactively, or generate hundreds of graphs per day. Put multiple charts on a page. Include corporate logos and standard management formats.

PC-based SuperImage and SuperChart extend the solution.

Making CA-TELLAGRAF even more flexible, Computer Associates' PC products, SuperImage™ and SuperChart™, provide users with powerful graphics, charting and drawing systems. It's ideal for organizations that want an integrated graphics solution for today's corporate computing environment.

Compatible with virtually every graphics device and CPU.

CA-TELLAGRAF operates on mainframes, mid-range systems and workstations and supports over 300 different output devices, including terminals, slide recorders, plotters and laser printers.

For the most advanced visual information system that brings data and decisions together, turn to the leader, Computer Associates. Call Chris Andrews or write today:

Computer Associates
1-800-343-4133
10505 Sorrento Valley Road
San Diego, CA 92121-1698

© 1987 Computer Associates International, Inc.

COMPUTER ASSOCIATES™
Software superior by design.

- World's leading independent software company.
- Broad range of integrated business and data processing software for mainframe, mid-range and micro computers.
- Worldwide service and support network of more than 70 offices.

Resource & Operations Management • RDBMS • Financial • Banking • Graphics • Spreadsheets • Project Management

ENTER 218 ON READER CARD

TABLE 1.

	MICROVAX 2000	MICROVAX II	MICROVAX 3000
RELATIVE CPU PERF.	1	1	2.6 TO 4.2
CPU TYPE	78032(ZMOS)	78032(ZMOS)	78034(CMOS)
FPU TYPE	78132(ZMOS)	78123(ZMOS)	78134(CMOS)
CPU CACHE	NONE	NONE	1 KB
SECONDARY CACHE	NONE	NONE	64 KB
MEMORY (MB)	2-16(PARITY)	1-16(PARITY)	2-32(EEC)
BACKPLANE SLOTS	NONE	8, 12 OR 16	8 OR 12
DISK STORAGE	42-318 MB	71 MB - 3GB	159 MB - 3GB
DISKLESS SUPPORT(LAVC)	YES	YES	YES
ETHERNET SUPPORT	YES(DESVA)	YES(DEQNA)	YES(DEQNA)
TK50 SUPPORT	YES	YES	YES
TK70 SUPPORT	NO	YES	YES
TU81 SUPPORT	NO	YES	YES
CONCURRENT USERS	1-8	1-24	1-96

MICROVAX system comparison chart.

the MICROVAX II. The MICROVAX 3000 is based on the Q22-bus backplane and can take advantage of the same peripherals and controllers as the original MICROVAX I/II systems.

The advances of the MICROVAX 3000 computer were made in its new Complementary-symmetry Metal-Oxide Semiconductor (CMOS) logic microprocessor (78034), floating point accelerator (78134) and high-speed memory. This new CPU produces a system with 2.6 to 4.2 times the processing capability of the MICROVAX II, depending on the operations.

Matching The Iron With The Application

One of the greatest things about designing MICROVAX systems is that there's more than one way to design a system for the job. For example, you may need a system that can process up to three million instructions per second (mips), which logically would point you toward a MICROVAX 3000 system. However, the same amount of work could be accomplished using three MICROVAX 2000s clustered with a MICROVAX II. The possibilities are nearly endless. How then do you design the system that's right for your application? The answer lies in knowing what your options are, answering the right questions and the process of elimination.

System Options

Table 1 displays a comparison of MICROVAX system options and support. These values, by the way, weren't taken from Digital. DEC's comparisons always are based on its own configurations and options, not necessarily the true capability of the CPU. For example, I increased the memory capability of the MICROVAX 2000 and the storage capability of the Q-bus systems to reflect what other equipment manufacturers produce for these systems. Use this chart as your basis for system capability and options.

The Questions

The most difficult part is coming up with the right questions and their answers. Those presented here are not the only questions that must be answered. They're simply the most logical ones and those that work for me.

1. How many concurrent users will there be?

This question is of primary importance, because it will eliminate one or more of the MICROVAX processors. If you must support 12 concurrent users, a single MICROVAX 2000 immediately would be eliminated as a viable system.

2. What is the working set size required for your applications?

You must know the largest working set size (memory allocation) for any of the applications you'll be using, as this is the basis of your system's memory requirement. For example, if the largest working set requirement is 1024 blocks (.5 MB) and you'll have 16 concurrent users, your user memory requirement will be about 8 MB.

3. What is the static memory requirement?

To finish computing your memory requirements, you must know how much memory the VMS operating system and other detached processes will consume. This is difficult to figure unless you have been around MICROVAX systems for a while. However, here are some statistics: On average, VMS permanently will allocate 2500-3800 blocks (1.1 to 1.8 MB), DECNET will require about 300 blocks (.15 MB) and LAVC servers will eat 450 to 500 blocks (about .25 MB). So, an additional 2 to 3 MB of memory is needed for the operating system.

4. What will be your immediate online storage requirement?

Whatever you estimate, you'll be wrong. However, it's always better to have storage in which to grow than to not have enough. Plan big rather than small. If you have database applications, calculate the file sizes by multiplying the record sizes times the maximum number of records. For example, a database with a record length of 128 bytes that has 5,000 records will require 625 KB of storage.

In addition to calculating storage requirements for user files and databases, consider the operating system and applications. For instance, VMS will consume about 20 MB on the average MICROVAX page, swap files will need 10

digital™ Cooperative Marketing Program

1988 digital review TARGET AWARDS WINNER

LOGICRAFT'S 386ware

#1 in DEC/MS-DOS Integration.

For five years in a row, Logicraft has set the standards in PC emulation. **386Ware**, the industry's most powerful DOS network server, is one reason.

With an 80386 microprocessor, **386Ware** runs IBM PC programs on any VT terminal. *DR Labs* says "**386Ware** is blindingly fast... more than five times faster than an IBM PC AT". At a fraction of the cost of a PC.

386Ware makes it easy to share data with other network users; easy to switch back and forth from PC to VAX programs.

Digital Review readers voted **386Ware** a 1988 Target Awards winner. They think it's the year's best hardware communications product. And so will you.

ENTER 134 ON READER CARD

To give your VAX PC capabilities, call Logicraft today for more information or a free demonstration.

LOGICRAFT

22 Cotton Road, Nashua, NH 03063
(603) 880-0300 Fax 603-880-7229

See us at DEXPO South, Booth #214

When You Think Optical for Archiving—
THINK FAST!



"... The QLC-1000™, especially when paired with a fast drive like the OPTIMEM 1000™, offers an unbeatable combination of speed and security."

—DIGITAL REVIEW—
November 23, 1987

TESTS WERE PERFORMED at Digital Review Labs on a MicroVax II using VMS 4.5 backup utility with cyclic redundancy checking (CRC) disabled (/NOCRC). Digital Review Labs tested with 50,000 block contiguous files transferred from a CDC WREN3 Winchester disk sing a Dialog DQ696 controller.

Qualogy's™ Q-bus™ Optical Systems deliver a price/performance figure others can't touch. But, whatever your choice is in optical disks, it's Qualogy's Optical Disk Controllers that really get things moving!

Our optical disk controllers use DEC's™ TMSCP™ protocol for all I/O commands. Operating exactly like a TK50 tape, our optical systems emulating tape technology write files up to nine times faster than competitive optical solutions that emulate magnetic disks.

The best part of all—it's easy to integrate into your current system. All controller functions are on a single board, so there are no extra boards to deal with! And, by emulating tape technology, you're assured of transparent operation and complete DEC systems compatibility.

So there's no need to change your applications software, or patch your operating system.

So make your fastest move!

Call us today for a copy of *Digital Review's* benchmark article.

We'll show you that optical storage for DEC systems is no longer an illusion! It's fast!

(800) 722-4970 *(Outside California)*
(800) 821-0865 *(Inside California)*

QUALOGY

Qualogy™ and QLC-1000™ are trademarks of Qualogy, Inc. DEC®, MicroVax II™, VMS™, Q-Bus™, Unibus™, TK50™ and TMSCP™ are registered trademarks and trademarks of Digital Equipment Corporation. OPTIMEM® and OPTIMEM 1000™ are trademarks of OPTIMEM, Inc. AVIV®, TFC-925B™ are trademarks of AVIV Corporation. Fujitsu® M2441AR™ is a trademark of Fujitsu Corporation. Wespercorp® TDQ-III™ is a trademark of Wesper Corporation. Kennedy® 9600A™ is a trademark of Kennedy Company. Dialog® DQ696™ is a trademark of Distributed Logic Corporation®. CDC™ and WREN3™ are trademarks of Control Data Corporation®. ©1988, Qualogy Inc. All Rights Reserved.

ENTER 259 ON READER CARD

The following are trademarks of Digital Equipment Corporation:

A-to-Z
ALL-IN-1
CDD
DATATRIEVE
DDCMP
DEC
DECalc
DECconnect
DECgraph
DECmail
DECmate
DECnet
DECsystem-10
DECSYSTEM-20
DEC/Test
DECUS
DELNI
DIBOL
DNA
Eve
FMS
GIGI
IAS
IVIS
LAN Bridge
LA50
LA100
LQP02
LSI-11
MASSBUS
MicroPDP-11
MicroPower/Pascal
MicroVAX
PDP
PDT
P/OS
Q-bus
Rainbow
RALLY
Rdb/VMS
RSTS/E
RSX
RT-11
TEAMDATA
TOPS
ULTRIX
UNIBUS
VAX
VAXBI
VAXcluster
VAX DIBOL
VAXELN
VAXFMS
VAXlab
VAX LISP
VAX SCAN
VAXstation
VMS
VT
Work Processor
WPS

UNIX is a trademark of Bell Laboratories.
MS-DOS is a trademark of Microsoft.
CP/M is a trademark of Digital Research, Inc.
Macintosh is a trademark of Apple Computer, Inc.
X Window System is a trademark of MIT.

to 15 MB, Rdb/VMS will take 5 MB, and *ALL-IN-1* will take 11 to 12 MB and an additional page file. Also, remember that if you underestimate your on-disk storage requirement, you'll be penalized by poor performance because of disk fragmentation as you approach disk capacity.

5. Is storage/memory expandability a requirement?

If your answer is yes, make sure the system you choose will accommodate your future expansion. For example, if your immediate memory requirement is 14 MB, and you plan to add six more users in a year, with an average working set size of 0.6 MB, a single MICROVAX 2000 or MICROVAX II won't accommodate your growth requirements.

6. Do you have a computer room?

If you answer no, rule out an H9642-based system with RAxx drives. The reason is simple: The RAxx drives are too noisy and generate too much heat for the typical office.

7. Must processing power come from a single CPU?

If you can answer no to this question, you're in luck, because it means you can take advantage of a Local Area VAXCLUSTER (LAVC). An LAVC is the most flexible system you can configure in terms of capacity, physical layout and expansion. For instance, if you must support 40 to 50 concurrent users, you might use four satellite MICROVAX 2000s that receive storage services from a MICROVAX II.

8. Is high availability a requirement?

If high availability is a necessity, an LAVC will be a requirement. High availability in an LAVC is achieved using two or more boot nodes and removable media. The removable media is needed if one of the boot nodes goes down, because the media can be remounted on an alternate boot node.

9. Do you have CPU-intensive applications?

If your answer is yes, you have several things to think about. First, is the CPU-intensive application your primary one? If so, determine a penalty the system will incur that's related to the number of in-

SPRING TRAINING

FOR DEC USERS

Managing Your DEC Systems. It's No Game. You demand peak productivity from your DEC equipment. You need special training to get it. That training starts with DEXPO Spring 88. See applications and enhancements for your MicroVAX* or VAX* system. For DEC PCs, PDP-11s* — and more. Find integration products that link all your systems. Connect to PCs, Macs, mainframes, supercomputers and workstations. Compare 10,000 DEC-computing innovations. Over 200 vendors help you find the best solutions for your DEC system needs. And it takes only one solution to improve productivity.

Cover All the Bases ... Attend DECUS* *and* DEXPO. *DECUS Spring Symposia attendees are admitted to DEXPO Spring FREE.* Attend both. It's the best way to evaluate new technologies. Learn new techniques. Take advantage of show savings. And sharpen your competitive edge. For serious DEC users, it's more than spring training. It's a grand slam! **Free Show Preview & V.I.P. Tickets.**

Call **800-628-8185.** We'll send you a FREE Preview of over 100 DEC computing products. We'll also send money-saving V.I.P. tickets. (DECUS is not affiliated with DEXPO and requires separate registration.)

FREE Show Admission for DECUS Attendees!

REGISTER TOLL-FREE AT 800-628-8185

Organized by Expoconsul International, Inc., 3 Independence Way, Princeton, NJ 08540

DEXPO® Spring 88

THE 15TH NATIONAL DEC*-COMPATIBLE EXPOSITION

Cincinnati Gardens
Cincinnati, Ohio
May 17-19, 1988

*Registered trademark of Digital Equipment Corporation. DECUS is not sponsored by or affiliated with DEXPO. Macintosh is a trademark of Apple Computer Inc.

FIGURE 1.

Number Of Concurrent Users:	7
Major Application:	*ALL-IN-1*, DATATRIEVE, Accounting
Data Storage:	Office correspondence, personnel database (100 people), accounting files
Terminals:	13
Printers:	2
Computer Environment:	Office building, two floors, no computer room
Future Expansion:	Four additional users in 12 months Three additional users in 18 months

The requirements for a sample application.

teractive users the system can handle. For example, if you're doing data analysis, which by nature is CPU intensive, with a package such as *SAS* or *RS/1*, you must guess at the CPU load. If your data analysis is small, the CPU load will be sporadic, and the concurrent user capability of the processor would decrease by only a small percentage. However, if your heavy CPU usage application has a high rate of activity, the concurrent user capacity will decrease dramatically.

One method of combating CPU-intensive applications within a multiuser/multiapplication environment is to build an LAVC system and segregate the CPU-intensive applications to their own satellite node. In this way, the CPU hogs aren't affecting the interactive users.

10. Will your application be disk I/O intensive?

The answer to this question will determine your disk subsystem requirements. If it's yes, don't consider using drives of the ST506 interface (Digital RDxx). In reality, an ST506 drive is suited to single users or low disk activity applications. Look for storage subsystems with a high I/O bandwidth such as the RA81 or RA82. In non-DEC solutions, SMD-, ESDI- or SCSI-based subsystems offer the best performance.

Also, if you have a disk I/O-intensive application, plan to use multiple drives, even if the storage you need is available on a single drive. The reason is load balancing. Two identical drives on a good controller can seek, read and write twice as much data as a single drive. If your disk-intensive application is of a repetitive nature (i.e., database management, word processing, etc.), you'll benefit from a disk controller or subsystem that employs cache memory. Cache is used to store the most recently accessed disk data. If the same data is requested again soon, it can be found rapidly in the cache memory without having to read the physical disk.

11. Will you be expanding your Digital system with other vendor equipment?

If so, you must know the criteria for your planned expansion. For instance, if you'll be using a third-party disk or tape subsystem, you must know whether the system you purchase will have the space and power to handle it.

Process Of Elimination

The scenario in Figure 1 lists the requirements for an application. The system must be designed to accommodate that application.

In the scenario, the number of concurrent users borderlines the abilities of the MICROVAX 2000. However, there are two key factors that play against it: future expansion requirements and the major application. A MICROVAX 2000 can't produce the I/O throughput to support seven or more *ALL-IN-1* users. The MICROVAX II processor will be an excellent choice for this application.

The minimum amount of memory needed to support this system is computed easily by adding the total working set sizes for the largest application (a 1024 block WSQUOTA is average for an *ALL-IN-1* user) and adding 2 MB for fixed overhead, such as VMS and system data structures, for a total for this seven-user system of 5.5 MB minimum. As the MICROVAX II CPU only has 1 MB of memory on board, it must be supplemented. Because of the future expansion requirement, it will be better to purchase slightly more memory than is needed now. I would suggest a single 8-MB array, leaving room for an additional 8-MB array.

Computing the storage requirement for this system won't be clear cut, and you should leave a door open for easy expansion. The software (VMS, *ALL-IN-1*, FMS, CDD, DATATRIEVE and an accounting package) will require 60 to 75 MB of storage, according to the product installation manuals. The page file size can be computed with the formula PAGEFILE = (WSMAX * CONCURRENT USERS). For this system, the working set maximum will be about 2500 blocks, requiring a minimum page file of 8.5 MB.

The system swap file should be at least 60 percent of available system memory, or about 5.5 MB. If you expect more than occasional swapping activity, the swap file should be much larger. For each *ALL-IN-1* account, a minimum of 5 MB per user should be allocated. This is enough room for the users schedul-



Chipcom gives you a whole new way to look at Ethernet.

Let Chipcom help broaden your Ethernet horizons.

Few will argue that the Ethernet IEEE 802.3 communications standard is the fastest, most reliable, most device-compatible networking standard ever devised. Yet some things remain well beyond its reach.

Things like the VAX cluster in the engineering facility. Or the LAN in the building next door. Systems and devices so far away that baseband Ethernet alone can't cope. Which means you can't create the fully Ethernet-compatible, site-wide network you need.

Now, thanks to Chipcom, that's no longer true. Because only Chipcom offers the Ethermodem™ Series—a complete line of Ethernet Connectivity devices that network your Ethernet devices directly to your broadband cabling system. Without modification, and without performance tradeoffs.

With an Ethermodem-based Ethernet LAN, your system will cover a significantly broader area, with greater point to point distances. And do it with a system topology that remains simple and flexible, no matter how many devices you attach.

Best of all, you'll continue to get the full 10 Mbps throughput and 100% collision detection that helped make Ethernet the obvious networking choice in the first place.

Ethermodem Series devices are available for both 18MHz and 12MHz broadband LAN systems, and include all the transceivers, remodulators, repeaters and frequency translators you need for a complete broadband LAN. They coexist with other broadband products, and are transparent to higher level network software, such as DECnet,™ TOP,™ XNS™ and TCP/IP. Plus, they're fully compatible with nearly every Ethernet device ever made.

It's true that Ethernet may still be the best thing to ever happen to networking. But that's mostly because Chipcom is the best thing to ever happen to Ethernet.

For more information about the Ethermodem III/12 and III/18 Series of products, call us today. Government buyers, please note that Chipcom is listed on the GSA Schedule, contract number GS00K87AGS5385.

Chipcom Corporation, 195 Bear Hill Road, Waltham, MA 02154, 617-890-6844, Ext. 292, Telex: 928338 CHIPCOM UD, Fax: 617-890-6857.



ENTER 103 ON READER CARD

TOTAL ETHERNET CONNECTIVITY

CHIPCOM

© 1988 Chipcom. Ethermodem, DECnet, TOP and XNS are trademarks of Chipcom Corporation, Digital Equipment Corporation, The Boeing Company and Xerox Corporation, respectively.

ing databases, dictionaries and several hundred documents or mail messages. Finally, we have the DATATRIEVE and accounting databases for a company of 100 people. The accounting software manufacturer requires a minimum of 25 MB to use its system, so a conservative estimate would be 50 MB. A personnel database, using 500 byte records, will require 5 MB. This puts the minimum immediate storage requirement at 139 to 179 MB, and future growth is required.

An RA81 or RA82 is out of the question, because the system must be installed in an office. The Digital RD54 (159 MB) could be used, but it doesn't have the throughput capability needed for good *ALL-IN-1* performance. Thus, you're left choosing a disk subsystem from another manufacturer. In this case, I would suggest an ESDI subsystem using two 150-MB drives. A single 300-MB drive would be less expensive, but two drives will improve system performance. If you're purchasing the system from DEC, it must include a storage device. In this case, I would choose the RQDX3/D53 combination and add a single ESDI controller and 150-MB drive. Future expanion can be facilitated by adding an aditional 150-, 300- or 750-MB ESDI drive.

To backup the storage devices, either a TK50 or TK70 would be applicable. If this is a high-production system, consider a larger tape system, such as a TU81 or an OEM solution. I probably would choose the economical TK50.

Before deciding on anything else, determine how the 13 terminals and two printers will interface with the system. There are two basic methods: asynchronous controllers and Ethernet-based terminal servers. The asynchronous controllers (DHT32, DVZ11 or DHV11) are plugged into the computer's backplane or motherboard, while terminal servers can be distributed across an Ethernet backbone (ThinWire or ThickWire).

> ***"Because of the variety of storage devices and interfaces available, many variations of the MICROVAX II are possible . . ."***

In the case of this system, terminal servers would be my choice because of the wiring situation. By using terminal servers, a single coaxial cable can be run to the second floor with individual terminal cables, then distributed from the terminal server. Two or three DECSERVER 100s/200s would be required depending on the terminal and printer distribution. Use of the terminal servers will require a DEQNA Ethernet controller.

After determining the CPU, memory, storage, backup and terminal connections, choose a chassis for mounting it all. There's only one to consider, the BA123. The BA23 wouldn't provide enough storage peripheral space or power, and an H9642 cabinet would be overkill. For this configuration, the BA123 would provide room for an additional 5¼-inch storage device, and it only would have five of its 12 backplane slots filled.

In Part 2, I'll continue with a discussion on LAVC capacity planning and configuration. ■

RMS™ and INGRES™

Retrieval and Update!

ONLY . . . with UDMS™

Take A Good Look at "The Next Step in RDBMS Connectivity"....
Clearly, a NEW Class of User-Oriented Software!

- *Advanced Window-Based User-Interface*
- *Reporting, Exporting, Updating, Querying & Labeling*
- *Matrix, Detailed & Summary Reporting Capabilities*
- *Full Data Dictionary with "Auto-Load" from the CDD™ or INGRES™*
- *Unique RMS™ Tuning Features give FAST Read & Write Speed*
- *Easily Join up to 32 RMS™ Files and / or INGRES™ Tables*
- *Outstanding Price / Performance Value:*
- *Prices Range from $2,950 to $15,300 and Include a One Year Warranty with Two Days of Training in Denver*

For a FREE Tele-Demonstration of
The User's Data Management System . . . UDMS™
Call Toll-Free (800) 962 - UDMS or (303) 987 - 1001

INTERACTIVE SOFTWARE
7175 West Jefferson Ave.
Denver, Colorado 80235

ENTER 127 ON READER CARD

Talaris Printers can print these

»	ℝ	©	£	æ	ς	ê	ü	μ	œ	ξ	®	¿	±	)
∧	∪	∩	⊂	⊃	ϒ	Ξ	Ω	✓	¶	§	Σ	°	Ψ	∏
Â	Æ	Ç	É	È	Ê	Ë	Î	Ï	Ñ	Ô	Ö	Ù	Û	Ü
⅛	¼	⅜	½	⅝	¾	⅞	⁘	—	⁄	∖	⌟	¬	⊥	⊢

$$\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+x}}}}}}}$$

$$\prod_{j\geq 0}\left(\sum_{k\geq 0} a_{jk}z^k\right) = \sum_{n\geq 0} z^n \left(\sum_{\substack{k_0,k_1,\ldots\geq 0 \\ k_0+k_1+\cdots=n}} a_{0k_0}a_{1k_1}\cdots\right)$$

$$\begin{aligned}\left(\int_{-\infty}^{\infty} e^{-x^2}\,dx\right)^2 &= \int_{-\infty}^{\infty}\int_{-\infty}^{\infty} e^{-(x^2+y^2)}\,dx\,dy \\ &= \int_0^{2\pi}\int_0^{\infty} e^{-r^2} r\,dr\,d\theta \\ &= \int_0^{2\pi}\left(-\frac{e^{-r^2}}{2}\Bigg|_{r=0}^{r=\infty}\right)d\theta \\ &= \pi\end{aligned}$$

as easy as ABCs

When you have special printing needs, nothing prints like a Talaris. Special characters, fonts, and symbols that are common to you, may be rare to most laser printers. But Talaris laser printers are designed for people with specific printing needs, working in multi-user, varied-user environments.

That's why Talaris printers are available in speeds of 8 to 24 pages per minute and are compatible with a variety of text processing software, including WordPerfect,® MASS-11,® WordMARC,® Word-11,® WPS-PLUS,© and even TEX.® And why we maintain a library of over a thousand fonts, from small paragraph symbols to very large sigmas.

So, whether your users are mathematicians, engineers, tech writers, lawyers, CPAs, or all of the above, a Talaris printer can fill page after page with the characters of their choice.

Call today and let us recommend a Talaris solution to your specific printing needs.

TALARIS SYSTEMS INC.®

P.O. Box 261580
San Diego, CA 92126
619 587-0787

The trademarks and registered trademarks are proprietary to their respective manufacturers.

ENTER 162 ON READER CARD

NETWORKING EDITOR

Bill Hancock

Understanding An NCP, Part 2

Editor's note: In this final installment regarding an NCP, Networking Editor Bill Hancock describes the LINE and CIRCUIT parameters, how NCP can be used to adjust the performance and other nuances of interest. Part 1, which described the EXECUTOR command, appeared in the March issue.

After configuring the EXECUTOR command, the next step in network database configuration is setting up the LINE and CIRCUIT parameters. LINEs are hardware controllers; you can touch and feel them. There's one LINE per physical device port, and that LINE has certain characteristics, such as a specific buffer size suitable for the particular LINE device involved (you wouldn't want a large buffer size for dialup async lines where errors run rampant, and a small buffer size with Ethernet LINEs is a waste of horsepower) and the number of preallocated buffers of the selected size (more buffers for faster lines).

If you're an end node (one that doesn't route DECNET traffic to other nodes), you will have only one LINE on your node. Routing nodes may have many LINE devices of differing types, such as DMC-0 for the first DMC/DMR/DMV or UNA-0 for the first UNIBUS Ethernet controller. Each LINE should be considered, and the proper buffer size, buffer quantity and other parameters should be set to allow optimal functioning of the device in the networked environment.

One problem with LINEs is the number of buffers to allocate. In many situations, the network is configured with the default number of line buffers, which is fine for low-speed lines. But, in the case of Ethernet, keeping the number of buffers too small will cause buffer allocation failures, because Ethernet sends things in bursts that frequently can cause a good deal of traffic to hit a node at a random interval.

> ***"Only allocate additional buffers if you aren't in a memory-tight environment or where you don't care about network performance."***

If an Ethernet LINE were to have, say, 20 or more buffers preallocated, such problems might be prevented. By allocating additional buffers, throughput is increased, but so is memory utilization. Only allocate additional buffers if you aren't in a memory-tight environment or where you don't care about network performance.

CIRCUITS

There's no hard rule as to how many CIRCUITS there will be on any particular node. The actual number depends on the type of LINE and the network technology being used by the node on the network. For instance, Ethernet has one DECNET CIRCUIT per LINE. Over that CIRCUIT, many logical links (connections to or from other DECNET nodes) may be active.

However, if the Computer Interconnect (CI) is being used as a DECNET device, there's one LINE (CI-0) and a separate CIRCUIT for each DECNET node on the cluster (CI-0.1, CI-0.2, CI-0.3, etc.). Each CIRCUIT on the CI may allow multiple logical links over it to a particular DECNET cluster node.

On other types of networks, such as X.25 (PSI), there may be one LINE, and each logical link also has its own CIRCUIT associated with it. The whole problem is compounded if the node is a routing node and has multiple types of LINEs on it, each of which has its own way of seeing LINEs and CIRCUITS.

The DECNET manager figures this out by reading the documentation. It discusses the number of CIRCUITS supported on a LINE and the number of logical links per CIRCUIT, but usually in a cursory manner that requires some digging to understand and figure out. A CIRCUIT is a logical structure that the network uses to control logical access to a particular system based on the LINE logical composition. There's one CIRCUIT per Ethernet LINE and there can be more than one Ethernet controller per VAX system.

Ethernet is viewed by the DECNET network as a direct access device in a manner similar to a DMR-11. In reality, Ethernet is a multiaccess device made so by the intelligence in the Ethernet class device driver. DECNET doesn't realize that XEA1:, the device it thinks is the actual Ethernet controller, is a chunk of software in a virtual driver that manages the access to the hardware, so that



VAX* Developers: Increase I/O speed and improve overall program performance

■ With Quantum I/O, applications that utilize RMS under VMS* can run much faster, especially in an I/O intensive environment. You can increase I/O speed, decrease CPU requirements, and improve overall program performance because Quantum I/O makes your software run much more efficiently. ■ Quantum I/O is a layered product consisting of a set of highly optimized system routines written in MACRO32 which calls RMS directly. You get virtually full RMS disk file processing functionality packaged with a very easy-to-use, logical interface. This language independent product can be used in all types of VMS environments, applications, and with general purpose programming languages. Quantum I/O runs completely in user mode, requires no special privileges, and is fully compatible with existing development. ■ After you install the product, you can tune your applications without making programming changes to the code by using dynamic RMS file tuning aids. If you want the speed and flexibility of a MACRO32 interface to RMS coupled with easy-to-use, language independent I/O calls, phone us at CIS and ask about Quantum I/O. Or send for product information today using the coupon.

*VAX, VMS, and VAX/VMS are trademarks of Digital Equipment Corporation.

See us at DEXPO South, Booth #705

Computer Information Systems, Inc.
165 Bay State Drive, Braintree MA 02184 U.S.A.
1-800-232-5215. In Massachusetts or outside U.S.A., 617-848-7515.
Telex 9102500738 CIS INC

Computer Information Software, Ltd.
Yeomans Court, Ware Road, Hertford SG13 7HJ England
Telephone: (0992) 500006

Attached is my business card or letterhead.
☐ I would like more information about Quantum I/O.
☐ I develop in _____ language(s).
☐ Number of VAX/VMS* systems? _____

CIS COMPUTER INFORMATION SYSTEMS, INC.

DECPRIO8805

ENTER 197 ON READER CARD

> ***The DECNET database configuration method is common to most of the server and gateway products Digital offers, but is not universal to all DEC products.***

multiple programs may communicate simultaneously with the Ethernet. In other words, DECNET thinks that it owns the Ethernet hardware when, in fact, it's being faked out by a driver.

In the case of the CI, such trickery is less obvious. The CI is viewed by DECNET as a multidrop network where there's one master and many slave nodes on the network. Each node has a separate circuit to and from the master to allow communications between them. Therefore, the Ethernet requires only a single CIRCUIT to allow communication over the hardware LINE. In the case of CI, because it logically looks different from Ethernet, its CIRCUIT composition is somewhat different.

Ancillary Function Configuration

After the EXECUTOR, LINES and CIRCUITS have been configured, it's time to configure any other ancillary functions the network may need to perform, such as what to do when servicing LOAD requests. DECNET-VAX includes a download subsystem that consists of various components including the Maintenance Operations Protocol (MOP), Maintenance Operations Modules (MOM), direct-line access driver (NDDRIVER.EXE), and various interfaces to NETACP, NML and the event logger necessary to support downline system and task loading operations for RSX-11S, VAX ELN, terminal servers, router servers and gateways.

Many devices in the DEC networking arsenal require that their operating kernel be sent to them via the network upon remote system powerup. DECNET supplies load services to nodes requesting load assistance, provided the database includes the information necessary to recognize a certain node's load request and the information to properly send the appropriate system load file to the system requesting load assistance.

This type of information is loaded into the DECNET database by command procedures that are provided by DEC with the hardware on the network that will be loaded. For instance, terminal servers have a file called DSVCONFIG.COM in their software distribution that asks the network manager some basic information about a terminal server such as the DECNET node address of the server, what type of server it is, node name and the Ethernet hardware address, located on a sticker on the back of the server.

Following the question-and-answer session, the command procedure issues the appropriate NCP DEFINE commands to the DECNET database to configure the terminal server into the DECNET database. In this manner, the next time a load request appears on the network from that particular Ethernet address, DECNET will know what file to load into the remote and execute a proper download to the remote server.

The DECNET database configuration method is common to most of the server and gateway products Digital offers, but is not universal to all DEC products. In those situations where a remote is to be loaded when it requests a load, appropriate LOAD information may be included manually in the DECNET database, so that the node is loaded upon request.

After the database configuration is complete with local node information, it's common to include remote node names and addresses for easy access to remote systems without having to specify node numbers when connecting to a remote system. Many sites use the DEFINE NODE NCP command to define a remote node's name and address to the DECNET database. This can get tedious, however, if there are hundreds of DECNET nodes on a network.

A quicker way is to use the NCP COPY KNOWN NODES command and allow the configured database on a particular DECNET node to be copied to the local node. If one or two nodes are kept up-to-date with all the pertinent network node information, this simplifies the problem of keeping all databases current.

I usually use a batch procedure that updates node addresses on all nodes that need to know such information. I make the changes to the database and then fire up a command procedure that submits itself to batch and copies my local database to a list of nodes that has been created from the database on the local system. This keeps my network databases up-to-date on all nodes. If it's run at night, there's no interference with normal daily operations on the network.

In most situations, this will be more than adequate, because most users don't get around to pouncing on a particular node until a day or two after it has been announced. Remember that the DECNET databases on other nodes can be updated with the proper node information for new nodes even before the nodes may be active, so there's no reason to wait until a node is installed and functional.

Statistics

NCP is useful for more than just network database configuration. Each component in DECNET (LINES, CIRCUITS, EXECUTOR, etc.) has statistical information that's collected and logged in the form of characteristics and

Quantum RS

The flexible VAX* resource accounting and chargeback solution.



Quantum RS is a powerful system management tool whether your need is ■ Chargeback/Cost Allocation ■ Project/Department Accounting ■ Network/Cluster Accounting ■ Capacity Planning ■ Report Generation

■ Establishes rate schedules for nodes, accounts, projects, departments, users, terminals and user-defined entities.

■ Offers project and department level accounting without traditional VMS* accounting limitations.

■ Operates in single or multiple VAX environments from a central database whether the nodes are connected via DECNET*, Ethernet, in a cluster or any combination of methods.

■ Provides capacity planning information to optimize system efficiency, determine performance problems and anticipate equipment needs.

■ Features prompt driven, user definable report generation without the need to work with a cryptic command language.

Quantum RS is the easy-to-use software package that offers the VAX manager a complete solution to resource accounting!

Free Demonstrations Available. Call TOLL-FREE 1-800-232-5215, in Massachusetts or outside U.S. call 617-848-7515, or return the coupon for details.

See us at DEXPO South, Booth #705

Computer Information Systems, Inc.
165 Bay State Drive, Braintree, MA 02184 U.S.A., 1-800-232-5215.
In Massachusetts or outside U.S., 617-848-7515. Telex 9102500738 CIS INC

Computer Information Software, Ltd
Yeomans Court, Ware Road, Hertford SG13 7HJ England, (0992) 500006

Attached is my business card or letterhead.
I would like more information about:
☐ VAX Chargeback ☐ VAX Resource Utilization
☐ VAX Performance Monitoring Number of VAX Systems ____

DCPRO8805

CIS COMPUTER INFORMATION SYSTEMS, INC.

*VAX, VMS, and DECNET are trademarks of Digital Equipment Corporation.

ENTER 220 ON READER CARD

> ***Learn to use NCP to configure, monitor and manage your DECNET network. With a little time and patience, you can figure it out.***

counters. With NCP, such counters for each component may be examined for statistical information (for example, NCP> SHOW KNOWN CIRCUIT COUNTERS), error information, say, on Ethernet collisions (NCP> SHOW LINE UNA-0 COUNTERS), and other pertinent information useful to figure out traffic loading metrics, error summaries, etc.

The problem with many of the statistics is the issue of what's pertinent. That problem usually is corrected by understanding the relevant LINE technology well. Another problem is that the statistics can be accessed from program control, but it's a major hassle. As a result, it's difficult to play "what if" games with network statistics.

I have a procedure set up in one of my PCs to issue NCP commands to the network and allow the information to be captured in the local disk on the PC. I either import the data into a spreadsheet template (such as on *Lotus 1-2-3* or *Excel*) or into a database where I can add numbers, keep historical and trend information and other useful but usually difficult-to-collect information. In this manner, I can use NCP to provide the information I need to understand what the network is trying to tell me.

NCP is a powerful tool and can provide the network manager with useful statistics and allow control of the network. Don't view NCP as the "end-all" utility; it isn't. It allows the network manager to tune the network on a node-by-node basis from one spot and customize DECNET for optimal use at selected nodes in the corporation.

You don't need to become an NCP guru. DEC is planning to replace it with NCL in Phase V DECNET, which is somewhat different in syntax and functionality from NCP. Learn to use NCP to configure, monitor and manage your DECNET network. With a little time and patience, you can figure it out. *—Bill Hancock is vice president of Engineering at ERI Training, New York.*

MEGARAM-VX
MEGARAM-VX
MEGARAM-VX
MEGARAM-VX
MEGARAM-VX
MEGARAM-VX

BREAK the disk access performance barrier today!



The MegaRam-VX
Solid-State Disk.
Capacities: 8 to 512 Mbytes

The MegaRam-VX is an MSCP compatible, solid-state disk for VAX and MicroVAX Systems.

With access times in the microseconds, the MegaRam-VX lets you add more users and applications while simultaneously improving performance. Increased performance results in better system utilization and productivity.

The MegaRam-VX is particularly well-suited for frequently accessed data, such as index/database files, scratch files and CAD/CAM, as well as for disk based operating systems. Or, use it as a high speed swapping and paging disk.

- Fully software compatible
- Easy to install; low maintenance
- Multi-ported
- Capacities from 8 to 512 Mbytes
- Both battery and magnetic backup
- Field expandable

When attached to a system containing a Unibus or Q-bus interface, the MegaRam-VX appears to the processor as a UDA50 or KDA50 controller, with an RA80 series disk drive... and, the MegaRam-VX is available ***now!***

Request our new free brochure today!

VAX, MicroVAX, Q-bus and Unibus are Registered Trademarks of Digital Equipment Corp.

With the MegaRam, the only thing going up is your productivity.

IMPERIAL

Imperial Technology, Inc.
A Subsidiary of System Industries, Inc.

831 S. Douglas Street · El Segundo, CA 90245
Telephone: (213) 536-0018
Telex: 664469 · Fax: (213) 536-0124

ENTER 125 ON READER CARD

Quantum PM



AT LAST YOU HAVE AN ALTERNATIVE FOR VAX* PERFORMANCE MONITORING!

■ Quantum PM is a VAX software product for performance analysis, capacity planning, and system tuning. It allows you to collect and report over 400 configuration, CPU, I/O, and memory statistics in single CPU environments, VAXclusters*, or DECNET* networks. In clusters or networks, Quantum PM collects simultaneously from multiple nodes. Once data has been collected, you have complete data transformation functionality, including file merging, data archiving and filtering.

■ Quantum PM features a powerful user formula definition facility to transform collection statistics into reporting statistics. Formulas can be as complex as you desire. Quantum PM supports arithmetic, logical and relational operations, as well as a set of built-in functions. You have full control of the reporting statistics' format and appearance. Quantum PM displays and reports can be tailored to demonstrate system usage patterns, to troubleshoot performance problems, to tune your system or to justify puchasing decisions.

■ Quantum PM is designed to grow with you! For ease-of-use and flexibility, CIS supplies an initial database, demonstration files, and extensive on-line help. You can collect and report on useful information right from the start! As your expertise grows, the power and flexibility of Quantum PM allows you to tailor your database and produce sophisticated reports.

Call TOLL-FREE 1-800-232-5215. In Massachusetts or outside U.S. call 617-848-7515, or return the coupon for details.

*VAX, VAXclusters, and DECNET are trademarks of Digital Equipment Corporation.

See us at DEXPO South, Booth #705

ENTER 198 ON READER CARD

CIS COMPUTER INFORMATION SYSTEMS, INC.

Computer Information Systems, Inc. **DCPRO8805**
165 Bay State Drive, Braintree, MA 02184 U.S.A., 1-800-232-5215.
In Massachusetts or outside U.S., 617-848-7515. Telex 9102500738 CIS INC

Computer Information Software, Ltd
Yeomans Court, Ware Road, Hertford SG13 7HJ England, (0992) 500006

Attached is my business card or letterhead.
I would like more information about:
☐ VAX Performance Monitoring ☐ VAX Chargeback
☐ VAX Resource Utilization Number of VAX Systems _____

BOOKSHELF

MANUFACTURING INTELLIGENCE

Manufacturing Intelligence by Paul Kenneth Wright and David Alan Bourne, focuses on the artificial intelligence behind manufacturing and the hardware and software systems needed to carry out factory processes with the greatest efficiency and least involvement from outside sources, typically human.

The authors have divided the book into four parts. Part 1 discusses the general goals and objectives of the manufacturing industry and the role AI plays at all levels. The history of manufacturing methods and the attempts made to automate the process also are addressed in light of current efforts.

To build the machine equivalent of a human manufacturing system, hardware and software must adequately be able to emulate the functions of the human brain, eyes and hands. Part 2 discusses the general principles of automated manufacturing systems design in regard to these points. It's fascinating to read about the factors and influences involved in getting these three major pieces to work harmoniously.

The authors present a clear picture of the problems and challenges involved, as well as a better understanding of how difficult it is to imitate human functions effectively. Take, for example, the act of grasping. The number of grasp choices, the proper angle, pressure, motion and wrist action all play a part in accomplishing the task. A heavy industrial gripper can't be designed exactly as a human hand, because fingers and other delicate mechanisms could be damaged. The industrial robotics designer must take all these things into consideration.

A fine craftsman builds on the knowledge acquired through years of experience. This knowledge allows him to carry out a number of fine motor tasks and to adjust to new and different situations. In Part 3, Wright and Bourne investigate this problem within the range of a manufacturing machine's

Manufacturing Intelligence
Paul Kenneth Wright and
David Alan Bourne
Addison-Wesley Publishing Company
Reading, MA, 1988
352 pages
Price: hardbound, $40.95
ENTER 524 ON READER CARD



Manufacturing Intelligence, ***by Paul Kenneth Wright and David Alan Bourne, explores the progress toward the development and implementation of manufacturing intelligence in the factory.***

DEMAND MORE

...FROM YOUR VAX.

When VAX users demand the latest, most productive data analysis tools, they get them with SPSS software. SPSS offers the only family of analytical software that's created specifically for the VAX/VMS environment. Enabling everyone to get more work done while conserving system resources.

SPSS products let you do it all, from data management and statistics to producing professional reports, charts and maps. Ready to run on everything from VAXclusters™ to VAXmates,™ they streamline every task.

Our SPSS-X™ mainframe system gives users the power to reduce mountains of data into meaningful information.

What's more, it comes with very special VAX options. Like SPSS-X Track,™ a versatile system management tool that lets you perform complete performance monitoring, capacity planning and chargeback reporting. And SPSS-X Capture,™ the data base interface that combines the data management capabilities of Datatrieve™ with the power of SPSS-X.

At SPSS, we've been producing software for the DEC community for over fifteen years! Now contact our Marketing Department to see what our products can do for you.

CALL 1/312/329-3304

SPSS inc.

SPSS Inc. • 444 North Michigan Avenue, Suite 3000 • Chicago, Illinois 60611
In Europe: SPSS Europe B.V. • P.O. Box 115 • 4200 AC Gorinchem, The Netherlands • Telephone: +31183036711 • TWX: 21019

VAX, VMS, VAXcluster, VAXmate and Datatrieve are trademarks of Digital Equipment Corporation. SPSS-X, SPSS-X Capture and SPSS-X Track are trademarks of SPSS Inc. for its proprietary computer software.

© 1987, SPSS Inc.

ENTER 159 ON READER CARD

software. Also discussed are preliminary setup plans needed to make the process efficient.

Further discussion centers around the expert system team and how an intelligent manufacturing system can be programmed to think and act as a human craftsman, not only in terms of carrying out the actual process but also in regard to the initial approach to the problem. For example, a human wouldn't try to grind a part to within a small tolerance the first time. He'd use a number of passes to work the material down to size gradually. Robotic systems must do the same to generate a quality product.

In Part 4, the authors conclude with a question and answer discussion of manufacturing in the year 2000. They explore what industry can expect to experience in the next 30 years in terms of intelligent manufacturing and the kinds of machinery and tools that will be available in factories and plants.

—Reviewed by David B. Miller

DIGITAL TECHNICAL JOURNAL

For a behind-the-scenes account of some of Digital's more recent hardware and software developments, look at the *Digital Technical Journal*. Published twice yearly by Digital in Hudson, Massachusetts, this journal is packed with interesting and useful technical information straight from the horse's mouth.

Each issue is approximately 100 pages and is laid out in a technical journal format: title, abstract, two-column wide article and references. Each author's biography is included.

According to the editorial in the first issue, "The *Digital Technical Journal* bridges a gap in the information published about Digital's products by providing an explanation of their technological foundations. In the past, such explanations appeared in papers written by Digital's engineers for various periodicals. Unfortunately, anyone wanting concise technical details had to search through the gamut of literature."

They no longer have to search. The first five issues are available and a sixth, addressing system productivity tools, is ready for release as we go to press. The titles and a brief look at what each contains follow.

VAX 8600 Processor — Number 1, 1985. Order number EY-3435E-DP.

1. An Overview of the VAX 8600 System.
2. The VAX 8600 I Box, A Pipelined Implementation of the VAX Architecture.
3. The F Box, Floating Point in the VAX 8600 System.
4. Packaging the VAX 8600 Processor.
5. Signal Integrity in the VAX 8600 System.
6. Cooling the VAX 8600 Processor.
7. Designing Reliability into the VAX 8600 System.

MICROVAX II System — Number 2, March 1986. Order number EY-3474E-DP.

1. The MICROVAX 78032 Chip, A 32-bit Microprocessor.
2. The MICROVAX 78132 Floating Point Chip.
3. Developing the MICROVAX II CPU Board.
4. The Evolution of the Custom CAD Suite Used on the MICROVAX II System.
5. The Making of a MICROVAX Workstation.
6. The RQDX3 Design Project.
7. The Evolution of Instruction Emulation for the MICROVAX Systems.
8. The TK50 Cartridge Tape Drive.
9. Porting ULTRIX to the MICROVAX System.

Networking Products — Number 3, September 1986. Order number EY-6715E-DP.

1. Digital Networking Architecture Overview.
2. Performance Analysis and Modeling of Digital's Networking Architecture.
3. The DECNET/SNA Gateway Product — A Case Study in Cross Vendor Networking.
4. The Extended Local Area Network Architecture and LANBRIDGE 100.



The* Digital Technical Journal *contains the inside scoop on some of Digital's more recent hardware and software developments.

Now the best seller comes in an illustrated edition.

With the WY-85 at left, Wyse authored the best selling alternative to DEC's VT-220. It's fully compatible with the VT-220, but loaded with features that make it even more compatible with the people who use it.

Like a larger 14" screen. Tilt and swivel base. An easier set-up mode.

And while our keyboard is identical to DEC's in layout, they can't touch our touch.

Our new WY-99GT at right further illustrates Wyse's continuing drive to improve on a standard. It features the same advantages as the WY-85. Plus graphics, with full Tektronix 4010/4014 compatibility, and high resolution characters.

Our dual resolution mode lets you retain full VT-220 compatibility and shift from DEC resolution to hi res.

And there's a happy ending. The WY-85 is just $599, the WY-99GT $649. Both are made, serviced, and supported by the company that ships more terminals than anyone but IBM.*

Wyse. When it comes to quality and value in terminals, we wrote the book. For more information, call 1-800-GET-WYSE.

WYSE

We make it better, or we just don't make it.

ENTER 258 ON READER CARD

Trademarks/Owners: Wyse, WY-85, WY-99GT/Wyse Technology; DEC, VT-220/Digital Equipment Corporation; Tektronix, 4010, 4014/Tektronix. Screen image on WY-99GT created using Cognos Power House.
*IDC 1986 U.S. Terminal Census.

5. Terminal Servers on Ethernet Local Area Networks.
6. The DECNET-VAX Product — An Integrated Approach to Networking.
7. The DECNET-ULTRIX Software.
8. The DECNET-DOS System — The Evolution of Network Management Products.
9. The NMCC/DECNET Monitor Design.

VAX 8800 Family — Number 4, February 1987. Order number EY-6711E-DP.

1. An Overview of the Four Systems in the VAX 8800 Family.
2. The VAX 8800 Microarchitecture.
3. The CPU Clock System in the VAX 8800 Family.
4. Aspects of the VAX 8800 C Box Design.
5. The Memory System in the VAX 8800 Family.
6. Floating Point in the VAX 8800 Family.
7. The VAX 8800 Input/Output System.
8. The VAXBI Bus — A Randomly Configurable Design.
9. A Logical Grounding Scheme for the VAX 8800 Processor.
10. The Simulation of Processor Performance for the VAX 8800 Family.
11. VMS Multiprocessing on the VAX 8800 System.
12. A Parallel Implementation of the Circuit Simulator SPICE on the VAX 8800 System.
13. The Impact of VAX 8800 Design Methodology on CAD Development.
14. Online Manufacturing Data Access on the VAX 8800 Project.

VAXCLUSTER Systems — Number 5, September 1987. Order number EY-8258E-DP.

1. The VAXCLUSTER Concept: An Overview of a Distributed System.
2. The System Communication Architecture.
3. The VAX/VMS Distributed Lock Manager.
4. The Design and Implementation of a Distributed File System.
5. Local Area VAXCLUSTER Systems.
6. VAXCLUSTER Availability Modeling.
7. System Level Performance of VAX 8974 and 8978 Systems.
8. CI Bus Arbitration Performance in a VAXCLUSTER System.

The Journal is edited by Richard W. Beane. —*Reviewed by Rex Jaeschke.*

Digital Technical Journal
Richard W. Beane, editor
Digital Equipment Corporation
77 Reed Road, HL02-3/K11
Hudson, MA 01749
Price: $15; free to qualified faculty members in computer science and electrical engineering.
ENTER 561 ON READER CARD

GigaTape™

2.33 Gigabyte Unattended Back Up Procedure

GigaTape Back Up Procedure
Keep for Reference

1. Start Back Up.
2. Go home.

Back ups will never be easier or more cost-effective.

Now you can back up 2.33 Gigabytes, the equivalent of 21 TK-50 cartridges, 7 TK-70 cartridges, 14 GCR ½" tapes, or 17 QIC120 ¼" cartridges on ONE 8mm cartridge.

The ***GigaTape*** from Summus Computer Systems, with it's high capacity performance, can save you hundreds of hours and thousands of dollars in annual operator and media costs.

Featuring advanced 8mm technology, the ***GigaTape*** is fast – sustained data rates of 246 kilobytes per second. Accurate – error rates of less than one in 10^{13} bits read. Reliable – 20,000 hour MTBF. Compatible – TMSCP protocol, VMS software transparent.

Priced from $5,495, there's a ***GigaTape,*** in standard 5¼" form factor, for every VAX model.

Ready for delivery with One-Year Warranty and 30 day return privilege. A full range of maintenance support options are available through our award winning National Support Group.

*The **GigaTape,** in 5¼" form factor, integrates easily into high-capacity data storage systems such as our **GigaBox,** and uses standard 8mm data cartridges.*

Let us show you how to get home faster with the ***GigaTape***. Call our hotline today for a **FREE** cost analysis and product guide.
Rep inquiries welcome.

1-800-255-9638

SUMMUS™
COMPUTER SYSTEMS

P.O. BOX 820549 • HOUSTON, TEXAS 77282-0549
TEL: (713) 589-9772 • TELEX: 6254352 - Answer Back: SCSSUM

TK-50, TK-70, TMSCP, VMS, VAX are trademarks of Digital Equipment Corp.
Summus, GigaTape, & GigaBox are trademarks of Summus Computer Systems.

ENTER 160 ON READER CARD

MEMORIES YOU WILL NEVER FORGET!!

MEMORY FOR THE IBM PERSONAL SYSTEM/2 MODEL 50/60

Available Soon



CI-PMI-EDC

- Full PMI support
- Single bit error correction, double bit error detection
- Runs complete DEC diagnostics
- 4 megabytes on one board
- Control Status Register (CSR)
- Block mode DMA



CI-QBUS-EDC
LSI-11, J-11, MICROVAX I

- Single bit error correction, double bit error detection
- Runs complete DEC diagnostics
- Dual width card
- 2 or 4 megabytes on one board
- Block Mode DMA

Additional Qbus Memories

- CI-1173: 4 megabyte block-mode
- CI-1173-EDC: 2 megabyte error detecting and correcting w/block-mode
- CI-1123+: 1 megabyte dual width

CI-MICRO-11 QBUS SYSTEMS

- LSI-11/23 or 11/73 CPU
- 256KB-4MB memory, 20MB-150MB Winchester, 5¼″ or 8″ dual floppy, or cart. tape, serial ports, 4×8 backplane, power supply all in a rack/table-top chassis.



CI-MIV16

- 4, 8 and 16 megabytes on one board
- On-board parity
- Plug compatible to any MicroVAX II
- Completely hardware and software compatible with the MicroVAX II



CI-MIV8-EDC

- Single bit error correction, double bit error detection
- 8 megabytes on one board
- MicroVAX II hardware and software compatible
- Control Status Register (CSR)
- MicroVAX error logger support

CHRISLIN ALSO CARRIES STATE-OF-THE-ART MEMORIES FOR VAX, VMEbus, MULTIBUS, IBM PC or RT

Chrislin Industries Caribe, Inc.

Call Toll Free: 800-468-0736 (est.)

ENTER 104 ON READER CARD

P.O. BOX 1657 SAN JUAN, PR 00629
TELE. 809-876-5205 TELEX 345-4170 (CHRISLN PD)

31332 VIA COLINAS, WESTLAKE VILLAGE, CA 91362
TELE. 818-991-2254

FAX NO. (809) 876-6140

REPRESENTATIVES: CANADA—TECH-TREK, ONTARIO (416) 238-0366 MONTREAL—(514) 337-7540
WEST GERMANY—DEMA COMPUTERTECHNIK (089) 272-3240 SWITZERLAND—DAP (01) 948-0580

PMI, PDP, QBUS, LSI-11, J-11, MicroVAX, VAX are trademarks of Digital Equipment Corporation. IBM is a trademark of International Business Machines. MULTIBUS is a trademark of Intel Corporation, IBM Personal System/2 is a trademark of International Business Machines.

How to avoid your next BRU...

SQUEEZPAK®
RSX
On-Line Disk Optimizer

Makes Files and Free Space Contiguous

Field Proven on Hundreds of Sites

Fully Transparent On-Line Operation

CALL TODAY For a FREE Evaluation !

1-800-267-3862 (Cont USA only)
1-613-748-0209 (Collect)
1-800-634-6552 (California only)

INQUIRE about our other RSX *utilities*

See us at DEXPO South, Booth 606

DEMAC SOFTWARE LTD

ENTER 115 ON READER CARD



MONITORING SPM

QUESTION: *What ever happened to SPM-11?*

REPLY: SPM-11, the RSX System Performance Monitor, has had a troubled existence because of the way Digital has made the product available to users. It always has been marketed as a software service rather than as a layered product.

Digital's official position is that SPM-11 is available on a strictly "as is" basis and can be obtained through the local office Software Services or Field Service. SPM isn't sold to the customer as a software product but provided (or used) as part of a consulting agreement. Consequently, there's no license for SPM, and any charges or conditions on its use are at the discretion of the local office.

SPM is still around, and a version exists for RSX-11M-PLUS version 4.0. Getting it is a matter between you and your local Software Services manager.

VAXING RSX

QUESTION: *When do you think DEC will implement RSX-32, putting RSX on the VAX?*

ANSWER: At the risk of disappointing some of my RSX colleagues, I think the chances of this happening are practically zero. I've heard this question before, usually at DECUS sessions, prefaced by the phrase, "Because the VAX can't do real time, ..." I seriously question that premise. I've seen the VAX running VMS doing real time in electric power nets, wastewater plants and steel mills.

Of course, VMS can't do real time while supporting general users and doing clustering and DECNET routing, but neither can RSX. To do dedicated real-time applications on RSX, many of the RSX subsystems, such as user accounting, are turned off.

An RSX-32 system isn't necessary. Tools to implement a real-time application on the VAX exist. VMS serves well in those systems that can tolerate the VMS overheads, and VAXELN serves well in applications where the hardware performance is a serious consideration.

I've participated in many discussions where the idea of an RSX-32 has been discussed with Digital. The discussion can be summarized as:

"I want the RSX that I know and love implemented on a VAX. But the subdirectories in VMS are really neat, so put them in too. Take out all those overheads, but keep the interprocess protections. And, I must have more security than RSX gives me."

The conversation continues, until the operating system being described is really VMS.

There's also another consideration. It takes DEC approximately three years to develop an operating system to its

first release and another three to seven years for that product to become stable. Are you willing to wait that long? Probably not.

REAL-TIME MERITS

QUESTION: *Which is better at doing real-time applications, a VAX or a PDP-11 running RSX?*

ANSWER: Both VMS and RSX are adept at doing real time, and each has its appropriate range of real-time applications.

The term real time doesn't conjure up a single image. The spectrum of real-time systems is broad, and the requirements that some real-time systems make of their CPU are different from others. A system that detects particle interactions in a high-energy accelerator would have a different CPU requirement than a system that controls the traffic lights in a busy downtown area, yet both are called real time.

After comparing interrupt latencies between VAXs and PDP-11s, many choose PDP-11s. They have a superior timing in this department. The comparison begs the question, "Is this measurement significant for the application I'm to design?" If your application has a one- to five-second response time requirement, a variation by a few microseconds in interrupt response time will be insignificant.

Interrupt latency comparisons can be a paper tiger, used because no other hard data is available. I'll take DEC to task for not providing adequate performance and benchmark data on either RSX or VMS systems, so that detailed comparisons can be made on more realistic bases.

The decision between a PDP-11 and a VAX for real time often becomes economic rather than technical. A large existing base of applications already installed on PDP-11s can dictate that a PDP-11 be used for the next installation. An "All-Digital" mandate from an unenlightened management can dictate a VAX solution, because DEC doesn't have a C compiler for RSX.

A PDP-11-based solution will be less expensive than an equivalent VAX solution today, but who knows what tomorrow's MICROVAX prices will be? The price of the machine and its system software may be a minor consideration compared to the availability of trained technical software people, and the number of people who know RSX is dwindling.

Please mail your questions to RSX Clinic, DEC PROFESSIONAL, *Professional Press, Box 503, Spring House, PA 19477-0503. Questions also can be submitted through ARIS.*

Introducing PVCS for VAX/VMS

The Leading Configuration Management System.

Unmatched Flexibility and Price/Performance

The POLYTRON Version Control System (PVCS) simplifies and automates Configuration Management so programmers and managers can effectively control the revisions and versions of source code. Compare PVCS to DEC's CMS and Softool's CCC and you will see why PVCS is the most widely used change control product.

Project Control

PVCS maintains a history of revisions to a source document and allows prior versions to be recreated very quickly at any time. The "source document" can be any file written in any language. This means program source code, object code, libraries and project documentation can each be stored and maintained in an individual PVCS "archive."

Unmatched Flexibility

- Storage & Retrieval of Multiple Revisions of Source Code
- Maintenance of a Complete History of Changes
- Control of Separate Lines of Development (Branching)
- Resolution of Access Conflicts
- Optional Merging of Simultaneous Changes
- Release and Configuration Control
- Project Activity Reports
- Management Reports
- Command or Menu Interface

Fast Retrieval of Revisions

PVCS uses "reverse delta storage" which saves disk space and speeds retrieval of versions of any file in the project database. A delta is the set of differences between any revision and the previous revision. PVCS can rapidly recreate complete versions of any file whether it is the most recent revision of a module or the original version of the entire project. Differences are automatically detected and stored.

A Practical Necessity for Workgroups

While important for single-programmer projects, PVCS is absolutely essential for multiple-programmer projects where files are simply too easy to change. Because any change to any file can have major ramifications, coordinating and keeping a record of changes is critical. Project leaders can determine, on a module-by-module basis, which programmers can access or modify source files, libraries, object code and other files. The levels of security can be tailored to meet the needs of nearly every project.

Adopt PVCS on Your Existing Projects

You can obtain the benefits for your current project without disrupting development, regardless of how long your project has been underway. You can build PVCS archives from revisions stored in your present files or simply adopt PVCS from the current date.

Personal PVCS (MS-DOS) — Offers most of the power of Corporate PVCS, but excludes features necessary for multiple-programmer projects. **$149**

Corporate PVCS (MS-DOS) — For managing large, multiple-programmer projects. **$395**

Network PVCS (MS-DOS) File locking and security levels can be tailored for each project. **$995 for a 5 station LAN**

PVCS for VAX/VMS — Uses same archive format and interface as MS-DOS versions and manages large, multiple-programmer projects. **MicroVAX $4,950, VAX 7XX $9,500, VAX 8xxx $10,500+**

TO ORDER:
1-800-547-4000
Dept. DEC
Oregon & Outside USA
Call (503) 645-1150

Send Checks, P.O.s to:
POLYTRON Corporation
1700 NW 167th Place
Beaverton, OR 97006

POLYTRON®
High Quality Software Since 1982

ENTER 240 ON READER CARD

CLUSTER CHRONICLES

Dave Mallery

The Trials And Tribulations Of ThinWire

When you assemble an LAVC, you've committed yourself and your company to 52 ohm coaxial cable, known as RG58/U, and all its foibles.

The connectors are the worst headache. We messed around with solderless twist-on connectors from the local Radio Shack for a while but soon learned the wisdom of buying a proper crimping tool and crimp connectors. Because your cluster depends on the connectors making and keeping a reliable connection, the right tool isn't just a good idea, it's imperative.

We found the right tool for us in one of the legions of catalogs that accumulate. A Paladin PA4010 kit from Time Motion Tools in El Segundo, California, included a crimper, a stripper and an assortment of crimp connectors. The accompanying photos show the steps in attaching a connector. With the crimp, you can count on the connector staying in place.

ThinWire forces you to allow too much vulnerability at the user's desk. A ThinWire Ethernet must be terminated at all times. A terminator is a 52-ohm resistor inside a connector. It keeps the coax free of reflected signals that confuse all the receivers.

In a simplistic arrangement, anyone can crash the cluster by disconnecting (thereby unterminating) the cable from the tee connector at the rear of his VAXSTATION.

The solutions that allow you to limit the damage are rather expensive. One is the DEMPR or ThinWire DELNI. This device fans out the network into isolated segments. You can mess up one segment without taking down the network. The price for one from Digital is about $3,000. Several promising third-party alternatives are emerging; we're trying to get one or more to test and evaluate in the *DEC PROFESSIONAL* Lab.

There are also some clever tee connectors. These connections are impossible to remove, save the right way. The line stays terminated, and your network stays up.

There's even a neater way. Keep the tee connector in the wall, out of reach, giving the user a simple stub of coax to the wall outlet that he can connect or disconnect at will. DEC sells a most expensive DECONNECT wall plate that delivers the above coax plus terminal and phone connections. Mod-Tap has an equivalent. There are several cheaper varieties in the various catalogs. The economics (and aesthetics) are up to you.

We wired our building for Mod-Tap before ThinWire came to DEC.

Companies Mentioned In This Article

Paladin Corporation
3543 Old Conejo Rd., #102
Newbury Park, CA 91320
(805) 499-0318
ENTER 482 ON READER CARD

Mod-Tap System
285 Ayer Rd.
P.O. Box 706
Harvard, MA 01451-0706
(617) 456-3500
ENTER 578 ON READER CARD

Xyplex, Inc.
100 Domino Dr.
Concord, MA 01742
(617) 371-1400
ENTER 580 ON READER CARD

> ***"ThinWire forces you to allow too much vulnerability at the user's desk."***

We're working on distributing the ThinWire to the areas of the building where it's needed, while keeping the Mod-Tap installation (which also carries our voice transmissions) intact. Clearly, a Digital Ethernet Multiport Repeater (DEMPR) equivalent will be necessary to protect the network.

Cluster Report Card

The system has been performing amazingly well. There are 80 ports on the Xyplex system and eight more DHU ports on FRODO::. The seven ARIS lines are in use most of the time. A second programmer is running on GOLLUM:: (MICROVAX 2000) via the serial port. With 16 MB, she presents no discernable load to the programmer working on the big screen. We also can LAT into GOLLUM::, but LAT use is low and limited to the PCs.

We'll install our Xyplex MaxServer 5000 in a week or so. It will have 96 ports and redundant Ethernet boards. I'm planning to add 2 GB to the system on FRODO::. Backup is beyond belief; 6250 bpi became obsolete years sooner than expected.

We're struggling with some of the



The Paladin tool kit includes (L to R) the crimp tool, connectors and a stripping tool.



The stripper has two modes: one for the exterior sheath, the other for the interior insulation.

After stripping, the center pin crimps on; don't forget to slip the outer crimp sleeve onto the cable.

The final crimp is applied to the sleeve, bonding the cable shield permanently to the connector. This connector won't come off unless you cut it off.

ENTRY PROBLEMS

VDE gets more data in & out of your computer faster & doggone cheaper!

Even small, inexpensive computers can accommodate a variety of high volume data entry with VDE: the Viking Data Entry software that improves accuracy, cuts costs and requires little training. Special Viking features like data editing, data validation and key verification insure that entries are correct the first time. For more information about savings with VDE, call . . .

918/745-6550

VIKING
Software Services
2815 E. Skelly Dr., Suite 816
Tulsa, OK 74105

ENTER 166 ON READER CARD

helical scan drives. They're fine when used on the same machine as the data but worthless when trying to do backup over the coax. Because the Ethernet bandwidth is a fact of life, you'll need helical scan drives on each disk farm.

As an aside, isn't it amusing how we no longer think of disk space in units smaller than 1 GB? That has to do with Parkinson's Law, I believe.

ARTICLE INTEREST QUOTIENT
Enter On Reader Card
High 579 Medium 480 Low 481

Catalogs Are Available From The Following Companies:

Black Box Corporation Catalog
P.O. Box 12800
Pittsburgh, PA 15241
(412) 746-5500
Data communications and computer devices, components, test equipment, interfaces, converters, tools, cables, switches, books.
ENTER 490 ON READER CARD

Cable-Comm Technologies
30 Plaza Dr.
Westmont, IL 60559
(800) 544-1330
Mod-Tap equipment.
ENTER 491 ON READER CARD

Fordham Catalog
260 Motor Pkwy.
Hauppauge, NY 11788
(516) 435-8080
Test instruments, tools and electronic assembly.
ENTER 492 ON READER CARD

Glasgal
151 Veterans Dr.
Northvale, NJ 07647
(201) 768-8082
Communications, LAN equipment, PC products, fiber optic equipment.
ENTER 493 ON READER CARD

Hub Material Company
P.O. Box 526
33 Springdale Avenue
Canton, MA 02021
(617) 821-1870
Tools, test instruments, supplies and accessories for engineers and technicians.
ENTER 489 ON READER CARD

Jensen Tools
7815 South 46th St.
Phoenix, AZ 85044-5399
(602) 968-6231
Test equipment, telecommunications.
ENTER 495 ON READER CARD

Misco
1 Misco Plaza
Holmdel, NJ 07733
(800) 631-2227
Communications equipment, media, UPS.
ENTER 496 ON READER CARD

Inmac
2465 Augustine Dr.
Santa Clara, CA 95052-8031
(408) 435-1700
Cables, data communications, PC products, printer/plotter supplies and accessories, media, UPS.
ENTER 494 ON READER CARD

Specialized Products Company
2117 W. Walnut Hill Lane
Irving, TX 75038
(800) 527-5018
Field service tool kits and test equipment.
ENTER 497 ON READER CARD

The Datastore
119 East Kings Hwy., Suite 101
Maple Shade, NJ 08052
(800) 533-4190
Modems, terminals, switching and patching equipment printers.
ENTER 498 ON READER CARD

Time Motion Tools
410 South Douglas St.
El Segundo, CA 90245
(213) 772-8170
Test equipment, cases, tools and tool kits, telecommunications equipment, static control products.
ENTER 499 ON READER CARD

■

The longer you wait, the deeper it gets.

When your computer's down, every minute counts. And costs.

That's why Sorbus,℠ the world's leading independent computer service company, *guarantees* four-hour response time on DEC equipment. (We're shooting for two hours, our average on all equipment.)

And our average repair time is only *one and one-half hours*.

In other words, we average about three and one-half hours from crashed to crunching.

We cover more than 3,000 different hardware products–mainframes, minis, micros, peripherals. Including DEC™ PDP-11XX, MicroVAX I and II, and VAX 11/7XX. And more IBM® equipment than anyone but IBM.

Altogether, we maintain more than 400,000 pieces of computer hardware at 60,000 sites nationwide. Chances are, we should be maintaining yours, too.

So call Sorbus today. While there's still time.

1-800-FOR-INFO.

Sorbus℠

A **Bell Atlantic**™ Company

50 E. Swedesford Road
Frazer, PA 19355

Sorbus is a service mark of Sorbus Inc.

IBM is a registered trademark of International Business Machines Corporation.

DEC is a trademark of Digital Equipment Corporation.

ENTER 158 ON READER CARD

FIELD SERVICE

Ron Levine

Robots: Past, Present And Future



Many think of a robot as a metal humanoid with a ray gun who's able to perform fantastic feats. Robots have always been a source of entertainment in the movies and on TV. In *The Day the Earth Stood Still*, a robot received top billing. *Robocop* and *West World* captured the imagination of the American people. *Battlestar Galactica* and *Star Trek* used encounters with robot-like creatures in outer space for many story lines. And who can forget C3P0 and R2D2 from *Star Wars*.?

Like the submarine, rocketship and astronaut, the robot has stepped off the science fiction pages and into the real world. Today, the U.S. government is building robots for use in outer space. The Pathfinder Space Program will use robots for planetary exploration. On Earth, robots are employed in industry for more mundane tasks.

The robot, and the specialized high-tech field of robotics, is playing a major role in the factory automation endeavor. After all, present-day robots are no more than mobile computers capable of movement and physical activity. While not as glamorous as their movie counterparts, nor capable of performing or thinking on their own, as R2D2 did, they are becoming a vital link in the automation of plants and factories. In field service, robots are being used in inventory warehousing, to improve order filling efficiency and to make better use of available space (i.e., increasing storage capacity).

TRW
420 Hudgins Rd.
Fredericksburg, VA 22401
(703) 898-7555
ENTER 540 ON READER CARD

Robotics In Inventory Management

To explore how robotics technology is being used in the service business, I visited the TRW Customer Service Division facility in Fairfield, New Jersey. Here, TRW employs four robots for inventory warehousing and handling chores. Watching them work is impressive. The robots, known within TRW as the Automated Retrieval Systems (ARS), are fully integrated into a common working environment. While one robot is storing inventory, another is selecting parts to fill a just-entered order. At the same time, another is transporting previously retrieved items to the staging area, and a fourth robot is returning a parts bin to its correct position within the storage area; all under the control of one operator.

TRW spokesman, Bill Fredell, says that the company purchased its first ARS unit in 1981. From then on, the use of robots has increased steadily, as the company's business has expanded. TRW has found that ARS technology enables it to cope with expanding inventory and an increasing workload, without adding more warehouse space or personnel.

Robots In Inventory Control

TRW has experienced the following benefits during the seven years that its inventory control staff has been using robotics:

1. Handling Efficiencies — As its field service and related support businesses have grown, fulfilling parts orders and restocking inventory hasn't required more resources. Today, TRW accesses 625 different part numbers daily. Each access represents an order that can amount to one single unit or more than 500 units. Thousands of parts are handled daily with TRW's ARS technology.
2. Personnel Efficiencies — Prior to installing ARS technology, TRW required nine parts handlers to complete 600 different part number item orders each day. Today, 625 line-item orders are handled by four people.

A side benefit of the use of robotics has been the standardization of parts stocking and eye-level labeling, significantly reducing the margin of errors during order filling.

3. Space Efficiencies — Space requirements for inventory storage and inventory handling also have been reduced dramatically thanks to the use of automation. While the business has grown substantially since 1981, no new or additional inventory spaces have been acquired. This is because robotic technol-

MAINTECH.

DEC is a registered trademark of Digital Equipment Corporation.

KEEPING THE SMARTEST COMPANIES IN AMERICA OPERATING AT PEAK PERFORMANCE.

Maintech is a performance-driven computer maintenance company that has a history of success in critical applications with Fortune 500 companies, dating back to 1971. Our portfolio includes such demanding applications as E911, 411 Directory Assistance and Electronic Funds Transfer. We offer a combination of experience, depth, range and operational support not available from other independent service companies.

Maintech Customer Engineers are trained to recognize the subtle interaction of hardware, firmware, operating systems and application code on a wide range of DEC and DEC-compatible products. And to optimize performance, Maintech utilizes a number of support programs, including:

- **Remote Diagnostic Analysis Centers**
- **National Logistics Management System**
- **Twenty-four hour Technical Support Hotline**
- **Automated Dispatch System**

As a division of Volt Delta Resources, Maintech is more than just a hardware maintenance company. We have ready access to operations, application, system, and engineering support—capabilities which allow us to provide complete system services. Maintech maintains systems to your high standards of performance, not simply to hardware specifications.

Most importantly, Maintech is a company that responds swiftly and goes the distance for our clients. This ability to act decisively has earned Maintech a reputation for quality and performance that's unequaled.

Maintech. For proven performance in critical applications.

MAINTECH
GUARDIAN MAINTENANCE SERVICES
A DIVISION OF VOLT DELTA RESOURCES INC.

1 800-426-TECH

1133 Avenue of the Americas
New York NY 10036
212 827-2600

A VOLT INFORMATION SCIENCES COMPANY

ENTER 135 ON READER CARD



SERVICE PROFILE: MAINTECH

TELEPHONE NUMBER: (800) 426-TECH

CONTACT: Frank D'Alessio

CORPORATE HEADQUARTERS: 1133 Avenue of the Americas, NY, NY 10036

CLASSIFICATION: Independent service vendor

TYPES OF SERVICES OFFERED: Field service, depot repair, remote troubleshooting/diagnostics assistance, hardware design planning

KINDS OF SERVICE AVAILABLE: Contract — on-site, four-hour response; non-contract — per call (next day); carry-in; mail-in; other — guardian maintenance service (p.m.)

STANDARD SERVICE DAY: 8:00 a.m. -6:00 p.m., (Mon. -Fri.)

EXTENDED SERVICE DAY AVAILABLE: Yes — per agreement

LENGTH OF SERVICE CONTRACTS: Less than one year, one year, multiyear

VOLUME REQUIREMENTS: On PCs only — 25 minimum

EQUIPMENT SERVICED: All DEC and IBM computers, most peripherals, workstations, modems and networks

MARKETS SERVED: Customers — OEMs, VARs, dealers, end-users; geography — national

IN BUSINESS SINCE: 1971

PRICING: Fixed on contracts; time and materials on others

ENVIRONMENT/MARKET SPECIALTY: Multivendor, DEC-based critical applications systems.

Maintech, a division of Volt Delta Resources Inc., is one of the oldest vendors of maintenance services to the DEC-based, mixed-equipment systems market around today. Providing third-party field service and repair since 1971, Maintech has kept a low profile and as a result may not be known to many of our readers.

Frank D'Alessio, vice president of this division, states that Maintech's specialty and expertise is maintaining multivendor systems in the critical applications markets. Past contracts have included field service, maintenance, repair and support responsibilities for the Bell Telephone Company's 911, 411 and directory publications systems.

Maintech is backed by its $500 million parent company, Volt Information Sciences Corporation, and has immediate access to software operations and design engineering support. The solving of integration and compatibility problems within mixed-vendor environments, including the design of proprietary interfaces when none are available off-the-shelf, can be handled in the Maintech service contract.

Maintech maintains a complete parts inventory for all products serviced. Diagnostics used by field service are a combination of in-house written test and troubleshooting programs and purchased TRW software packages. For customers requiring depot repair services only, Maintech provides replacement parts on an exchange basis or an average repair turnaround time of two to five days.

Maintech employs more than 130 FEs and maintains 11 offices. With more than 500 systems under contract, last year's revenues were approximately $16 million, almost exclusively from the servicing of DEC-based mixed-vendor systems.

ENTER 541 ON READER CARD

ogy includes inherent space efficiencies.

What TRW now stores in 3,200 square feet with its ARS equipment would require 22,000 square feet of standard, shelved warehouse space. The space efficiencies also can be seen in an analysis of cubic feet usage. ARS operates within 18,300 cubic feet of storage space. Standard warehousing techniques would require 57,500 cubic feet.

4. Security Benefits — Robotics technology means secure storage. Since all bins are closed, parts stay where they belong. The flexibility of the ARS technology allows certain areas of the system to be secured with access allowed only by supervisory personnel. This is an important feature when storing sensitive information or highly valuable or proprietary parts.

5. Environmental Protection — ARS technology provides clean and dust-free storage. All bins and drawers are closed. Parts are protected from ordinary environmental contaminants.

Larry Feld, TRW marketing communications project manager, states, "Our experience with robotics and automation has been nothing but positive. And the ARS technology will continue to be part of the company's support backbone. Currently, more than four million spare parts, including assemblies and small units, are stored at the company's ARS installation. While this is only a fraction of the total of more than 10 million parts inventory carried, it represents more than $22 million worth of spares that have been assigned to the robots."

The company executives with whom I spoke are very supportive of the inventory ARS, and have found the use of robotics technology extremely beneficial in supporting field service and related support functions.

I might add that none of the executives had a ray gun held to their heads, nor did the robots take over plant operations or hold humans captive! ■

DEC REPAIRS?

At DSN, Quality is Guaranteed:

ONE YEAR WARRANTY.*

For DEPOT repairs and spares in the DEC marketplace, just one phone call will prove DynService Network offers the most comprehensive service with responsive turnaround. But, how can DSN prove to you our exceptional quality workmanship?

Very easily. Now, DynService Network guarantees quality with a ONE YEAR WARRANTY on all parts repaired or replaced by DSN during the repair of your DEC modules (Printed Circuit Boards).

This means that we are so confident in our repair work, we back it up all the way. And it means you can rely on DSN's competitive pricing and full support to help with your assets management for a healthier bottom line.

For DEC Repairs, Call: (415) 732-3080

DEC SPARES?

Fully Tested and Guaranteed Inventory.

DSN has a substantial inventory of spares for your immediate needs. We also offer a 24-hour Exchange Program on various spares in our inventory. You can rely on our professional staff, creative resources and 15 years of experience. DSN is committed to full service, competitive pricing and fast turnaround. Call today.

For DEC Spares, Call: (408) 432-6100

*DSN One Year Warranty offered on those parts DSN repairs or replaces.
**DEC is a registered trademark of Digital Equipment Corporation.

DEPOT SUPPORT®

DynService Network

National Depots for Repairs and Spares

ENTER 118 ON READER CARD

FROM THE LAB

David W. Bynon

Micropolis 1500 Series

The advances in magnetic disk technology are slowing down at an incredible rate. However, each small step is monumental in terms of long-term performance and reliability. The Micropolis 1550 series disk, from Micropolis Corporation, Chatsworth, California, looks like every other 5¼-inch drive. But it wasn't until I installed the device and performed a series of tests that I could discern any true performance difference from its competition.

The 1550 is a 382-MB Winchester disk drive that implements the serial mode of the Enhanced Small Device Interface (ESDI). According to Micropolis, the 1550 is capable of a sustained data transfer rate of 10 MBits/sec, with an average access time of 18 ms. That's fast in any terms, especially for a 5¼-inch device. In addition to this performance, Micropolis claims a mean time between failures of 30,000 hours.



The 1550 382-MB Winchester disk drive claims a mean time between failures of 30,000 hours.

This means that the drive should run for approximately three and a half years before you need to worry about it.

In the lab, the Micropolis 1550 was impressive. It's silent and runs cool to the touch, unlike some of the other 5¼-inch drives I've tested, which sing, pop and get hot enough to cook your eggs. It performs well too. My standard benchmark program reported the following:

```
$ BENCHMARK DUB3: /ALL

Benchmark statistics on drive
    DUB3:
    Average access time is 31.3 ms
    Average transfer rate is 462.17 KB/sec
    Estimated controller/VMS overhead
    is 8.59 ms
$
```

The benchmark program measures average access time by randomly accessing 256 logical blocks on the disk. A timer is started to mark the elapsed time required to perform the 256 read operations.

The drive's average transfer rate is measured by randomly reading 256 arbitrary blocks of data, 0-64 KB in length. The throughput value is the total number of kilobytes read, divided by the time in seconds to perform the operation.

The most difficult value to arrive at is the controller/VMS overhead. The benchmark program estimates this value by finding the minimum block displacement, on a single track, which permits the drive to perform two read operations in a single disk rotation. The rotational distance, in milliseconds, between the first read location and the displaced read location is the estimated controller/VMS overhead. The overhead value is important because it gives you a better idea of the true performance of the drive.

In this lab, for instance, we can speculate that the average access time of the Micropolis 1550, under our test conditions, is approximately 22 ms (31.3 ms — 8.59 ms), not the reported 31 ms.

The 1550 is one drive in a family of Micropolis storage devices. The same Head/Disk Assembly (HDA) is available with an SCSI interface, Model 1570, which has a higher data transfer rate than the 1550. At the high end, Micropolis produces the 1560 and 1580, which are 765-MB ESDI and SCSI devices, respectively. The 1560 and 1580 have a claimed average access time of 16 ms.

The OEM, systems integrator and large quantity end user will appreciate the reliability and field service ability of the 1500 series drives. The mean time to repair is a miniscule 15 minutes. To test this claim, I removed the 1550 from the lab system and broke down the drive to get to the innermost field-replaceable part, the HDA. My simulated replacement, system to bench to system, took 21 minutes, including bringing the system down for the drive removal and then back up again.

If you're looking for reliable, high-capacity, high-performance 5¼-inch drives, consider the Micropolis 1500 Series. It's an excellent choice. ■

Micropolis 1550
Micropolis Corporation
21123 Nordhoff St.
Chatsworth, CA 91311
(818) 709-3300
Price: $3,195
ENTER 531 ON READER CARD

The SAS® System

The Graphics Tool You Won't Outgrow.

When you've got to turn those numbers into a presentation, turn to the SAS® System. The SAS System includes easy-to-use procedures for charts, plots, maps, and three-dimensional displays. At a glance, you can grasp detailed statistics, spot relationships among items, and trace emerging trends. And when your manager wants more, the SAS System lets you customize your graphs and present multiple displays on the same page for easy comparison. You can produce your graphs on terminals, plotters, transparencies, or slides.



You can even use the SAS System to analyze your data before you present them. We've got tools for every kind of analysis—from simple descriptive statistics to advanced regression, analysis of variance, discriminant analysis, clustering, scoring, and more.

And as your needs grow, the SAS System grows with you. All the tools you need for full screen data entry, modeling, forecasting, "what if" analysis, project management, optimization, and quality control are available in the SAS System. You choose the products you need, and enjoy the same easy-to-use language and syntax in each. Whether you license one product or several, you'll enjoy the same high-quality software, training, documentation, and support we've offered for more than ten years.

For details, send us your name and address. Or call a Software Sales Representative today.

The SAS System. It's for those who need a graphics package today, and for those who have an eye on tomorrow.







SAS Institute Inc.
Box 8000 ☐ SAS Circle
Cary, NC 27511-8000
(919) 467-8000
Fax (919) 469-3737

See us at DEXPO South, Booth #314

The SAS System runs on these minicomputers: Digital Equipment Corp. VAX™ 8xxx and 11/7xx series under VMS,™ and MicroVAX II™ under MicroVMS™; Prime Computer, Inc. Prime 50 series under PRIMOS®; and Data General Corp. ECLIPSE® MV series under AOS/VS. The SAS System also runs on IBM 370/30xx/43xx and compatible machines under OS, CMS, DOS/VSE, SSX, and ICCF; IBM XT/370 and AT/370 under VM/PC; and IBM PC XT and PC AT under PC DOS. Not all products are available for all systems.

SAS is the registered trademark of SAS Institute Inc., Cary, NC, USA.
Copyright © 1986 by SAS Institute Inc. Printed in the USA.

FROM THE LAB

Michael G. Gonzales

Getting Into A *JAM*

The *JYACC Application Manager (JAM)* from JYACC Inc. of New York, is a complete authoring system for sophisticated applications. The tools and library functions included in *JAM* make building sophisticated applications easy. Moreover, *JAM* is an application environment. It allows menu-driven integration of existing programs and operating system commands with a consistent user interface.

JAM is a prototype in that screens, windows and menus comprising applications can be created easily by non-programmers. Non-programmers also can create the control logic that links the screens and menus.

JAM promotes parallel development. It allows for easy documenting and provides convenient means for dealing with changing requirements. Hence, *JAM* may be viewed as a methodology.

In designing an interactive application with *JAM*, the first step is to break down the application into screens and groups of screens. One of two possible scenarios will occur. Things might fall into a simple tree structure like the one shown in Figure 1. Or, if the structure of the application is more complicated, two screens could share a subscreen. There are links both ways in the menu tree (see Figure 2).

At this point, you're ready to start up *JAM* and create screens. Often, you'll want to create several variations on the same idea and compare them. *JAM* permits you to do this easily.

The next step is to create links between the screens to direct control flow and data in the application. A prototype application, called the application shell, is created. It will look like the finished product.

After the application shell has been created, you can begin the refining process. This might involve showing the application to a number of people, soliciting suggestions and making changes on the spot. *JAM* makes it easy to make and revoke changes, in links between screens and the screen layouts themselves. Thus, several different organizations might be tried. The net effect is that the user interface is thrashed out before coding begins.

After deciding on the application shell, processing routines are added, and the application is finished.

JAM Components

The major components of *JAM* are the following:

1. Screens — Screens are the basis of an

FIGURE 1.



Tree structure of screens.

The SAS® System

The Quality Control Tool You Won't Outgrow.





When quality counts, you can count on the SAS® System...software that keeps you in control.

The SAS System gives you a faster, easier way to put statistical quality control in action. And you don't have to be a programmer to use it! Easy-to-use procedures let you turn production data into powerful graphic presentations. You can generate all basic types of Shewhart control charts, as well as cumulative sum and moving average control charts, histograms, scatter plots, and more.

In fact, you'll find the SAS System a key decision support tool at every stage of production. Analyze manufacturing data using everything from simple descriptive statistics to advanced methods such as nonlinear regression. Produce reports for line workers, process engineers, and managers. Plan optimal production schedules. Manage inventories.

It's easy to combine tools in the SAS System to meet your changing information needs. We've even created a prototype menu system to get you started. Novice users can run complete applications with just a few keystrokes, and your programmers can tailor the sample applications.

See for yourself how the SAS System brings you higher productivity, lower production costs, and greater customer satisfaction. Just send us your name and address. Or call a Software Sales Representative today.

Better Quality Products Begin with the SAS System.

See us at DEXPO South, Booth #314

SAS Institute Inc.
SAS Circle ☐ Box 8000
Cary, NC 27512-8000
(919) 467-8000
Fax (919) 469-3737



☐ Send me more about the quality control tools in the SAS® System.
☐ Include details about training.
☐ Tell me other ways the SAS System can work in my company.
☐ Call me to discuss a 30-day trial.

Please complete or attach your business card.

Name _____
Title _____
Organization _____
Address _____
City _____ State _____ ZIP _____
Phone ( ) _____
Machine _____ Operating System _____

Mail to: SAS Institute Inc., Attn: CC
SAS Circle, Box 8000, Cary, NC 27512-8000

DP588

The SAS System runs on IBM 370/30xx/43xx and compatible machines, Digital Equipment Corporation's VAX™ and MicroVAX II,™ Data General Corporation's ECLIPSE® MV series, Prime Computer, Inc.'s Prime 50 series, and the IBM PC XT and PC AT. Not all products are available for all operating systems.

SAS is the registered trademark of SAS Institute Inc., Cary, NC, USA. Copyright © 1987 by SAS Institute Inc. Printed in the USA.

FIGURE 2.



Complex structures of screens.

application designed with *JAM*. Both data entry and menu screens may be displayed either as forms, covering the whole display, or as windows, covering only a part of the display.

2. Control Links — Two types of actions trigger control links: menu selection and function keys. There are four possible responses to these actions: bring up a new screen, overlay a window, invoke a program or call your own function.

3. Data Links — *JAM* allows named data items to be shared among various *JAM* screens and transactions. In this sense, the data belonging to these transactions is linked. This makes it possible, for example, for application code to reference data entered on a screen that's no longer being displayed.

4. Programs — *JAM* provides several types of hooks for hanging application code. In addition to the control links described, there's an attached function field edit. This specifies a routine to be called whenever you tab through a field. The code may be either separate or part of the currently running *JAM* application. The main difference is that code within an application can share control and data links but separate code can't.

The following are some *JAM* utilities:

1. JXFORM is an authoring utility and is used for defining screens and control links. It includes a screen editor and a data dictionary editor.

2. JAMMAP creates a cross-reference listing of all the *JAM* screens in a directory.

3. FORM2ASC provides for the creation of memory-resident screens.

4. CONVFORM does format conversions of screens to meet requirements of different machines and operating systems.

JAM is well documented. The documentation consists of three main parts: *User's Guide* explains how you can create applications; the *Programmer's Guide* describes how to write code that will fit in with *JAM*'s library and runtime environment; and, the *Utilities Manual* explains all the utilities in detail.

JAM's application shell prototyping is a winner. It's an extremely powerful, yet easy-to-use tool. In addition, *JAM* applications are portable; that is, they look the same on micro-, mini- and superminicomputers. Overall, *JAM* is a worthwhile addition to the software tool chest. — *Michael G. Gonzales is assistant professor of computer and information science at Gwynedd Mercy College, Gwynedd, Pennsylvania.*

JAM
JYACC Inc.
116 John Street
New York, NY 10038
(212) 267-7722
Price: $750 to $6,750 depending on CPU.
ENTER 554 ON READER CARD

HELIX VMX™

The Best of Both Worlds





VAX. The best system architecture for organizational computing.

Macintosh. The best interface for personal computing.

Helix VMX. The best of both worlds.

- **Helix VMX** gives your VAX a Macintosh interface. Graphics, flexibility, ease-of-use, independent problem-solving, and the excitement of personal computing.
- **Helix VMX** gives your Macintosh users a VAX backbone. Power, system services, networking, security, and responsible access to corporate information resources.
- **Helix VMX** gives you a revolutionary, visual application development environment that lets you rapidly develop VAX-based software. These applications can be used from either Macintoshes or VT terminals.

"...a breakthrough software technology that exemplifies Digital's concept of what PC integration should mean."

Richard Smith
Business Development Manager, MicroVAX Systems
Digital Equipment Corporation

Come See Us at DEXPO South 88, Booth #1808

ODESTA CORPORATION

4084 COMMERCIAL AVENUE, NORTHBROOK, ILLINOIS 60062 800-323-5423 (IL: 312-498-5615)

Helix VMX is a registered trademark of Odesta Corporation. Digital, the Digital logo, VT-220, and MicroVAX are registered trademarks of Digital Equipment Corporation. The Apple logo and Macintosh II are registered trademarks of Apple Computer, Inc.

ENTER 144 ON READER CARD



PacerShare

Why settle for a Macintosh as your *AppleShare* file server, when you can have a VAXCLUSTER?

BY JOSEPH P. DALLATORE

IT'S BIG NEWS. Ken Olsen said it at MacWorld, and John Sculley said it at DEXPO East: Apple and DEC are going to cooperate. In August, a select group of developers from Apple, DEC and some significant others will meet at the Apple/DEC Developer's Conference to define the details and explore the future of this most desirable alliance. An avalanche of distributed Macintosh/VAX products is sure to follow. Indeed a few products, like Odesta Corporation's *Helix/VMX*, already seem to have been designed with a detailed vision of the future.

The idea of connecting a Macintosh to a VAX by using a terminal emulation package has a quaint ring to it. This frontier already has been tamed, so you won't win any medals for bravery. You already have a choice of good emulators that produce pleasing results. But, there are a lot of VAX folks around who still haven't seen the power of the Mac in action.

Using a VAX as a file server is old hat. White Pine, Alisa Systems, Pacer Software and others sell VAX/VMS software products that provide VAX-based file servers. However, products have differing features; the user interface and the look and feel of the product are different for each.

APPLESHARE

APPLE COMPUTER provides file server software for the Macintosh called *AppleShare*, but it runs only on a Macintosh. *AppleShare* is the first implementation of an architecture of network file access protocols designed by Apple, known as AppleTalk Filing

Protocols (AFP). *AppleShare* defines the way a client (individual user) Mac and a server (shared) Mac communicate to accomplish remote file access over an AppleTalk network.

When a Mac running the *AppleShare* client software is connected to an AppleTalk network that includes one or more *AppleShare* servers, the Mac user can locate, select and access the files on a server through a series of Macintosh dialog boxes (see Screens 1 through 4). Once selected, the remote-server volumes appear on the Macintosh desktop as file icons and are used in the same way as locally attached Mac disk drives. *AppleShare* includes a security scheme to control who can gain access to which files and provides a server administrator function to handle these functions on a server.

Apple has published complete specifications for both AppleTalk and AFP and now is cooperating with several vendors who intend to implement *AppleShare* file servers on non-Macintosh hosts.

Among the first to implement an AFP-compatible file server on VAX/VMS is Pacer Software of Westborough, Massachusetts. Pacer markets *PCLINK,* which recently was renamed *PacerLink*. Pacer's AFP software, *PacerShare*, is offered only as an upgrade to *PacerLink*, because it relies on pcLINK_ACP, the same PNP device driver on the VAX that *PacerLink* uses to communicate with Macintoshes over Ethernet.

SCREEN 1.



Selecting an *AppleShare* server from the CHOOSER.

SCREEN 2.



Logging into the *PacerShare* server.

PACERSHARE

I'VE BEEN USING a late field test version of *PacerShare* in an environment that consists of a backbone Ethernet hosting two VAXs, several types of Macintoshes and a PC equipped with Apple's PC AppleTalk card and software. The VAXs are connected directly to Ethernet, along with some of the Macs. Other Macs and the PC are connected in small LocalTalk (AppleTalk at 230.4 kbps) networks with Kinetics' FastPath AppleTalk to Ethernet bridges, which are used to provide the connection between LocalTalk and the backbone Ethernet.

PacerShare resides exclusively on the VAX, while the Macs and PCs use Apple's standard software. *PacerShare* is installed using VMSINSTAL. The instructions are complete and easy to follow, but read them carefully before you begin. Some of the quotas and limits of the SYSTEM account (the account that starts the file server) and the account of every *PacerShare* user must be modified to prevent sending VMS processes into the twilight zone, RWAST, to be exact.

SCREEN 3.



Selecting a volume on the server.

SCREEN 4.



The volume appears on the desktop, ready to use.

Pacer recommends the following for each user process: ASTLM = 100, FILLM = 100, WSQUO = 1000 and BYTLM = 30,000 for the process that starts the server. I also found it necessary to raise BIOLM and DIOLM to 10 to eliminate an occasional hung-process condition during testing.

After installing *PacerShare*, the Volume Information database must be created before starting the server. This is done by running a VMS program, AFP_CONFIG, which creates and maintains the VOLUMENAMES.AFP file in the system's PCLINK directory. This file contains information about the server, such as its name, the names of the virtual disk volumes in the server, and where the files reside on the VAX disks.

As an option, you can declare a password for each volume, which then will be required when a Mac user tries to access the volume. To give you an idea of AFP_CONFIG's capabilities, the entire HELP screen is shown in Screen 5. Each command individually prompts you for every piece of information it requires.

Pacer's VAX software rarely behaves like typical VMS utilities, and AFP_CONFIG is no different. Everything was fine once I stopped trying to type:

```
>ADD Volname/DEV = ddcu/DIR
  = [xxx]
```

and accepted a dialog like this:

```
>ADD <cr>
Volume name? Volname<cr>
Host pathname of root directory of
  volume? ddcu::[xxx]
Read only ('y' or 'n')?
```

I wanted AFP_CONFIG to behave more like Authorize because it's like Authorize. On the other hand, in the coming age of the personal MICROVAX, not every *PacerShare* customer will have, or be an expert, VMS system manager. The prompting dialog is easier for the less technical customers.

Once VOLUMENAMES.AFP has been created, the server can start. The command file PCLINK_AFP creates two detached processes: PCLINK_VO, the volume overseer; and PCLINK_ADMIN. Add PCLINK_AFP to your system startup file, and your VAX will be a bonafide *AppleShare* file server!

Screens 1 through 4 show the process of connecting a Macintosh to a Volume hosted by the VAX. Connecting to a moderately loaded MICROVAX II via *FastPath* takes approximately 20 seconds. A *PacerShare* user creates a VMS network process

(the name and password supplied must be those of a valid VMS account on the server VAX). Once logged on, the user sees the name of every volume on the server.

To access a volume, the Mac user selects it by name and provides the volume password. The user then accesses files in the volume. Because each user accesses the *PacerShare* server from a personal VMS process, and *PacerShare* maintains the data for each Macintosh file in a single VMS file, *PacerShare* servers can benefit from as much VMS security as they care to implement.

SECURITY

APPLESHARE'S SECURITY SCHEME is simple and easy to administrate. Files are protected at the server and volume level by passwords and at the folder (directory) level by two classes of access: View and Change. Unlike VMS, *AppleShare* provides no method of access control for individual files.

But *PacerShare* users have individual VMS processes, each with individual UICs and identifiers. So, although Pacer doesn't provide direct access from the Macintosh, sites with strict security requirements can provide an *AppleShare* server with the added benefits of the VAX's superior file security features.

A security-conscious *PacerShare* site can create resource identifiers and grant them to individuals as necessary, while protecting individual files and folders with access control lists based on resource identifiers. With *PacerShare*, security-conscious sites can have *AppleShare* servers, while extending the limited security features of a Macintosh-based *AppleShare* server.

After selecting a file server and closing the Chooser window, a new icon appears on your desktop. Double clicking the icon opens the server, and you see VMS subdirectories as Macintosh folders and VMS files as Mac documents. Macintosh files contain two parts: a data fork and a resource fork. The VMS file is the data fork, and one additional file within a subdirectory contains the resource forks for all the files in the folders.

PacerShare offers a few VAX-

PacerShare
Pacer Software Inc.
7911 Herschel Ave., Ste. 402
La Jolla, CA 92037
(619) 454-0565
Price: $2,400 for five-user license
ENTER 567 ON READER CARD

Why this publication and more than 1,200 others let us go over their books

once a year.

Some publications, we're sorry to say, keep their readers undercover. They steadfastly refuse to let BPA (Business Publications Audit of Circulation, Inc.) or any other independent, not-for-profit organization audit their circulation records.

On the other hand, over 1,200 publications (like this one) belong to BPA. Once a year, BPA auditors examine and verify the accuracy of our circulation records.

The audit makes sure you are who we say you are. The information helps advertisers to determine if they are saying the right thing to the right people in the right place.

It also helps somebody else important: you. Because the more a publication and its advertisers know about you, the better they can provide you with articles and advertisements that meet your information needs.

BPA. For readers it stands for meaningful information. For advertisers it stands for meaningful readers. Business Publications Audit of Circulation, Inc. 360 Park Ave. So., New York, NY 10010.

BPA
MEDIA INTELLIGENCE

"VAX-to-the-Macs" Specialists—With A Respected Family Tree!

White Pine Software offers a complete family of products for total two-way Macintosh™/VAX™ communication: text, graphics, file transfers and program access.

① Mac240™
Turn your Mac into a VT240 with our acclaimed DEC™ terminal emulator. White Pine's "VT240 emulator stands among the best"—says Digital News.

② Mac241™
All the functions of Mac240 PLUS COLOR.

③ Mac220™
Full featured VT220™ emulation with expanded text and special character capabilities.

④ VMacS™
Share Macintosh text, data and program files among users.



See us at DEXPO South, Booth #706

⑤ Reggie™—Convert MacPaint™, MacDraw™, and Clipboard™ images into ReGIS™ or SIXEL™ formats.

CALL (603) 886-9050
for your desktop communication solutions.

Mac240, VMacs, and Reggie are trademarks of White Pine Software, Inc., DEC, VT, VAX, are trademarks of Digital Equipment Corporation; MacDraw, MacPaint, and Clipboard are trademarks of Apple Computer, Inc.; Macintosh is a trademark licensed to Apple Computer, Inc.

ENTER 226 ON READER CARD

SCREEN 5.



ASP_CONFIG commands.

specific features. For example, each Mac file is maintained by *PacerShare* as a VAX file within a special server subdirectory, and any VMS files located within a *PacerShare* subdirectory appear on a Mac's screen.

So, a file created by a VAX program, such as a DATATRIEVE report, will appear on the Mac desktop display.

Because the file wasn't created by a Mac, there's only a data fork; and *Pacer* will depict the file with a generic document icon. A Mac user accessing the volume will be able to rename or delete the file without any special transfer or conversion steps. Depending on the format of the data contained within the file, it often will be possible to use the data within Macintosh applications, as well.

A PC with an AppleTalk card installed can access *AppleShare* server volume and manipulate the files stored there, but only as standard MS-DOS volumes and files. *PacerShare*, as an implementation of *AppleShare*, should be able to support PCs in the same fashion as a Mac-based *AppleShare* server. However, the field test version proved shaky in this area. Pacer hopes to have this feature working smoothly by the release date.

For application programs that run in the VMS, MS-DOS and Macintosh environments, or application programs that share a standard interchange format across operating systems, a *PacerShare* server on the VAX that could provide a common file storage facility for all three environments would be a selling advantage. Pacer plans to support the 3COM card in the PCs. But in the near future, AppleTalk cards and a *FastPath* will be the only way to connect PCs to *PacerShare*.

The marriage of *AppleShare* and VMS, provided by *PacerShare*, is an important interim step toward the interoperability that Apple's CEO, John Sculley, has been talking about so much lately. *—Joseph P. Dallatore is a senior software engineer with Computer Methods Corporation, Marlton, New Jersey.*

Editor's note: A special thank you to Computer Methods Corporation and Kinetics Inc. for supplying the necessary equipment to prepare this series of articles on MAC/VAX connectivity.

Companies Mentioned In This Article

Alisa Systems Inc.
221 E. Walnut Ave. Suite 175
Pasadena, CA 91101
(818) 792-9474
ENTER 562 ON READER CARD

Apple Computer Inc.
20525 Mariani Ave.
Cupertino, CA 95014
(408) 996-1010
ENTER 563 ON READER CARD

Digital Equipment Corporation
146 Main St.
Maynard, MA 01754
(617) 897-5111
ENTER 564 ON READER CARD

Kinetics Inc.
2500 Camino Diablo
Walnut Creek, CA 94596
(415) 947-0998
ENTER 565 ON READER CARD

Odesta Corporation
4084 Commercial Ave.
Northbrook, IL 60062
(312) 498-5615
ENTER 566 ON READER CARD

3COM Corporation
3165 Kifer Rd.
Santa Clara, CA 95052-8145
(408) 562-6400
ENTER 568 ON READER CARD

White Pine Software Inc.
94 Route 101A
P.O. Box 1108
Amherst, NH 03031
(603) 886-9050
ENTER 569 ON READER CARD

The Emerging Second-Party System Vendor

Quick. Name a third-party vendor of computer products. AST Research? Systems Industries? Oracle Corporation?

Right. Now, name a second-party vendor. How about a first-party vendor?

Not so easy, is it? Since the birth of our industry, customers have come to rely on a single, monolithic supplier of computer hardware and software for all their computing needs, namely IBM.

But, recent trends in computing are shattering buying habits. As vendors define and embrace independent standards, like the ISO's Open Systems Interconnect (OSI) network model and Adobe's *PostScript* page composition language, they make it possible for their products to work together.

Witness the recent technology partnership between Apple and DEC. Not an announcement of anything new, it was simply a bilateral endorsement of various third-party products and approaches that had been in place for three years, all based on DEC and Apple's independently developed policy of adherence to non-proprietary connectivity standards. This brings us back to our original question.

These days, any hardware or software manufacturer who makes a credible and connectible product is a third-party vendor.

The real first party in a computer purchase transaction is the customer, the person with the problem in search of a computer solution. From the first-party point of view, all third-party solutions are equally workable and valid. A true first party is both ill-equipped and not inclined to research and select from among the various third-party product alternatives.

Enter the increasingly important party of the second part. The successful second party stands between the customer and the vendor, advocating the customer's problem and appraising the vendors' products as possible solutions for it. The second party is the system integrator, consultant or MIS manager who matches third-party products to first-party problems.

Where is this leading? Our industry is gradually becoming less polarized around IBM and more polarized around customers and their problems. In response, our industry's middlemen have to adjust their attitudes.

Corporate information systems departments must stop trying to legislate valid solutions in their companies. Instead, they must begin to learn and live with the growing number of competitive alternatives this new climate will offer. The success of future MIS and ISD executives will be based on how they adjust, adapt to change and introduce it into their companies, rather than on how they resist it.

Computer dealers and resellers are going to have to become true systems integrators. The dealer of the future will be the place where a customer can get answers, not just discounts. —*Al Cini*



The Best-connected

Mac to Mac

Kinetics advances the connectivity frontier with Ethernet for the Macintosh. Now you get truly faster AppleTalk so your Macintoshes can communicate as high-speed personal workstations. And because we're compatible with the new EtherTalk standard, you can use your standard AppleTalk software packages including file and disk servers, multi-user database systems, and electronic mail.

Enter the high-end of AppleTalk networking with the Kinetics EtherPort SE. With this internal Ethernet option card for the Macintosh SE, choosing Ethernet for applications networking is as easy as clicking a control panel selection.

For the SCSI-based Macintosh, including the Macintosh Plus, you can have direct access to Ethernet through the SCSI device chain. Just add on the Kinetics EtherSC, our outboard Ethernet controller.

And to mix-and-match Macintoshes on Ethernet with Macintoshes on AppleTalk Personal Network cabling, the Kinetics FastPath AppleTalk-Ethernet gateway connects the two networks. The FastPath acts as a bridge between networks, providing full support for AppleTalk zones.

Mac to VAX

Ethernet is the network of choice in the DEC world. And the Macintosh fits naturally into the DEC world with Kinetics products for the Apple-DEC connection. Your Macintosh on an AppleTalk network, or connected directly to Ethernet, now becomes a vital part of the Mac-VAX computing system.



Let the VAX be a file server for the Macintosh. Let the Macintosh be a terminal for the VAX. Share printing resources along both networks. And access the worldwide services of DECnet.

Kinetics products provide the foundation for the best third party packages adding network values and building on AppleTalk, DECnet, and TCP/IP.

Mac to UNIX

Put together the versatility of the Macintosh and the portable, programmable power of UNIX, and you have an ideal network team. Kinetics unites the two with K-Talk, Kinetics' own AppleTalk for UNIX.

Apple, AppleTalk, Macintosh, Macintosh SE, and Macintosh Plus are trademarks of Apple Computer, Inc. VAX and DECnet are trademarks of Digital Equipment Corporation. FastPath, K-Talk, EtherPort SE and EtherSC are trademarks of Kinetics, Inc. IBM PC is a trademark of International Business Machines Corporation. UNIX is a trademark of AT&T Bell Laboratories. Ethernet is a registered trademark of Xerox Corporation. Copyright © Kinetics, Inc. 1987. All rights reserved.

Macintoshes Begin Here. . .



Or simply use TCP/IP on the Macintosh.

Kinetics and our third-party partners offer seamless software built on AppleTalk or TCP/IP to bring the UNIX and Macintosh worlds together. AppleTalk development tools are also available from Kinetics for UNIX programmers who wish to develop custom UNIX-Macintosh solutions. In addition, UNIX system vendors offer special UNIX-Macintosh packages.

Mac to PC

And of course the well-connected Macintosh cannot ignore the IBM PC and compatibles. Whether the PC is on an AppleTalk Personal



Network connected through the FastPath to Ethernet, or whether the Macintosh shares Ethernet with a PC, the Kinetics open-system family of products ensures high performance and optimum communications.

Mac to Everything

Kinetics already offers Macintosh networking to more systems than anyone else. And now, as part of Excelan, we're united with the leader in TCP/IP-based heterogeneous networking. Together we offer high-performance, host-to-host communication among the broadest range of systems in the LAN industry — VAXes, PCs, UNIX, micros, minis, Macs and mainframes.

For further information on Kinetics and Excelan products, third-party solutions, or the name of the dealer nearest you, please contact Kinetics or Excelan.

KINETICS
A Division of Excelan

2500 Camino Diablo
Walnut Creek, California 94596
415-947-0998 FAX 415-947-1238
Telex 6502877642 MCI

Excelan, Inc.
2180 Fortune Drive
San Jose, California 95131
800-EXCELAN 408-434-2300
FAX 408-434-2310 Telex 176610

ENTER 266 ON READER CARD

Products

Keyword Enhances KEYpak

Keyword Office Technologies has enhanced KEYpak, the document interchange level integration for the Macintosh and VAX computer family.

Keyword's VAX-based KEYpak Editable Document Exchange (EDE) software permits Mac users preparing documents using Microsoft Word to exchange fully revisable documents with other Macintosh, MS-DOS workstations and VT terminal users running different word processing systems. KEYpak provides transparent document interchange, while preserving total document revisability.

Keyword's KEYpak + 1 is the ALL-IN-1 User Interface program that allows seamless integration of KEYpak EDE services with ALL-IN-1. Macintosh workstations connected under VAX-based ALL-IN-1 environment can use the KEYpak + 1 user interface to facilitate seamless and transparent document interchange.

More information can be provided by contacting Keyword Office Technologies, 2816 11th St. N.E., Calgary, AB T2E 7S7; (403) 250-1770.

Enter 464 on reader card

Mt Xinu Introduces XINET

Mt Xinu has announced XINET connectivity software that links networks of Macintosh workstations with VAX and MicroVAX computers running UNIX system software based on the Berkeley (4BSD) versions.

Mac users can store shareable files on VAX or MicroVAX disks anywhere on an Ethernet network. These files appear as familiar Macintosh icons that can be opened, launched or dragged to copy or delete. Mac users also can maintain multiple terminal windows to any UNIX-based VAX, MicroVAX or other computer on an Ethernet network. Under MultiFinder, these terminal sessions can run simultaneously with regular Macintosh applications. UNIX system time-sharing users can spool print files to PostScript-based laser printers, such as Apple's LaserWriter II family on Apple's LocalTalk network.

Find out more by contacting Mt Xinu, 2560 Ninth St., Ste. 312, Berkeley, CA 94710; (415) 644-0146.

Enter 465 on reader card

MakeEasy Simplifies Mac Access To VAXs

Alisa Systems Inc. has introduced MakeEasy, a software product that provides Macintosh computer users with access to applications and services on DEC computers. MakeEasy incorporates the user-friendly Macintosh interface, based on graphics, menus, windows and icons, to provide a simple and easy-to-learn VMS interface for Mac users.

MakeEasy simplifies the control of a VAX and minimizes training expenses by using a Finder-like environment that presents VMS files and directories as folders and icons on the Macintosh desktop. VAX programs are started by icon double-clicking and files are copied to or from the Macintosh workstation by icon dragging.

Learn more by contacting Alisa Systems Inc., 221 E. Walnut St., Ste. 175, Pasadena, CA 91101; (818) 792-9474.

Enter 421 on reader card

Omnis SQL Connectivity Pack Announced

Blyth Software's latest product, Omnis SQL Connectivity Pack, is a complete Macintosh-to-minicomputer relational database solution. The Omnis SQL Connectivity Pack provides true application-level connectivity, giving Mac users transparent access to the data processing power of minicomputer database management systems through a customized Omnis relational database application.

Prices for the Omnis SQL Connectivity Pack range from $3,500 for the MicroVAX II System to $23,750 for a VAXCluster 8978 System, plus $295 per desktop station.

For further information on the Omnis SQL Connectivity Pack, contact Lynne Simonfy, Blyth Software Inc., 1065 E. Hillsdale Blvd., Ste. 300, Foster City, CA; (415) 571-0222.

Enter 422 on reader card

Technology Concepts Has DECnet For The Mac

Technology Concepts Inc. is shipping CommUnity-Mac, which offers file server capabilities through compatibility with VAX/VMS Services from DEC.

CommUnity-Mac is compatible with Macintosh Plus, SE and IIs. It includes remote file access to transfer files to or from the Mac to other DECnet or CommUnity systems, VAX/VMS mail for sending and receiving mail between Macintoshes and VMS systems, compatibility with DEC's VMS, ULTRIX and RSX-11M operating systems, task-to-task communications for Mac-to-DEC and Mac-to-Mac programming, etc.

For more information, contact Technology Concepts Inc., 40 Tall Pine Dr., Sudbury, MA 01776; (617) 443-7311.

Enter 458 on reader card

TOPS/VMS Provides Real-Time Translation

Sun Microsystems Company recently previewed a version of the TOPS Network for VAX running VMS. TOPS Networks enable Macintosh and MS-DOS computers to transparently share files, disks, printers and peripherals over low-cost, AppleTalk-compatible twisted-pair cabling. TOPS/VMS enables VAXs to act as file servers to Macintosh and MS-DOS computers, with TOPS providing real-time translation between VMS, DOS and the Macintosh.

Other TOPS products include TOPS Terminal, TOPS FlashCard, TOPS NetPrint, TOPS Repeater and TOPS TeleConnector. To learn more about TOPS and its products, contact TOPS, 2560 Ninth St., Ste. 220, Berkeley, CA 94710; (415) 549-5900.

Enter 471 on reader card

DECnet and AppleTalk: The Macintosh Connection



Call Alisa Systems for mail, file and print service solutions.

If you want

- Real time VMS mail services for your Macintosh . . .
- Uncomplicated file access and transfer between your Macintosh and VAX . . .
- Faster laser printing of your Macintosh and VAX files . . .

and

- Solutions to your system networking needs

Contact Alisa Systems, Inc. at (818) 792-9474 to receive our brochure describing networking solutions. DECnet for the MAC (TSSnet™) and AppleTalk for the VAX (AlisaTalk™)

ALISA SYSTEMS

Alisa Systems, Inc., 221 E. Walnut Street, Suite 230, Pasadena, CA 91101 Telephone (818) 792-9474 • Telex 88-1268

AlisaTalk is a trademark of Alisa Systems, Inc. Apple is a trademark of Apple Computer, Inc. Macintosh trademark of Mcintosh Laboratories, Inc., licensed to Apple Computer, Inc. and is used with the express permission of its owner. VAX, VMS and DECnet are trademarks of Digital Equipment Corp. TSSnet is a trademark of Thursby Software Systems.

ENTER 247 ON READER CARD

See us at DEXPO South Booth #1708

Telos Introduces MacNOW For ALL-IN-1

Telos Corporation has introduced MacNOW. It works with ALL-IN-1 to perform functions such as electronic mail, word processing, file cabinet management, file transfer, terminal emulation and user scripts. Users work off-line at a networked Macintosh, thereby offloading the CPU processing requirements from the VAX and improving overall system performance. The host acts as a file server allowing storage and access to documents as well as electronic mail. These OA functions are performed with the standard Macintosh interface of pull-down menus, icons, dialog boxes and a mouse.

Find out more about the product by contacting Telos Corp., 3420 Ocean Park Blvd., Santa Monica, CA 90405; (213) 450-2424.

Enter 470 on reader card

Ethernet, AT&T Coexist With LattisNet

SynOptics Communications' LattisNet family of products enables Ethernet to operate on installed star topology cabling systems typically used for PBX communications. This means that a single cabling system can be used throughout a site to support both Ethernet and products from Apple, DEC, IBM, etc. By avoiding the requirement for two cabling systems, both installation expense and on-going support costs are reduced.

The company's patented technology that's incorporated in its LattisNet product line allows Ethernet to coexist with either IBM or AT&T cabling systems, whether the media is fiber optic, shielded twisted pair or unshielded twisted pair. SynOptics communications products provide the customer with an alternative to the significant expense of installing two parallel but incompatible networks.

Learn more by contacting SynOptics Communications Inc., 329 N. Bernardo Ave., Mountain View, CA 94043-5223; (415) 960-1100; FAX: (415) 960-3693.

Enter 469 on reader card

Apple Acquires Network Innovations

Apple has acquired Network Innovations Corporation. Network Innovations develops and markets standard connectivity products that address the difficulty in linking desktop computer applications to data in incompatible minicomputer and mainframe systems.

CL/1 is a connectivity language for building desktop-to-host applications. CL/1 is a universal, high-level, SQL-based data access language for software developers to provide transparent access from desktop applications to data on host systems. The first CL/1 connection, a Mac-to-VAX link, provides transparent access from within Macintosh applications to databases, files and applications running on VAX minicomputers. Obtain more information from Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014; (408) 996-1010.

Enter 424 on reader card

Developers Of BLAST Unveil MacBLAST

Communications Research Group has a new telecommunications package, MacBLAST for the Macintosh workstation. MacBLAST comes with standard terminal emulation, including VT100/220. It also supports the Multi-Finder for background file transfers and lets users switch between Macintosh and remote operations.

Other features include auto-dialing and auto-login to remote computers; automated modem support and easy-to-use scripting, allowing the user to design sophisticated systems around BLAST. MacBLAST features pull-down menu interface and mouse support, and allows full connectivity with more than 30 different operating systems and 100 different computers.

Prices range from $195 (Macintosh), $250 (PC) to $895 (minis).

Find out more by contacting the Communications Research Group, 5615 Corporate Blvd., Baton Rouge, LA 70808; (504) 923-0888.

Enter 473 on reader card

KaleidaGraph Joins VersaTerm Family

KaleidaGraph recently was released by Peripheral Computers and Supplies as part of its VersaTerm family of products, which support the Macintosh computer as a workstation integrating with various mini/mainframe computers, including VAX.

KaleidaGraph provides a natural productivity extension for business, engineering and scientific users. Data can be input from a mainframe or local application, edited and transformed, then plotted and analyzed. KaleidaGraph has a programmable macro calculator, user-definable input data formats and a customized plot as a template for new data. Transformed data is displayed and analyzed graphically by six built-in curve fitting functions using 10 plot types.

KaleidaGraph sells for $179.

For more information, contact Peripherals Computers & Supplies Inc., 2457 Perkiomen Ave., Reading, PA 19606; (215) 779-0522.

Enter 467 on reader card

White Pine And Telos Team With Pacer

Pacer Software Inc. has two corporate alliances aimed at increasing the product options available to Macintosh users in a VAX Ethernet environment. Using Pacer's Modem Port Redirector software, Macintosh communications programs designed for use over serial line (RS-232) connections to a VAX now can be used transparently in configurations where the Macintosh workstation is connected directly to Ethernet or an AppleTalk network that is bridged to Ethernet. Both White Pine Software, developer of the Mac240 VT240 graphics terminal emulator, and Telos Systems Development, developer of the MacNOW package of software tools for ALL-IN-1, have licensed the Pacer Redirector software.

The Mac240 and MacNOW can communicate over Ethernet to any VAX running PacerLink. Supported hardware configurations include the Kinetics FastPath AppleTalk/Ethernet bridge and direct Macintosh Ethernet connection products from Apple, Kinetics and 3COM.

Find out more by contacting Pacer Software Inc., 7911 Herschel Ave., Ste. 402, La Jolla, CA 92037; (619) 454-0565.

Enter 466 on reader card

Ada MacHost Uses Mac-to-VAX Applications

EVB Software Engineering Inc. has announced the Ada MacHost, allowing a software engineer to create Ada applications on a host machine (such as a VAX), which can interact with the Macintosh environment.

Ada MacHost appears to the software engineer as a set of Ada packages, which allow the user to create and manipulate all the items in the Macintosh environment. Thus, from within an Ada application, the software engineer can create a dialog window, display this window on the Macintosh and respond to any interactions a user might have with the dialog window.

Ada MacHost is available for a VAX under VMS, but it will be ported to a number of host systems.

Learn more by contacting EVB Software Engineering Inc., 5320 Spectrum Dr., Frederick, MD 21701; (301) 695-6960.

Enter 475 on reader card ■

Now My VAX Can AppleShare

I love my Mac. I love the way AppleShare networks our Macs so we can all use the same files. But sometimes I need to use data and storage space that's on the big VAX system. This used to be a problem. Until Pacer came along with PacerShare.

With PacerShare, the VAX can act as a large file server for our Macintosh network. I can use the mouse and graphical interface to directly peruse the VMS file system, create directories, move directory trees or access any VMS file type from within a standard Macintosh application.

My colleagues working at the VAX terminals see the data in a form that's familiar to them. I see the same data in Mac form. Yet we're sharing the same files. Plus, PacerShare conforms to VMS file system security. And with the VAX power behind it, my little Mac runs real fast.



I love PacerShare. It's kind of like having my cake and eating it too.

Pacer SOFTWARE

7911 Herschel Ave., Suite 402
La Jolla, CA 92037
619-454-0565

1900 West Park Drive, Suite 280
Westborough, MA 01581
617-898-3300

ENTER 244 ON READER CARD

PRODUCTS

CIS Offers VAX System Software Products

Computer Information Systems Inc. is featuring two new products, Quantum PM and Quantum I/O.

Quantum PM collects and reports configuration, CPU, I/O and memory statistics for performance analysis, system tuning and capacity planning. Quantum PM lets the system manager define, adjust, modify and delete statistic groups used in collecting and reporting data. Reports are flexible and can be tailored to management's need.

Quantum I/O is a layered product consisting of a set of routines written in MACRO32, which permits faster I/O processing. With Quantum I/O, anyone programming in the general-purpose VAX languages can make I/O programming easier and improve program performance.

For more information, contact Computer Information Systems Inc., 165 Bay State Dr., Braintree, MA 02184; (617) 848-7515. Stop by Booth No. 705.

Enter 402 on reader card

CJ/PERSONNEL Reduces Burden Of Cobra

Collier-Jackson's CJ/PERSONNEL system has been enhanced for compliance with the Consolidated Omnibus Budget Reconciliation Act (COBRA). This release includes features to track eligibility, monitor payments and check the status of COBRA plans. The system calculates the costs of each plan and provides extensive tracking and recording capabilities.

Other system enhancements streamline employment history with each transaction automatically sequenced according to effective dates. Any number of future-dated transactions can be applied to current employee files.

Find out more by contacting Collier-Jackson Inc., 3707 W. Cherry St., Tampa, FL 33607-2596; (813) 872-9990. Stop by Booth No. 1217.

Enter 404 on reader card

VAX/VMS Spreadsheet Size Expanded

Stone Mountain Computing has announced release 4.7 of Graphic Outlook, which allows worksheet sizes up to 9,999 rows and 702 columns. This release introduces new efficiencies in the handling of worksheet data, speeding up formula recalculation and reducing the size of stored worksheets.

It reads and writes LOTUS and Symphony spreadsheets. Using "Lotus Mode," the command structure closely parallels that of LOTUS 1-2-3. The program fully integrates spreadsheet functions with high-quality graphics, drawing color and monochrome bar, pie, line and scatter plots, as well as 3-D surface plots on most graphics devices. A low-resolution graphics feature

More than 7,000 DEC buyers are expected to attend DEXPO Spring '88, which is being held at the Cincinnati Gardens, May 17-19. All of the companies mentioned in "Products" this month are exhibitors, and we have included their booth numbers. Please stop by and visit Professional Press at booth number 1123. We enjoy meeting our readers.

draws bar charts and line plots on VT100-type terminals.

Demonstration tapes are available from Stone Mountain Computing Corporation, P.O. Box 1369, Goleta, CA 93116; (805) 968-3838. Visit Booth No. 1215.

Enter 405 on reader card

Cortex Releases New Integrated Case Product

Cortex Corporation has released CorVision, an integrated CASE product, that improves software development productivity by as much as 600 percent, relative to traditional manual programming. CorVision automates the design, programming and maintenance of software on VAX computers.

Developers quickly can build production applications that share data with other VAX/VMS-based applications. Applications developed with CorVision use DEC's RMS file system and Rdb relational database. They also support VAXclusters and standard VMS datatypes.

For further information, contact Cortex Corporation, 138 Technology Dr., Waltham, MA 02154; (617) 894-7000. Visit Booth No. 318.

Enter 406 on reader card

Random Corporation Displays The Colleagues

Random Corporation will display Colleague and Colleague PLUS. Colleague is a battery-powered VT52/100/220-compatible laptop terminal offering a full (25 x 80) screen, full travel keyboard, internal 300/1200 baud modem and serial port speeds of up to 19,200 bps.

Colleague PLUS has off-line word processing with data capture and send capability. Other PLUS features include screen-snap, record and playback.

Colleague is priced at less than $1,000. Colleague PLUS costs $1,295.

To obtain further information, contact Random Corporation, 581 Northland Rd., Cincinnati, OH 45240; (513) 825-0880. Stop by Booth 501.

Enter 401 on reader card

AIS Exhibits EasyEntry

Applied Information Systems Inc. will display a new version of the BURCOM Digital/Burroughs communications system. BURCOM 3.0 provides enhanced file transfer, security, print routing and diagnostics, as well as support for DECnet, VT300 terminals, the DMB-32 interface and Burroughs ET1100 terminal emulation.

AIS also will exhibit EasyEntry, a data entry applications generator for the VAX, PDP-11, Professional, Rainbow and IBM PC. EasyEntry supports heavy data validation, rekey verification, file searches, math computations, windowing and color. Users can store data in indexed or sequential files, perform keyed or non-keyed searches, call records to the screen and modify or reverify the data. EasyEntry can be used as a stand-alone applications generator or be integrated with other software packages.

For more information, contact Applied Information Systems Inc., 500 Eastowne Dr., Ste. 207, Chapel Hill, NC 27514; (800) 334-5510. Visit Booth No. 1116.

Enter 407 on reader card

Trimm Has New Rackmount System Enclosures

Trimm Industries has introduced a new range of rackmount system enclosures. The Trimm DA23 is a Q-bus-compatible 5¼-inch system enclosure. A 350-watt continuous power supply offers the integrator more power to drive DEC-compatible modules. Chassis slides and tilt-up and locking card-cage enhance the serviceability of the enclosure. CD and Q22 backplanes also are available.

Some features are DEC-compatible slide plates for mounting two 5¼-inch peripheral devices, I/O panel with A, C and D size module openings and bridges to allow up to five B size openings. A full-featured control console offers all Q-bus functions, plus two Write Protect/Ready switches, disk access indicator, key activated power switch with system security position and advanced cooling with audible Thermal Protection Alarm.

Learn more by contacting Trimm Industries, 11949 Sherman Rd., N. Hollywood, CA 91605; (800) 272-3557 in CA and (800) 423-2024 outside CA. Visit Booth No. 1148.

Enter 400 on reader card

117 Typefaces Available For The LN03 Printer

Compugraphic Corporation, supplier of fonts for the DEC LN01 and LN03 laser printers has announced 78 new proportional typefaces for the LN03 printer. Compugraphic also offers the Courier, Elite and Modern typefaces at larger point sizes to accommodate headline and display applications.

Most of the Compugraphic library is available in sizes ranging from six- to 36-point, in a choice of character sets to suit specific applications. Compugraphic also offers 26 monospaced designs, including OCR-A and OCR-B.

For further information, contact Font Technologies, A Division of Compugraphic

DEC PROs At DECUS

Join *DEC PROFESSIONAL* editors at the Spring DECUS Symposium, May 16-20. Check your DECUS schedule for times and locations of the following speakers:

Kevin G. Barkes, DCL Editor:
- "Utility Development In DCL"

Bill Hancock, Networking Editor:
- "Understanding Ethernet"
- "DECNET-To-VAX Networking"
- "What Is Network Performance, Anyway?"
- "VAX-To-Mac Networking

James A. McGlinchey, RSX Editor:
- "RSX Wizards Confess"
- "Personal PDP-11s"

Philip A. Naecker, West Coast Editor:
- "Building A Run-Time Library"
- "Performance Management For DATATRIEVE Applications"
- "Common Data Dictionary Performance Optimization"

DEC PRO editors also will be offering Presymposium presentations:

Rex Jaeschke, C Editor:
- "Advanced C Language Tips"

James A. McGlinchey, RSX Editor:
- "Application Development Under RSX"

Philip A. Naecker, West Coast Editor:
- "Effective Utilization Of The Distributed Computing Environment"

Confused?

No wonder.

Macintosh®-VAX/VMS™ Networking means a dizzying array of connectivity products, network architectures, and hardware options.

Why not join us at our office in Marlton, NJ (20 minutes from Philly, two hours from New York) to get your hands dirty and your head straight:

June 13-15, 1988 •
July 6-8, 1988 •
August 1-3, 1988 •
September 7-9, 1988 •

The Macintosh/VAX Networking Lab

Course length - 3 days

Tuition - $950

Training Objectives:

- Find out how to connect your Macintosh and IBM PC-compatible workstations through a VAX
- Understand AppleTalk and DECnet network architectures.
- Learn how to install and use various AppleTalk network hardware products.
- Learn how to install and manage various DECnet and AppleTalk based Mac/VAX networking products.
- Learn how to use and evaluate Macintosh terminal emulators.
- Learn how to develop VAX-based Macintosh database applications.

Topics Covered:

Network Architectures •
DECnet, AppleTalk

Network Hardware •
Ethernet
LocalTalk
Bridges
Gateways

Network Management •

Terminal Emulators •
VT100, VT220,VT240
Tektronix

VAX/VMS File Servers •
AlisaTalk, PacerShare

Networked Databases •

Network Management •

COMPUTER METHODS CORPORATION
525 ROUTE 73 SOUTH • SUITE 300 • MARLTON, NJ 08053
CONSULTING • TRAINING • SOFTWARE ENGINEERING

PHONE (609) 596-4360 ***FAX (609) 596-4362***

Macintosh and AppleTalk are registered trademarks of Apple Computer, Inc.
VAX and VT are registered trademarks of Digital Equipment Corporation.
IBM and IBM PC are registered trademarks of International Business Machines, Inc.

ENTER 179 ON READER CARD

Corp., 90 Industrial Way, Wilmington, MA 01887; (617) 658-0200. Stop by Booth No. 1012.

Enter 410 on reader card

Clearpoint And EEC Make Joint Announcement

A powerful new version of TurboDisk-Plus Model II, consisting of Clearpoint Research Corporation's 16-MB QED/16 memory board and EEC Systems' TurboDisk-Plus Software V2.2 has been announced jointly by both companies.

The new TurboDisk-Plus Software V2.2 features RAM Disk Shadowing, which guarantees data integrity in the event of power loss to both machine and the RAM Disk. The RAM Disk also can pinpoint those files that consume the most I/O resources on the VMS system. The I/O analysis system automatically produces a report indicating those files that should be placed on the RAM Disk.

Further information is available from Clearpoint Research Corp., 99 South St., Hopkinton, MA 01748; (617) 435-5395. Visit Booth No. 308.

Enter 411 on reader card

DDA Represented At DEXPO

Members of the Digital Dealers Association (DDA) will be at DEXPO Spring. Primary objectives of the DDA are to promote an orderly secondary market for Digital products and to maintain high ethical and professional standards throughout the industry.

Meetings are held twice each year and a newsletter, *DDA NEWS*, is published quarterly. The network of information among members and an increasing number of services are other benefits for members. For additional information, contact Digital Dealers Association, 107½ S. Main St., Ste. 202, Chelsea, MI 48118; (313) 475-8333. Stop by Booth 906.

Enter 409 on reader card

RA Subsystems Are DEC-Compatible

DILOG has announced two disk drive subsystems with fixed or removable disk drives that are compatible with the RA series of disk drives from DEC.

The Fixed Disk RA (FDRA) subsystem series provides high storage capacity (up to 2.3 gigabytes per unit) while the Quick Disconnect RA (QDRA) subsystem is for use in applications where data security, high reliability and portability are required.

Both can be attached directly to the KDA-50 Q-bus controller, the KDB-50 controller for the BI-bus, the UDA-50 controller for the UNIBUS or the HSC-50/70 controller for CI cluster systems. Both subsystem families are cost-effective alternatives to RA drives or to share a controller with installed RA drives to protect existing drive investments.

An FDRA subsystem with two 576-MB ESDI drives costs $28,802. A QDRA subsystem with two 288-MB ESDI disk drives costs $22,884.

To learn more, contact DILOG, 1555 S. Sinclair St., Anaheim, CA 92806; (714) 937-5700. Visit Booth No. 1139.

Enter 412 on reader card

System Industries Releases SI59

System Industries has announced the SI59 Cartridge Tape Subsystem, which manages more than 2 gigabytes of formatted data on a single 8mm cartridge. The SI59 combines

Worldwide,
more Printronix
matrix line printers
serve DEC systems than
all other brands combined.

Now meet the most
versatile line printer
in the world.

Please turn the page...

See Us At COMDEX Spring '88
in Atlanta, Booth #2934

PRINTRONIX®

17500 Cartwright Road
P.O. Box 19559
Irvine, CA 92713

800-826-3874

For additional information, enter 149 on reader card.
To have a salesman call, enter 151 on reader card.

removable, rewriteable magnetic media with a compact, integrated drive and high-performance controller to meet the large storage capacity needs of sophisticated application systems.

This subsystem is integrated into System Industries' multi-featured storage solutions, which are packaged in a variety of cabinet configurations. It's compatible with DEC's Q-bus-based computers.

To learn more, contact System Industries, 560 Cottonwood Dr., Milpitas, CA 95035; (408) 432-1212. Stop by Booth No. 1147.

Enter 414 on reader card

EMC Completes ARCHEION Optical Disk Family

EMC Corporation has announced an optical subsystem that emulates a magnetic disk to complete its ARCHEION optical disk family.

Offering up to 56 gigabytes of online storage, the Archeion/Database package allows users to view the subsystem as an RA series disk drive. The system is addressed with standard disk commands, eliminating the need for extensive user training.

Similar to Archeion's Archiving system, The Database system is VAX compatible. It attaches to all Q-bus, UNIBUS and BI-bus computers. The system's controller plugs directly into the VAX backplane using a standard SCSI interface.

For more information, contact EMC Corp., 171 South St., Hopkinton, MA 01748; (800) 222-EMC2. Stop by Booth No. 1600.

Enter 413 on reader card

System 1032/AF Unlocks Programmer Productivity

CompuServe Data Technologies has announced its new System 1032 Application Facility. System 1032/AF is a menu-driven, screen-based application generation system that makes defining, generating and maintaining database applications faster and easier. It provides a structured, yet flexible, environment where applications are developed and maintained visually. It accommodates a variety of application design styles. System 1032's data dictionary catalogs the data structures, screens, menus and custom code.

System 1032/AF-produced applications can integrate virtually all VAX software and facilities to create a single, comprehensive system with System 1032 as the core.

The cost to license System 1032/AF ranges from $600 for a VAXstation to $24,000 for a VAX 8800.

For more information, contact CompuServe Data Technologies, 1000 Massachusetts Ave., Cambridge, MA 02138; (617) 661-9440. Stop by Booth No. 1122.

Enter 415 on reader card

Oracle DBMS Runs On Mac II Under A/UX

Oracle Corporation has announced that its SQL-based ORACLE RDBMS, 4GL tools and decision-support software are available on the Macintosh II running Apple's version of the industry standard UNIX, called A/UX.

SQL*Net, a major component of the SQL*Star architecture, allows ORACLE users on the Macintosh to seamlessly connect to data stored on the corporate mainframe, a UNIX workstation, or a departmental VAX. SQL*Net supports Ethernet (TCP/IP) and DECnet protocols. Future releases will support a variety of communications protocols such as AppleTalk, Asyn-

RSX CONSULTING

- M, S, M-PLUS, Micro-RSX
- Performance Analysis/Tuning
- Device Drivers a Specialty
- Call-Up Support Service
- Disk Corruption Recovery

James A. McGlinchey
(Author of "The RSX Clinic")
Software Engineering Consultant
5 Skyline Drive
Post Office Box 81
Essex Junction, VT 05452-0081
802-879-6014

ENTER 130 ON READER CARD

DON'T BUY A VAX SPREADSHEET

Without trying GRAPHIC OUTLOOK from Stone Mountain Computing.

If you are looking for LOTUS-like capability on the VAX, try GRAPHIC OUTLOOK. It's powerful. It's useable. *And* it's affordable.

GRAPHIC OUTLOOK provides

- A LOTUS command mode that makes it as easy to operate as 1-2-3.
- Automatic transfer of worksheets to and from 1-2-3 (versions 1A *and* 2) and Symphony.
- High-quality business graphics on most popular graphics terminals, plotters, and laser printers.
- 2-user, 6-user licenses, a lease plan and right-to-copy discounts for clustered VAXes.
- Probably more capability than you've ever seen in a spreadsheet program.

Call about our demonstration package. GRAPHIC OUTLOOK. Tomorrow's VAX spreadsheet program that's available now.

Stone Mountain Computing
P.O. Box 1369
Goleta, CA 93116
(805) 964-9101

VAX is a registered trademark of Digital Equipment Corporation.
LOTUS and 1-2-3 are registered trademarks of Lotus Development Corporation

ENTER 248 ON READER CARD



INTRODUCING THE P9012.

IT'S FAST.

Up to 1200 lines per minute. The P9012 delivers band printer speed, plus versatility the competition can only dream about.

IT'S QUIET.

You'll have to watch the P9012 perform, because you won't hear it. At 55 dBA, it's the quietest line printer you can buy. So, put it anywhere. In the computer room. In the office. In the library. And with auto-ranging power, the P9012 automatically adapts to any power source in the world.

IT'S VERSATILE.

While other printers strive for "multi-functionality," the P9012 gives you "full-functionality." Plus the best print quality in the high speed line printer world–straight through six parts.

Choose from 210 resident character sets in a wide selection of character style and pitch. Then select from five text modes and print at up to 1200 lines per minute.

Print bar codes, logos and forms. Engineering and scientific graphics, business graphics and drawings, all at up to 150 inches per minute. Beautifully.

IT'S THE PERFECT PRINTER FOR YOUR DEC SYSTEMS.

The Printronix P9012. Give it any print job.
It just prints on. And on. And on…



See Us At COMDEX Spring '88 in Atlanta, Booth #2934

PRINTRONIX®

P.O. Box 19559, Irvine, CA 92713

800-826-3874

For additional information, enter 150 on reader card. To have a salesman call, enter 152 on reader card.

chronous RS232-C and APPC (LU6.2). For more information, contact Oracle Corp., 20 Davis Dr., Belmont, CA 94002; (415) 598-8000. Stop by Booth No. 1800.

Enter 418 on reader card

Mac Package To Emulate VT320

Walker Richer & Quinn is developing a VT320 terminal emulation package for the Macintosh. This product targets organizations that are integrating Macintoshes into the VAX environment.

Reflection 2 for the Macintosh will use the Macintosh interface to provide VT320 terminal emulation, command language and file transfer capabilities. This product will maintain command language compatibility with the PC version of Reflection. Macintosh users will be able to run Reflection command language programs written for the PC with little or no modification.

For more information, contact Walker Richer & Quinn, 2825 Eastlake Ave. E., Seattle, WA 98102; (206) 324-0350. Visit Booth No. 1824.

Enter 416 on reader card

Price Adjusted For DISKEEPER

Executive Software has adjusted its prices for DISKEEPER. Prices for some medium- and high-end VAX systems have decreased slightly, while prices for other systems have increased.

Support pricing reflects the "15 percent of list price" scheme that's becoming a standard in the industry. This results in lower support prices for nearly all models of DISKEEPER.

To obtain additional information, contact Executive Software, 3131 Foothill Blvd., Ste. F, La Crescenta, CA 91214-2699; (818) 249-4707. Stop by Booth No. 1712.

Enter 419 on reader card

FORUM Has Benefits Of CAMAC's Standardization

KineticSystems Corporation will exhibit FORUM. Conforming to the international CAMAC standard (IEEE-583) for Computer Automated Measurement And Control, Digital-based FORUM offers engineers and researchers all the benefits of CAMAC's standardization and field-proven concepts, including modular flexibility, limitless expansion, system longevity and computer independence.

Using CAMAC's open-end architecture, FORUM combines KSC's new K-SCAN process control software, a choice of DEC computers and wide selection of field-proven CAMAC process I/O modules. With FORUM, it's simple to design and implement systems tailored to a user's need. It offers the ability to start small and add I/O points, upgrade computers or extend the distributed highway as needs grow.

For more information, contact KineticSystems Corp., 11 Maryknoll Dr., Lockport, IL 60441; (815) 838-0005. Visit Booth No. 340.

Enter 432 on reader card

R-7 V3.0 Positions Files & Directories

RAXCO Inc. has announced the RABBIT-7 V3.0 (R-7 V3.0) software release.

R-7 V3.0 analyzes and intelligently places files, directories and free space for

2.5 Gigabytes VAX Backup

Gigastore works with the standard VMS, DCL Backup Command and all Qualifiers or standard Unix Dump/Restore Command and all Arguments. It also provides DEC tape emulation for general purpose use.

Utilizing true read-after-write coupled with very powerful error correction, GIGASTORE™ gives you an unsurpassed error rate of 1 in 10^{23} bits. In addition, you get a high speed search capability not available in most 9-track drives and the convenience of a T-120 VHS cartridge. An IBM PC interface is also available.

Call Digi-Data, an organization with a 25 year history of manufacturing quality tape drives, at (301) 498-0200.

™GIGASTORE is a trademark of Digi-Data Corporation.

DIGI-DATA CORPORATION
8580 Dorsey Run Road
Jessup, MD 20794-9990
(301) 498-0200
Telex 87-580

® ... First In Value

In Europe contact: Digi-Data Ltd. • Unit 4 • Kings Grove • Maidenhead, Berkshire England SL6 4DP • Telephone No. 0628 29555/6 • Telex 847720

ENTER 184 ON READER CARD

optimal throughput increases, shorter seek distance and supercharged throughput; centers free space (this consistently builds and maintains the largest possible pool of contiguous free space); warehouses seldom-used files at a disk's outer regions (this slashes seek time and focuses disk head movement; surrounds centered free space with "volatile" files (this focuses creation/deletion activity, keeping both newly created files and free space contiguous longer); etc.

Learn more by contacting RAXCO Inc., 2440 Research Blvd., Rockville, MD 20850; (301) 258-2620. Stop by Booth No. 529.

Enter 417 on reader card

LAN DETECTOR Unveiled By MICOM-Interlan

MICOM-Interlan has introduced the LAN DETECTOR, a sophisticated protocol analyzer for troubleshooting and evaluating the performance of any Ethernet or IEEE 802.3-based LAN. This hardware/software package can be installed on an IBM PC AT or compatible machine and supports a wide range of industry-standard protocols including Novell's NetWare, TCP/IP, Sun Microsystem's NFS, ISO/MS-Net, XNS/MS-Net and DECnet.

Prices start at less than $11,000.

For more information, contact MICOM Systems Inc., 155 Swanson Rd., Boxborough, MA 01719; (617) 263-9929. Visit Booth No. 511.

Enter 427 on reader card

CDSA Offers Discounts At DEXPO Spring

C.D. Smith & Associates Inc., (CDSA) is exhibiting at DEXPO Spring. CDSA specializes in the VAX product line and buys, sells and rents new and used VAX systems, options and CPUs. CDSA maintains an extensive inventory of VAX-related items.

Persons considering selling or purchasing a VAX system or option should visit C.D. Smith & Associates Inc. It will be offering specially priced VAX systems and options to qualified buyers during the show. For additional information, contact C.D. Smith & Associates, Inc., 12605 East Freeway, Ste. 318, Houston, TX 77015. Stop by Booth No. 812.

Enter 431 on reader card

MARK 12 Enhances NAG FORTRAN Library

MARK 12 of the NAG FORTRAN Library, from Numerical Algorithms Group Inc. (NAG) provides 688 FORTRAN mathematical and statistical subroutines for more than 80 computer/operating system combinations from workstations to supercomputers, including all DEC systems. NAG has added 175 new user-level routines. Among these are 97 routines including Level 1 and Level 2 Basis Linear Algebra Subprograms (BLAS) to enhance performance on vector and parallel computer systems.

Mark 12 of the NAG FORTRAN Library is a comprehensive, integrated library of numerical algorithms for computational science and engineering. The Online Information Supplement and Graphical Supplement also are available to complement the NAG FORTRAN Library.

Details are available from Numerical Algorithms Group Inc., 1101 31st St., Ste. 100, Downers Grove, IL 60515; (312) 971-2337. Stop by Booth No. 826.

Enter 435 on reader card

RAD The Local Communications Specialists

SRM-6 FAMILY - *Short Range Modems*

- 4-wire, 2-wire or fiber optic
- Operate without AC power
- Data rates up to 19,200 bps
- Lighting protected



TRIMLINK - *Sync Data Compressor*

- Compression ratios up to 2:1
- Data rates up to 19,200 bps
- Auto adaptive algorithm
- Selectable protocols: SDLC, HDLC, DDCMP, BSC, transparent
- Error-free communications
- Clock regulations to control data flow

2 to 1 Data Compression On Your DEC NET

MSA-1 - *Async to Sync Converter*

- Automatic baud rate adjustment from 150 to 19,200 bps
- 6, 7, 8, 9 bits code, any parity
- Complete with cable and connectors
- Compensates for clock differences without loss of data

TDM MULTIPLEXERS

- MMM Local 2 port multiplexer
- MAM-S 2 port async multiplexer for sync modems
- MAM-A 2 port async multiplexer for async modems

RAD Data Communications Inc., 151 West Passaic St., Rochelle Park, NJ 07662, Tel: (201) 587-8822, Fax: (201) 368-2102

ENTER 257 ON READER CARD

Upgrade your PDP-11/34 to an 11/73 with MDB's Transverter-73 system.



MDB Introduces Late-Life Kicker

The Transverter-73 System, from MDB Systems Inc., allows users of PDP-11/34 computers the capability to upgrade their systems to use 11/73 CPUs and memory, thus extending useful computer life and reducing maintenance costs of the older systems.

The Transverter-73 System has a rear-loading 5 1/4-inch rack mountable chassis, an 11/73 CPU and 1 MB of block mode memory. It also uses the MDB Bus Interpreter (Transverter) that's provided in a specific configuration for this application. The Transverter is a two-board set consisting of one quad-size and one dual-size module. The boards are installed into the UNIBUS and Q-bus backplanes. It has an integral bus repeater, so the interconnecting cable length doesn't subtract from the maximum allowable physical bus length of either system.

The Transverter-73 System costs $6,590. For more information, contact MDB Systems Inc., 1110 W. Taft Ave., Orange, CA 92665; (714) 998-6900. Stop by Booth No. 1026.

Enter 447 on reader card

The 3308/S Offers Better Print Quality

IMAGEN Corporation announced an addition to its ImageServer XP line of laser printer systems. The 3308/S Laser Printers System consists of a Canon eight-page-per-minute LPB-TX laser printer making engine, performance optimized Raster Image Processor (RIP), host/network interface and system software.

The 3308/S allows direct network connectivity and uses IMAGEN's Multiple Language Support (MLS) software. MLS allows the 3308/S to be used with most application programs by supporting multiple page description languages. The 3308/S can accept output written in IMAGEN's impress page description language or UltraScript, IMAGEN's PostScript-compatible emulator. Emulations for several other printer control "standards" also are included.

The 3308/S costs $10,950.

Learn more by contacting IMAGEN Corp., P.O. Box 58101, Santa Clara, CA 95052-8101; (408) 986-9400. Visit Booth No. 2100.

Enter 425 on reader card

Compu-Share Integrates With All-IN-1

Compu-Share Inc. announces complete integration with ALL-IN-1. The company's line of accounting products supports the OA functions of ALL-IN-1. These products now interrupt from any CSI application to access the ALL-IN-1 interrupt menu, report output to ALL-IN-1 folders, invoke the ALL-IN-1 calculator from any CSI screen form and print any CSI screen to the ALL-IN-1 scratch pad.

ALL-IN-1 integration is available with Compu-Share's new VAX product line.

To learn more, contact Compu-Share Inc., 5214 68th St., Lubbock, TX 79424; (806) 794-1400. Stop by Booth No. 1134.

Enter 403 on reader card

V10.06 Of ACCENT R Announced By NIS

National Information Systems Inc. has announced the release of version 10.06 of the ACCENT R Total Applications Development Environment with major enhancements in performance plus new statements, commands and system fields.

ACCENT R's Screen Management Facility, which enables users to develop fully customized screens, has been enhanced to include new menu and form navigation tools. Another enhancement lets users share source code to help manage their development libraries. Other new statements, commands and fields have been added that give more power and control for application developments and more flexibility in ACCENT R startup.

More information may be obtained from National Information Systems Inc., 1190 Saratoga Ave., San Jose, CA 95129; (408) 985-7100. Stop by Booth No. 336.

Enter 433 on reader card

Access Technology Demonstrates 20/20

Access Technology Inc. will demonstrate the 20/20 Database Connection. The 20/20 Database Connection provides DEC users with a quick, easy way to retrieve information from several VAX databases and provides the ability to bring it back into the 20/20 spreadsheet for analysis. This lets users access their data without using a query language or setting up intermediate files.

For more information, contact Access Technology Inc., 6 Pleasant St., S. Natick, MA 01760; (617) 655-9191. Visit Booth No. 432.

Enter 434 on reader card

BUILD-A-COURSE Fits Users' Needs

Bernstein & Associates Inc., a VAX/VMS training firm, announced BUILD-A-COURSE. BUILD-A-COURSE is a method of tailoring a VMS course to fit users' exact needs by letting them design their own curriculum. This service lets users choose among several different modules and lets them put together a course and a manual that's right for them.

For more information, contact Bernstein & Associates Inc., 3 Dunwoody Park, Ste. 103, Atlanta, GA 30338; (404) 392-1488. Stop by Booth No. 828.

Enter 437 on reader card

HYPER-CACHE Increases PDP-11/70 Performance

Digital Data Systems Inc., and Setasi Research and Development are showcasing their third enhancement product for PDP-11 systems. The companies are introducing HYPER-CACHE for the PDP-11/70.

HYPER-CACHE replaces cache modules presently in the PDP-11/70 systems. Used with the PEP-70, the HYPER-CACHE increases PDP-11/70 performance dramatically.

The HYPER-CACHE is 100 percent transparent to system hardware and software (other than performance).

For more information, contact Digital Data Systems Inc., 1551 N.W. 65th Ave., Ft. Lauderdale, FL 33313; (305) 792-3290. Visit Booth No. 504.

Enter 439 on reader card

SYNERGIST Gives Users Latest Technologies

SYNERGIST is an application development architecture, from Gateway Systems Corporation, that blends the power of the PC and host. It allows the programmer to speed development and provides the end user with faster, more efficient execution. It allows users to design applications that can run on PCs connected to an HP3000 or a VAX or on a standalone PC.

SYNERGIST minimizes development time and effort by automating many traditional coding tasks. Development of an application can be completed in four steps and ready for execution.

To learn more, contact Gateway Systems Corp., 2400 Science Parkway, Okemos, MI 48864; (517) 349-7740. Stop by Booth No. 218.

Enter 438 on reader card

TOLAS V6.3 Demonstrated By GSI Transcomm

GSI Transcomm will be conducting demonstrations of its TOLAS distribution and financial management software system. TOLAS V6.3, which uses the VMS operating system, is compatible with all VAXs. It takes advantage of the VAX Information Architecture and uses the Common Data Dictionary as a central storage facility for data definitions. TOLAS can be used in conjunction with DEC's many RMS-layered software products, such as ALL-IN-1.

Some features include functions for kit processing, invoice consolidation and future order processing.

License fees for individual TOLAS V6.3 software modules range from $3,000 to $43,000, depending on VAX CPU size.

For more information, contact GSI Transcomm, 1380 Old Freeport Rd., Pittsburgh, PA 15238; (412) 963-6770. Stop by Booth No. 1625.

Enter 450 on reader card

American Digital Products Upgraded

American Digital Systems has introduced the higher capacity versions of its original MasterDisk Series 5 products. The high-capacity products range from 369 MB for a one-drive system, up to 1.475 gigabytes for a four-drive system. MasterDisk products are available for Q-bus and UNIBUS computer systems.

For the same price that customers can purchase a 152-MB drive, they now can upgrade their system by exchanging their 152-MB drives for 369-MB drives. This gives users 217 more megabytes per drive. For more information, contact American Digital Systems Inc., 75 Union Ave., Sudbury, MA 01776; (617) 443-7711. Visit Booth No. 1608.

Enter 440 on reader card

IMSL Libraries Ready For VAXs And MicroVAXs

IMSL Inc. has created three distinct but coordinated libraries of FORTRAN subprograms from its original IMSL Library. The original IMSL Library has been expanded and divided into MATH/LIBRARY, STAT/LIBRARY and SFUN/LIBRARY. The IMSL Libraries allow the professional problem solver to choose from more than 800 mathematical and statistical subprograms.

The IMSL Libraries' annual license fee on the VAX and MicroVAX I & II ranges from $1,400 to $3,500 for the initial year and from $900 to $2,500 for annual renewal. Learn more by contacting IMSL Marketing

AVERAGE DISK ACCESS TIME...

6.39 msec.

What can this kind of performance do for you?
Add one of **MasterDisk's** disk storage systems to your DEC computer and discover what you can do with significantly increased speed and storage:

- **Make a MicroVAX II outperform a VAX 8600***
- **Double the number of users on the system and get a better performance for each user***
- **Improve disk system throughput by as much as 450%***

MasterDisk is the most convenient and cost effective means available to attain the maximum throughput from your existing DEC system.

Storage Capacities - 152 megabytes to 2.93 gigabytes

Compatibility - All Q-Bus and Unibus systems including MicroVAX II, & 3000s; PDP-11s, and VAXs

Warranty - Exclusive TWO YEAR WARRANTY with Nationwide service and support

Mounting/Packaging - Rack mount, floor stand, table top or internal mounting

Delivery - Within 30 days, complete and ready for simple customer installation

*Actual field application data reported by some of our enthusiastic customers

MasterDisk®

Call Department D2 for information.

(617) 443-7711

See us at DEXPO South, Booth #1608

American Digital Systems Inc.

75 Union Avenue, Sudbury, MA 01776-9990

ENTER 178 ON READER CARD

Most sales order management systems promise a great fit.

If you happen to wear their size.

In sales order management, "great fit" means doing the job the way *you* do business — using *your* unique order types and *your* way of processing them. It also means adapting to your changing needs. And it means doing all of this without the time or cost of custom program development.

If you have unique requirements for export orders, consignment orders — any kind of order — Cardinal can automate them quickly and easily at a fraction of the cost of custom software development. No one else can offer you this combination of exact fit and easy adaptability.

The secret: the Cardinal Configurator, an exclusive architecture that lets you specify, in detail, an unlimited number of order types and how each is processed. As your needs change, your systems can change with them — without programming.

So why settle for an inflexible order management system? Or spend a fortune on custom software development? Call Cardinal. And get the best of both worlds.

ENTER 195 ON READER CARD

cardinal data corp

75 Second Avenue, Needham, MA 02194 • (617) 449-0066
Distributors: Los Angeles (714-554-1551) • Sydney (2-436-4022)

INTEGRATED SOFTWARE FOR: **ORDER MANAGEMENT • PURCHASING • INVENTORY • RECEIVABLES • PAYABLES • GENERAL LEDGER**

Services Division, 2500 ParkWest Tower One, 2500 CityWest Blvd., Houston, TX 77042-3020; (713) 782-6060. Stop by Booth No. 808.

Enter 441 on reader card

SMS 1000 Model 38 Is A Microcomputer System

Scientific Micro Systems Inc. has announced its SMS 1000 Model 38 system compatible with the DEC LSI-11 computer. The SMS 1000 Model 38 is a complete microcomputer system based on Q-bus architecture. The Model 38 is a powerful tabletop computer that has a Winchester hard disk drive, an LSI-11/23 or LSI-11/73 CPU, four or eight serial ports, a selection of removable media and a five-slot quad-height Q-bus backplane. The system supports high-performance real-time operating systems such as RT-11, RSX-11M and RSX-11M-PLUS, and time-sharing operating systems such as RSTS/E, UNIX and TSX-PLUS.

SMS 1000 Model 38 is priced between $3,000 and $17,000.

Obtain additional information from SMS Inc., 339 N. Bernardo Ave., Mountain View, CA 94043; (415) 962-5459. Visit Booth No. 1135.

Enter 445 on reader card

MBA Servers Offered In Two Models

MBA Systems Automation announced the XXXNET series terminal servers for the VAX/VMS environment. XXXNET terminal servers are offered in two major models of L-series and S-series. The L-series are configured as leaf node servers and can be connected to dedicated leased lines (1200 baud to 56 KB) to support as many as 64 remote terminals each. Functionally, the L-series terminal servers can perform the function of DEC terminal servers and the TRANS-LAN boxes.

Each S-series terminal server can support up to six remote L-series terminal servers and can communicate with 128 other S-series terminal servers on Ethernet links. These remote terminal servers can be interconnected using standard Ethernet devices. Obtain more information by contacting MBA Systems Automation, 611 E. Weber Rd., Columbus, OH 43211; (614) 447-0100. Visit Booth No. 535.

Enter 436 on reader card

Numerix Debuts Attached Vector Processor

Numerix Corporation has announced its 2nd generation, 32-bit Attached Vector Processor (AVP) combining low cost, large memory and small size. Also announced is an Integrated Software System (IVP) that reduces the time and effort required to implement an application.

The NMX-332 is a 32-bit Attached Vector Processor that can attach to a VAX host via Q-bus, UNIBUS or VAX BI. The system can process at 24 Mflops (millions of floating point operations per second) using a synchronous architecture. It uses CMOS (2 micron) gate array technology that provides a reduction in overall system size and manufacturing cost, while maintaining the architectural system features to ensure software compatibility with the NMX-432.

For complete details, contact Numerix Corporation, 20 Ossipee Rd., Newton, MA 02164; (617) 964-2500. Stop by Booth No. 800.

Enter 430 on reader card

How Much Faster Will Your Computer Be With MASTERDISK?

As Fast As It Can Get.

Add one of **MasterDisk's** disk storage systems to your DEC computer and discover what you can do with significantly increased speed and storage:

- **Make a MicroVAX II outperform a VAX 8600***
- **Double the number of users on the system and get a better performance for each user***
- **Improve disk system throughput by as much as 450%***

MasterDisk is the most convenient and cost effective means available to attain the maximum throughput from your existing DEC system.

Storage Capacities - 152 megabytes to 2.93 gigabytes
Compatibility - All Q-Bus and Unibus systems including MicroVAX II, & 3000s; PDP-11s, and VAXs
Warranty - Exclusive TWO YEAR WARRANTY with Nationwide service and support
Mounting/Packaging - Rack mount, floor stand, table top or internal mounting
Delivery - Within 30 days, complete and ready for simple customer installation

* Actual field application data reported by some of our enthusiastic customers

MasterDisk®

Call Department D1 for information.
(617) 443-7711

See us at DEXPO South, Booth #1608

American Digital Systems Inc.
75 Union Avenue, Sudbury, MA 01776-9990

ENTER 246 ON READER CARD



PAKmanager, from DEMAC, allows proper disk space management.

PAKmanager Arrests Space Stealers

DEMAC Software has introduced PAKmanager. PAKmanager lets a VAX manager instantly generate detailed reports that identify space stealers such as unnecessary duplicate files, aged files, excessive multiversion files, overallocated blocks and expired files. The best aspect of PAKmanager is its ability to instantly provide the VAX manager with valuable information needed to better manage valuable disk space.

PAKmanager has an easy-to-use screen menu interface, an optional DCL command line interface for experienced users, a complete online help facility and a clear, concise user manual.

For further information, contact DEMAC Software, 18300 Von Karman, Ste. 700, Irvine, CA 92715-9966; (800) 267-3862, ext. 64. In CA, call (800) 634-6552, ext. 64. Visit Booth No. 606.

Enter 448 on reader card

ULTRIX Support For VAX BIs Announced

Simpact Associates Inc. has announced ULTRIX-supported native VAX BI communications products for VAXs. This family of protocol interfaces includes X.25, X.25DDN, HDLC, ADCCP, SDLC, BSC, DDCMP and MAP.

The interfaces are based on Simpact's multiport, single-slot ICP1632 front-end processor. Previously announced communication interfaces for the VAX BI computers require the use of a UNIBUS-compatible front-end processor and DEC's UNIBUS adapter for the VAX BI bus. The use of the native-mode ICP1632 can result in throughput improvements of up to 6:1.

Learn more by contacting Simpact Associates Inc., 9210 Sky Park Ct., San Diego, CA 92123; (619) 565-1865. Visit Booth No. 208.

Enter 449 on reader card

Henco Will Show INFO-DB+ 3.31

Henco Software Inc. will showcase INFO-DB + revision 3.31. Users now have direct access to MASS-11 files without conversion, as well as WordMARC Composer formats. Concordance time has been divided by a factor of 10, and program execution is 2 to 4 times faster.

INFO-DB + runs on all VAX systems under VMS, including the MicroVAX 3500/3600 systems.

For complete information, contact Henco Software Inc., 100 Fifth Ave., Waltham, MA 02154-7527; (617) 890-8670. Stop by Booth No. 1015.

Enter 442 on reader card

HOOPS V2.0 For VAX, MicroVAX And VAXstation

Ithaca Software will be introducing release 2.0 of HOOPS, its object-oriented 3-D graphics development system. Release 2.0 supports UIS and DEC Window, VMS, MicroVMS and ULTRIX.

HOOPS features include hierarchical graphics database, hidden line/surface removal, multiple light source rendering, input event manager and device independence.

For more information, contact Ithaca Software, The Clinton House, Ithaca, NY 14850; (607) 273-3690. Stop by Booth No. 404.

Enter 443 on reader card



ULTRIX-supported VAX BI communication products from Simpact Associates Inc.

CLEARPOINT

Only one vendor delivers all your workstation memory needs

• Superior Performance • Lifetime Warranty • 24-hour-a-day Support

Memory is critical—don't settle for less.

Clearpoint's workstation memory consistently outperforms system vendor offerings with:

- **innovative design**
- **superior reliability**
- **highest density**
- **round-the-clock support**
- **unconditional lifetime warranty**

Backed by state-of-the-art engineering, manufacturing and QA testing, Clearpoint memory makes the most of workstation performance.

DEC

MicroVAX 2000-Compatible



The **MV2000/16 MB*** nearly triples the density offered by DEC. Achieve identical processor and memory performance to the full configuration MicroVAX II —at half the cost!

MicroVAX II-Compatible

The **MV2RAM/16 MB*** places the full system memory capacity on one board. Designed to run cooler and draw less power for maximum board life and reliability, the MV2RAM supports jumperless addressing and parity error checking.

SUN

Sun 3/2XX and 4/2XX-Compatible



The **SNX2RAM/32 MB*** delivers the Sun 3/2XX system maximum on a single board. It also offers the enhanced functionality of a microprocessor-managed "on-board hotline" for local and remote diagnostics.

Sun 3/1XX-Compatible

The **SNXRAM*** fits up to 28 MB in just one slot, freeing four slots for peripherals. Using the latest one megabit DRAMs, you get the highest density plus increased reliability.

Sun 3/60-Compatible



The **SNX60**, comes in 4 MB SIMM sets that upgrade your Sun 3/60 to an expansive 24 MB. Each SIMM is one MB of reliable Clearpoint memory with a 1 megabit DRAM to support parity checking.

VME

For VMEbus local memory or RAM disks

Offering maximum flexibility, the **VMERAM** supports 24 and 32 bit addressing and 8, 16 and 32 bit data transfers. Compatible with VMEbus Rev.C specs, the VMERAM is available in 16, 8, 4 or 2 MBs.

APOLLO

DN 4000-Compatible



Bring your DN 4000 up to its 32 MB capacity with the **DNX4RAM.*** Available in 8 MB boards, Clearpoint's cost-effective memory provides Apollo-equivalent performance with lifetime product support.

DN 3000-Compatible

The economical 1 or 2 MB **DNXRAM** memory offers Clearpoint's quality engineering and manufacturing with performance identical to Apollo.

IBM

RT PC-Compatible



Supporting the upgraded RT models 6150 and 6151, the low-cost **RTRAM** is available in 4 or 8 MB boards.

Call or write for

- **Clearpoint's Product and Services Catalog**
- **the new Designer's Guide to Add-in Memory**
- **Specific product info**

Clearpoint Research Corp.
99 South Street
Hopkinton, MA 01748-2204
1-800-CLEARPT (617) 435-2000
Telex: 298281 CLEARPOINT UR
Clearpoint CANADA 416-620-7242
Clearpoint EUROPE b.v. 31-23-273744
Clearpoint ASIA 03-221-9726

*AVAILABLE IN OTHER SIZES

Clearpoint is a registered trademark of Clearpoint Research Corporation. DEC, MicroVAX 2000, MicroVAX II are trademarks of Digital Equipment Corporation. Sun is a trademark of Sun Microsystems Inc. DN3000, DN4000 and Apollo are trademarks of Apollo Computer. IBM, RT PC are trademarks of International Business Machine Corporation.

ENTER 222 ON READER CARD

CLEARPOINT

Odesta Ships GeoQuery

Odesta Corporation has begun shipping GeoQuery, a software product for the geographic analysis of computer-based information. Using its own built-in geographic knowledge, GeoQuery automatically creates "smart maps" that accurately classify and pinpoint the location of real-world data. Through these maps, users can access and manipulate information from their database in a geographic context.

Using Apple's Multifinder operating system, GeoQuery can run on the same Macintosh as Odesta's Helix VMX network client and use information from VAXs. Also, an interface to Apple's HyperCard is included, providing users with a business-oriented, geographic context for their HyperCard information.

Odesta GeoQuery is priced at $349. For more information, contact Odesta, 4084 Commercial Ave., Northbrook, IL 60062; (312) 498-5615. Visit Booth No. 1808.

Enter 446 on reader card



GeoQuery is a geographically intelligent data manager.

POWERFUL TEAMMATES

5.25" DISK STORAGE ENCLOSURE DA 50

- Mounting for four 5.25" Peripherals on slide plates
- Easy Installation and Removal of Peripherals
- Chassis Slides with full extension
- 50 Watt Power Supply for each 5.25" Peripheral
- Control Console with Write Protect/Ready functions
- Disk Access Indicator
- Audible and Visible Thermal Protection Alarm
- I/O Panel with 2 C size cutouts...bridges allow for 4 B size cutouts
- Remote Input Connector for power control by remote device



10.50" SYSTEM ENCLOSURE DA 523

- Cardcage with 12 Slot "CD" Q-Bus Backplane
- Mounting for five 5.25" Peripherals on slide plates
- Vertical Cardcage for easy module access
- 500 and 50 Watt Continuous Power Supplies
- Control Console with Write Protect/Ready functions
- Audible and Visible Thermal Protection Alarm



5.25" SYSTEM ENCLOSURE DA 23

- Cardcage with 8 Slot "CD" or "Q22" Backplane
- Mounting for two 5.25" Peripherals on slide plates
- Tilt-Up and Locking Cardcage for easy module acces
- 350 Watt Continuous Power Supply
- Control Console with Write Protect/Ready functions
- Audible and Visible Thermal Protection Alarm
- Drive Access Indicator
- Power Supply Voltage Monitoring and Indicator
- I.E.C. Multi-Voltage AC
- Remote Output Connector

TRIMM INDUSTRIES
11949 Sherman Road, North Hollywood, CA 91605
Phone: 818-983-1833, 800-272-3557 in CA 800-423-2024 outside CA
0438 TWX: 910 499 4745

TRIMM INDUSTRIES LIMITED
2-6 Giltway, Giltbrook, Nottingham NG16 2GN England
Phone: (0602) 385485
FAX: (0602) 389973 Telex: 378317

DEC, CD, Q22 and Q-Bus are registered trademarks of Digital Equipment Corporation

ENTER 252 ON READER CARD

CAPTURE YOUR WILDEST IMAGININGS
Come to SIGGRAPH '88 in Atlanta where computer graphics trailblazers will take you on a great adventure.
Explore the diverse ways graphics are used in science, academia, industry and the arts. Listen to computer graphics pioneers describe bold, new advances. Learn how to give life to your most daring ideas.
Venture into the era of electronic visualization.
ACM SIGGRAPH '88
15th Annual Conference on Computer Graphics and Interactive Techniques
Atlanta, Georgia
August 1-5, 1988
Sponsored by the Association for Computing Machinery's Special Interest Group on Computer Graphics in cooperation with the IEEE Technical Committee on Computer Graphics.
ENTER 260 ON READER CARD
Please send a copy of the SIGGRAPH '88 advance program to:
Name
Company
Address
State/Country
City
Telephone
Zip Code
Members of ACM SIGGRAPH will automatically receive these materials in the mail in April and need NOT return this coupon.
ACM SIGGRAPH '88
Conference Management
111 East Wacker Drive, Suite 600
Chicago, IL 60601
(312) 644-6610
DEC
Image: RGB Computer Graphics Service–M. Ontani / B. Spadacini / Milan / Italy



AST Camintonn Digital Division's TurboLaser/PS.

AST TurboLaser/PS Has DEC LN03 Emulation

AST Camintonn Digital Division has announced the AST TurboLaser/PS, an eight-page-per-minute laser printer with a resident PostScript controller and an optional board for LN03, Diablo 630 ECS and HP LaserJet Plus emulation. AST TurboLaser/PS produces high-quality text and graphics.

AST TurboLaser/PS has an up-to-date revision of Adobe's PostScript page description language, V47, for faster, more flexible printing, with more fonts. The fonts include 35 typefaces from the Mergenthaler, International Typeface Corporation and Letraset libraries.

AST TurboLaser/PS provides DEC LN03 emulation with RS-232C connectivity, and a choice between a DataProducts or Centronics parallel interface for compatibility with this environment. This board is a field upgrade for the AST TurboLaser/PS and as an add-in option installed at the factory. With this upgrade, the printer provides PostScript, DEC, Diablo ECS 630 and HP LaserJet Plus compatibility.

Find out more information by contacting AST Camintonn Digital Division, 2121 Alton Ave., Irvine, CA 92714-4992; (714) 553-0247. Visit Booth No. 614.

Enter 455 on reader card

IBI Has FOCUS For VAX 4GL/DBMS

Data-maintenance support for VAX RMS files is part of the complete FOCUS for VAX 4GL/DBMS from Information Builders Inc. The new RMS support will be included in FOCUS for VAX at no additional charge. IBI also announced complete data maintenance for Rdb databases, complementing the existing read-only interface available for DEC's relational database.

The READ/WRITE capability for RMS will be part of the basic FOCUS system with prices ranging from $6,800 on the MicroVAX 2000 to $88,500 on the VAX 8800. The Rdb READ/WRITE interface is available from $1,695 to $18,825. Current users of FOCUS for the VAX will receive the RMS READ/WRITE capability at no charge.

For more information, contact Information Builders Inc., 1250 Broadway, New York, NY 10001; (212) 736-4433. Stop by Booth 428.

Enter 420 on reader card

WINGS V1.3 Gives Full Project Management Power

AGS Management Systems Inc. has released V1.3 of the WINGS Project Management System. WINGS is an online real-time project management system that provides full project management power including planning, scheduling, resource management, progress tracking and report reduction.

A premier feature of V1.3 is the WINGS USERGANTT. The USERGANTT is a flexible, gantt-generating facility that lets the user define, maintain and produce customized gantt reports immediately, through a standard mainframe line printer, IBM MS-DOS PC (or compatible) or the IBM ink jet printer (or compatible). It also has enhanced security options and a number of processing facilities that allow user flexibility when processing.

WINGS is available for the IBM, VAX or MICROVAX (VMS) or AT&T 3B (UNIX) Systems.

For more information, contact AGS Management Systems Inc., 880 First Ave., King of Prussia, PA 19406; (215) 265-1550. Visit Booth 1034.

Enter 451 on reader card

RAF Fully Integrated With ViewMATE

Datability Software Systems, developer of Remote Access Facility (RAF), now has a seamless interface with ViewMATE, offering a complete, PC-based workstation.

RAF functionality is fully integrated with ViewMATE. ViewMATE allows users to have multiple simultaneous sessions to multiple hosts, all visible and active on a 19-inch, high-resolution monitor. It comes with a large monitor and the MultiVIEW graphics board, which drives the monitor. There is an independent video processor on the board so that it doesn't load down the local PC processor, because all window and session management is performed by the MultiVIEW board.

More information can be obtained by contacting Datability Software Systems, 322 Eighth Ave., New York, NY 10001; (800) 342-5377 or (212) 807-7800. Visit Booth No. 1508.

Enter 452 on reader card

SPSS Has New Software Interface Programs

SPSS Inc. has introduced three new software interface programs. The new products are SPSS-X Capture for Oracle, SPSS-X Capture for Ingres and SPSS-X Capture for RdB.

The Capture products complement the family of existing SPSS-X Capture products. These include SPSS-X Capture for DATATRIEVE, SPSS-X Capture for SQL/DS, SPSS-X Capture for the HP 3000 and SPSS-X Capture for DB2.

Contact the company for more information at SPSS Inc., 444 N. Michigan Ave., Chicago, IL 60611; (312) 329-3500. Visit Booth No. 1038.

Enter 453 on reader card

SUMMUS Displays GigaBox And GigaTape

SUMMUS Computer Systems is showing its GigaTape helical scan 8mm tape subsystem featuring 2.33 gigabytes unattended backup capacity. It is integrated with GigaBox, a high-capacity data storage subsystem providing up to 1.5 gigabytes of online disk storage.

The GigaTape subsystem has a data rate

Finally, a complete Life-Cycle Development Tool reaching from High-Level Design through Detailed Design and Code Generation, to Code completion and Maintenance Activities.

- An elegant Ada Design Environment supporting the full Ada syntax.
- Powerful facilities for C, Fortran, Pascal & PL/M.
- Code Generation in all above Languages.
- Full DoD-Std-2167 compliance.
- Automatically-updated Project Monitor.
- Automatic Retrofitting of Design and Design Documentation based on changes in Code.
- Automatic Extraction of Design from Existing Code . . .

. . . All in an On-Line Interactive, Multi-User Environment.

VAX and VMS are trademarks of Digital Equipment Corp. superCASE is a trademark of Advanced Technology International, Inc.

For detailed information about VAX/VMS oriented superCASE™ please contact:

Advanced Technology International, Inc.
350 Fifth Ave., Suite 2420
New York, N.Y. 10118
Tel: (212) 947-4755
Telex: 263057 ATI UR

The Quintessential* Life-Cycle Development Tool for your Software Projects

*THE FUTURE IS HERE . . .

superCASE™

software engineering mastery

*Quintessence: the essence of a thing in its purest and most concentrated form.

ENTER 229 ON READER CARD

Learn more about VAX/VMS

Send for Introduction to VAX/VMS, 2nd Edition . . .

A self-teaching guide that explains and illustrates how to use VAX/VMS systems — from basics to systems and programming.

A handbook for beginners and a reference for experienced users.

Updated, revised and improved, the 2nd Edition's 10 Chapters and 8 Appendices give you overviews, explanations, and the "how to's" of . . .

- The VAX computer family
- DCL command language
- User accounts & environments
- Command procedures, mail, backup & help features
- DEC terminals
- Advanced features, Special function keys
- VAX/VMS file systems
- Defining symbols
- Lexical functions
- VMS device types & corresponding codes
- VMS error message facility
- Pictures, examples, programs & glossary

. . . and more.



For Fast Service
Call (215) 542-7008
with credit card information.

Or complete the order form below.

Clip and Send ▶

Introduction to VAX/VMS, 2nd Edition Order Form

Please send _____ copy(ies) of *Introduction to VAX/VMS* at $29.95 each plus shipping/handling. (Shipping and handling for U.S. $1.50, Canada $3.00, All other foreign $7.00).

PLEASE MAKE PAYMENTS IN U.S. DOLLARS AND DRAWN ON A U.S. BANK.

☐ Payment enclosed for $_____. Charge to: ☐ VISA ☐ MasterCard

Account No. _____ Expires _____

Signature _____ Date _____

Name _____
(PLEASE PRINT)

Address _____

City _____ State _____ Zip _____

Country _____ Telephone ( ) _____

Make checks payable and send order to:
PROFESSIONAL PRESS, INC., P.O. Box 503, Spring House, PA 19477-0503

☐ Contact me with information on quantity discounts.

ORDER NOW – $29.95 – NEW REVISED & ENHANCED EDITION

SATISFACTION GUARANTEED.

DP588

of 246 Kbps. Powerful error-correcting code (ECC) ensures an error rate of less than one in 10 bits read. With a 20,000-hour MTBF, GigaTape is reliable. Proprietary controller firmware provides TMSCP protocol and VMS software compatibility.

Available in Q-bus or UNIBUS, the GigaTape starts at $5,495 for Q-bus kit models.

For further information, contact SUMMUS Computer Systems, P.O. Box 820549, Houston, TX 77282-0549; (713) 589-9772 or (800) 255-9638. Visit Booth No. 832.

Enter 454 on reader card

Dyna Five Exhibiting Line Of Enclosures

Dyna Five Corporation is exhibiting its line of DEC-compatible enclosures for MicroVAX II and MicroPDP-11 systems. The enclosures include System Enclosures in pedestal, tabletop and rackmount configurations for business, scientific and industrial environments. Expansion Enclosures, designed to provide more backplane slots, power and peripheral mounting space, allow MicroVAX II and Micro PDP-11 users to double or triple their system size. BA11



Dyna Five Corporation's SE102P.

Compatible Enclosures provide low-cost packaging with full eight-quad or 16 dual-slot backplanes, front or rear loading.

Peripheral Enclosures provide the range of voltages and currents for mixing and matching 5¼- and 8-inch peripherals.

Additional information can be obtained from Sam Lane, Dyna Five Corp., 7 Morgan, Irvine, CA 92718; (714) 770-2790. Visit Booth No. 348.

Enter 456 on reader card

White Pine And Pacer Sign Agreement

White Pine Software announced an agreement with Pacer Software to integrate White Pine's terminal emulation product Mac240 into Pacer's Pacerlink software. The agreement provides users of Pacer software access to full DEC VT240 text and graphics emulation provided by Mac240 over a network connection.

Using Pacer's Redirector software with Mac240 on the Macintosh, users can log into a VAX host running PacLink over a network connection. Either a direct Ethernet connection using an Ethertalk card (from Apple) or EtherTalk SC (Kinetics Corporation), or a Kinetics Fastpath Appletalk to Ethernet gateway can be used. The full capabilities of Mac240's ReGIS and Tektronix 4010/4014 graphics, along with VT220, VT100 and

Build Your Own Mainframe Computer System For Under $8K!

Recipe: Start with one PC-386/286 computer running PC/MS-DOS and/or SCO Zenix,*
Add one or two of your own SMD disk drives,
Add one SMD disk controller for PC-286 bus (we provide),
Format each disk drive up to 512MB/volume in DOS,
Add our PC/MS-DOS or Zenix software disk driver for the drives.

Load: Software disk driver with formatter/partitioner on diskette media.

Modify: Config.sys file and reboot.

Voila! You now have a micro computer system that looks like a minicomputer and possesses the power, reliability and properties of a mainframe.

For further information, contact:

UPPER BOUND MICRO COMPUTERS, INC.
18 Elizabeth Street
West Conshohocken, PA 19428

Phone: 215-825-0505
FAX: 215-828-8618

*PC-DOS is a registered trademark of IBM; MS-DOS and Zenix are registered trademarks of Microsoft Corp.; SCO is a trademark of The Santa Cruz Operation, Inc.

ENTER 187 ON READER CARD

VT52 text capabilities will be available. Mac240 is available from White Pine Software, 94 Rt. 101A, P.O. Box 1108, Amherst, NH 03031; (603) 886-9050. Visit Booth No. 706.

Enter 457 on reader card

Emulex Subsystem Has 760 MB

Emulex Corporation has new versions of its removable storage subsystem and embedded micro subsystem with capacities of 760 MB per module.

The Emulex Removable Subsystem (ER2), aimed at applications requiring portable, modular data storage, is available in two models. The ER2E/760 is a subsystem that connects to DEC's Q-bus computer systems through Emulex's high-performance QD21 controller. The ER2S/760, using the SCSI interface, connects to DEC's Q-bus, UNIBUS, or IBM's PC XT/AT via the appropriate Emulex host adapter. Both models offer total subsystem capacities to 1.3 gigabytes.

Prices are $15,620 for ER2E/760, $14,430 for the ER2S/760, $12,530 for the PDM/760 and $10,705 for the EMS/760. More information is available by contacting Emulex Corp., 3545 Harbor Blvd., P.O. Box 6725, Costa Mesa, CA 92626; (714) 662-5600; outside CA, (800) EMULEX 3. Visit Booth No. 1115.

Enter 459 on reader card

Dove Announced FastNet II For The Macintosh II

Dove Computer Corporation announced the FastNet II, an intelligent communications controller designed to take advantage of the high-performance of the Macintosh II.

Macintosh II users now can communicate over Ethernet at the higher speeds required for distributed multiprocessing, multitasking applications. FastNet II, operating at up to 10 MHz, is a 68000-based NUBUS Ethernet controller that provides high performance and high reliability for a broad set of networking protocols such as DECnet, TCP/IP and StarLAN.

The FastNet II is available for $899. For further information, contact Dove Computer Corp., 1200 North 23rd St., Wilmington, NC 28405; (800) 622-7627 or in NC call (919) 763-7918. Visit Booth No. 141 or 858.

Enter 460 on reader card

603CRK Protects Against Power Disruptions

The new 80 KVA Three-Phase Uninterruptible Power System, from LorTec Power, is 50 percent smaller than previous designs and

SAM2010

ENVIRONMENTAL SECURITY SYSTEM

INTELLIGENT / POWERFUL / SENSITIVE

MONITORS computer room environment and PROTECTS your computers (DEC-VAX, microVAX, PDP/II, DG-MV Series, IBM 370, 4300 and others) from environmental hazards. **ABLE** to monitor multiple stations, alert users, telephone key people and conduct orderly system software and power shutdowns if nobody responds to alarms.



***PROTECTS** Your Computer, Programs, and Data Against:*

- Air-Conditioning Failure
- Excess Temperature, Humidity
- Smoke / Fire / Water / Assault
- A.C. Power Irregularities

BETTER THAN AN INSURANCE POLICY,
SAM-2010 AVERTS DISASTER BEFORE COSTLY DAMAGE OCCURS

Only the **SAM2010** system does all the above, **AUTOMATICALLY** when measured values exceed pre-set limits. 24 hours a day. No coffee breaks. No vacations.

THE COST — LE$$ THAN YOU THINK

TO FIND OUT MORE ABOUT THE **SAM2010** SYSTEM, WRITE OR CALL —

INTRA COMPUTER INC

875 AVENUE OF THE AMERICAS, NEW YORK 10001 (212) 947-5533

ENTER 129 ON READER CARD

UNDELETE VMS FILES

NOW YOU CAN WITH THE MDS UNDELETE UTILITY!

Accidental deletions of important files happen to us all. The traditional solution is to restore from backups — but all of your work done since then is lost!

Now, MINT DIGITAL SYSTEMS provides a VMS-installable utility which users can use to restore their own deleted files.

The complete MDS UNDELETE package from VMS comes with:

- **Full screen UNDELETE utility**
  - Restores previously deleted RMS disk files.
  - Driven by filename or wildcard specification.
- **Full screen FILESCAN utility**
  - Shows all deleted user files on a disk volume.
  - Finds out what's out there, and what's not.
- **Full screen DSKANALZ utility**
  - Displays all free contiguous disk areas.
  - Shows you the health of your disk volumes.
- **Requires VMS V4.x, VT100 or better terminal.**

With pricing as low as $595 for MicroVAX, you can't afford to be without this new time-saving utility package! Call today! **ENTER 141 ON READER CARD**

MINT DIGITAL SYSTEMS

MINT DIGITAL SYSTEMS (714) 964-2428
18627 Brookhurst Street, Suite #325
Fountain Valley, California 92708

YES! Send more information on your UNDELETE utility package.
YES! Send me your complete VMS products catalog.

Name_____ Title_____

Company_____ Mail Stop_____

Address_____ Phone ( )_____

City_____ State/Zip_____

MDS © 1988

VMS, MicroVAX, VT100 are trademarks of Digital Equipment Corp.

ORDER NOW! Supplies Are Limited!

BUILD YOUR COMPUTER LIBRARY DEC PROFESSIONAL

Back Issue Sets Now Available!

DEC users read our magazine from cover to cover, use it and reuse it to help solve daily problems, improve their professional skills, and widen their perspectives.

Now you can build your computer library, receive issues you missed and replace well-worn copies.

Order the 46 available back issues of *DEC PROFESSIONAL*, September 1982 to present, as a set and save.



Order Now! Supplies are limited!

TO ORDER CALL (215) 542-7008 with your credit card information. Or complete and return the order form below. Payment must be included with your order.

▼ Clip and Send ▼ ▼ Clip and Send ▼

BACK ISSUE ORDER FORM – DEC PROFESSIONAL

☐ Please send _____ set(s) of 46 available back issues of *DEC PROFESSIONAL*. $138 for each set ordered. Includes shiping by surface mail. Add $10 for each set delivered to Canada.

PLEASE MAKE PAYMENT IN U.S. DOLLARS AND DRAWN ON A U.S. BANK.

☐ Check enclosed for $_____

☐ Charge to: ☐ VISA ☐ MASTERCARD

Account # _____ Expires ____/____

Signature _____ Date _____

NAME _____
PLEASE PRINT

ADDRESS _____

CITY _____ STATE _____ ZIP _____

COUNTRY _____ TELEPHONE ( ) _____

Mail completed form with payment to:

PROFESSIONAL PRESS INC., P.O. Box 504, Spring House, PA 19477-0504

DP588

offers compact power protection for large minis and small mainframes.

The 80 KVA (64 kW with 0.8 power factor) three-phase UPS, Model 603CRK provides clean, continuous power for computer-based equipment and other critical electronic systems. It can handle both three-phase and single-phase loads simultaneously.

The unit is compatible with small- and medium-sized mainframes, including IBM 4300 and DEC 11/70 Series computers.

For more information, contact LorTec Power Systems Inc., 145 Keep Ct., Elyria, OH 44035; (800) 222-2600. Visit Booth No. 145.

Enter 461 on reader card

RIPS V3.0 Simplifies Image Processing

Perceptics Corporation has significant enhancements to its Resident Image Processing Software (RIPS) for its Model 9200 series of image processors. Version 3.0 of RIPS provides powerful and easy-to-use image processing. It provides significant new functionality without sacrificing user friendliness.

Some of the major enhancements in V3.0 are the plot of the intensity profile along an arbitrary line within the image, "time lapse" capture of a sequence of video images, either to internal image memory or to host computer disk files, additional real-time digitization options, such as frame averaging with background subtraction and continuous "jump" averaging, and region of interest operations, such as gray-scale statistics.

RIPS V3.0 interfaces to VAX and MicroVAX computers.

For more information, contact Perceptics Corp., P.O. Box 22991, Knoxville, TN 37933-0991; (615) 966-9200. Visit Booth No. 519.

Enter 462 on reader card

INGRES Supports Novell's Netware

Relational Technology announced that INGRES, its RDBMS, now supports Novell's Netware in the VAX/VMS, PC and other computing environments. Novell also announced that it will deploy the Novell NetWare networking system in the VAX/VMS operating environment.

Under the terms of the agreement, Relational Technology will provide technical direction and information on new environments where NetWare will be deployed. Novell will provide Relational Technology with a series of networking protocols on which task-to-task communications can be executed.

Obtain more information by contacting Relational Technology Inc., 1080 Marina Village Pkwy., Alameda, CA 94501; (800) 4-INGRES. Visit Booth No. 1011.

Enter 463 on reader card ■

BACK TO THE FUTURE!

WITH universe Basic

FUTURE PROOF COMPUTING

UNIVERSE BASIC is the route to safeguarding your investment in DEC BASIC plus and BASIC plus II software.

UNIVERSE BASIC allows you to avoid the DEC route where the Road Stops Too Soon by offering you the new road to UNIX, and the very latest hardware and software technology available from the many UNIVERSE BASIC authorised distributors.

With its Interpreter, Translator/Compiler and C-ISAM Interface

UNIVERSE BASIC

SECURES YOUR	Investment in existing applications
EXTENDS YOUR	Choice of available hardware
MINIMISES	Implementation costs and time scales
PROVIDES	Protection from dependency on any one hardware manufacturer

For more information on how your company can acquire 'future-proof' computing, please, contact the UNIVERSE BASIC product manager for details of authorised UNIVERSE

DataVision

ENTER 270 ON READER CARD

Tim Fitzpatrick
57 North Main St.
Suite E
Hartford,
Wisconsin 53027
Tel: (414) 673-7041

Saver Computer Systems
1750 South Brentwood
St. Louis, Missouri
63144
(314) 962-0382

DEC and RSTS are registered trademarks of Digital Equipment Corporation.
UNIX is a trademark of AT & T Bell Laboratories.

How To Protect Your Computer and Make It Last Longer.

Spikes, sags, surges, noise, brownouts and blackouts cause downtime, lost data, increased service costs and shortened computer life.

Eliminate these power problems and save money with a Best uninterruptible power system (UPS). We're the largest manufacturer in the world. Call or send for our new free catalog.

Best Power Technology, Inc.
Necedah, Wisconsin 54646 U.S.A.
(800) 356-5794, Ext. 3218
Wis. (608) 565-7200, Ext. 3218

ENTER 210 ON READER CARD

VAX CAREERS SOUTHEAST

Being in the right place at the right time is the best way to take advantage of a career opportunity! Making you aware of the right place and presenting your credentials at the right time is what I do best!

Numerous opportunities for all levels of VAX professionals. Skills in the following areas are highly valued:

- FORTRAN
- COBOL
- DATATRIEVE
- ORACLE
- DBMS-11
- RDB
- ADABAS
- MANUFACTURING
- HABITAT/SCADA
- DECNET/ETHERNET
- ALL-IN-ONE
- MASS 11

CALL or WRITE
BRENDA CAREY, C.P.C.
DIGITAL SPECIALIST
When you want to be in the right place at the right time!

(919-222-0231)
AMOS & ASSOCIATES
633B Chapel Hill Road
Burlington, N.C. 27215

ENTER 201 ON READER CARD

For Dibol Programmers:

The Book The Publishers Wouldn't Publish!

The First Comprehensive work on DIBOL and DIBOL look alikes.

PRICE: $49.00 + $10.00 S/H

Send Orders To:
Neil Freeman Consultants
45-449 Hoene Place
Kaneohe, Hawaii 26744

ENTER 208 ON READER CARD

CIM

Training and Implementation

- Manufacturing Applications Assistance
- Information Systems Implementation & Assistance
- On-Site Training
- Site Management Assistance
- Performance Capacity Management

For More Information Call:
(206) 485-HELP
1 (800) 999-4VAX

CONTINUUM™
A WASHINGTON CORPORATION

ENTER 207 ON READER CARD

VAX® RENTALS

MICROVAX II
VAX 700 SERIES
VAX 8000 SERIES
Systems & Peripherals

- Add-On Flexibility
- Purchase Options

3 Months • 6 Months • 12 Months

BROOKVALE ASSOCIATES
dda Digital Dealers Assoc.

EAST COAST (516) 273-7777
WEST COAST (206) 392-9878

ENTER 202 ON READER CARD

DISK PACKS FOR DEC™

Go with the leader in Nashua™ hard disk storage media sales.

•New! •Error Free! •Preformatted!

For DEC RM05
256 MB Disk Packs.....$ 495.
For DEC RM03
67 MB Disk Packs.....$ 245.
For DEC RP06
176 MB Disk Packs.....$ 425.

Call Toll Free:
1-800-445-4832

MasterCard VISA

COMPUTER DISTRIBUTING COMPANY, INC.
39 East Freeport Blvd. • Sparks, NV 89431

ENTER 209 ON READER CARD

SWITCH COVERS

Protective Covers for Digital Equipment



RA81	$13	VAX 11/750	$15
RA60	$13	VAX 11/780	$15
MICROVAX	$13	PDP 11/23	$13
SA482	$13	PDP 11/73	$13

1-800-445-8296

DATACOVER INC.
3657 Hi Dale • Lake Orion, MI 48035
313-332-7997

ENTER 205 ON READER CARD

VAX TIME

- 785, 780 Computers
- Rates from $6.00/Hour
- Timeshared or Dedicated
- Tymnet access available
- Disaster Recovery Services

AMERICAN DIGITAL TECHNOLOGIES
Costa Mesa, California

CONTACT:
(800) 669-7070
(714) 957-8440

ENTER 200 ON READER CARD

Why take chances?

When buying or selling used equipment in the DEC* marketplace, look for a dda member — your assurance of a reputable dealer.

For membership and other information call:
313/475-8333

dda DIGITAL DEALERS ASSOCIATION

107 S. MAIN STREET • SUITE 202
CHELSEA, MICHIGAN 48118

*DEC is a registered trademark of Digital Equipment Corporation.

ENTER 203 ON READER CARD

COMPUTERS AND PERIPHERALS
IN STOCK PROMPT DELIVERY

NEW BUY DEC™ USED SELL

SYSTEMS
MODULES
PERIPHERALS

VAX ⊛ Q-BUS ⊛ UNIBUS

CALL TODAY
617-547-4005 • 800-892-9230
TELEX 374-8460 FAX (617) 354-1417

COMPETITIVE PRICING DEC DEALERS ASSOCIATION

LET US QUOTE YOU ON ALL YOUR DEC NEEDS

*DEC A TRADEMARK OF DIGITAL EQUIPMENT CORP

ELI HEFFRON & Sons inc.
139 HAMPSHIRE ST. CAMBRIDGE, MA. 02139

VAX SPECIAL

VAX 11/780 to include:
VAX 780 CPU Set
DW780 - Unibus Adapter
H9602 - Expansion Cabinet
BAII-KU - Expansion Chassis
D011-DK - 9 slot Backplane
VMS License
System Price: $13,800

TERMINALS/PRINTERS/P.C.'s

VT 320	$ 525	LA100-RA
VT240-A (New)	1,350	Rainbow100B
VT220-A	395	Decmate II [U]/RX50
LA120-BA	895	

$ 595
995
1,100

MISCELLANEOUS EQUIPMENT

DISKS/DISK CONTROLLERS/TAPE		VAX EQUIPMENT	
RD52	$495	DECSA-EA	$5,500
RD53	695	BAII-KU	600
RX50	295	H9652-MF & MA	1,000
RQDX2	895	DZ11-E	500
RQDX3	1395	DMF32	725
RL02-A	395	DELNI (New)	1,295
PERTEC FS1000	1,000	DEREP-RB (New)	5,300
CDC 9457	800	L0002,3,4,5,7	1,000 each

DIGITAL DEALERS ASSOCIATION

Minnecomputers, Inc.
9201 E. Bloomington Frwy. • Mpls., MN 55420
(612) 884-6601 FAX (612) 884-6652

"We'll pay you CASH for your unneeded DEC equipment"*

"Hi! I'm Maggie Connelly, a purchasing manager at Midwest Systems. Please accept my 'invitation' to call us about purchasing your used or new DEC Equipment.*

I think you'll be glad you called us, and for two very good reasons. The ***first,*** *is that* ***we are active buyers... not shoppers.*** *We buy well over 5,000 DEC* products* ***every month*** *and are rated as the nation's largest purchaser of DEC* equipment. The* ***second*** *reason is simple. We buy both* ***individual*** *DEC* products and* ***complete*** *systems ... and make immediate cash payment.*

During the nine years that I've been at Midwest, we've helped thousands of people and companies who were faced with the task of selling their unneeded DEC equipment. I'm sure that you'll also enjoy working with us and our 16 very courteous and helpful buyers."*

Please accept our invitation... ***Call us today*** *on our toll-free number:* ***1-800-328-7000, ext. 9934.***
(In Minnesota, call 1-612-894-4020).
We look forward to talking with you.
Thanks!

Maggie Connelly

MIDWEST SYSTEMS INCORPORATED
2800 Southcross Drive West, Burnsville, MN 55337

* DEC is a registered trademark of Digital Equipment Corporation.

digital digital

PUBLIC NOTICE!!

BOSTON BOARDS & SYSTEMS, INC.

55 Rear Main Street, Kingston, MA 02364

Boston Boards & Systems

617-747-6222

Our Guarantee Is Our Reputation!!

Boston Boards & Systems

SPECIAL
HOT TURKEY SANDWICH
$3.95

MICROVAX II
Systems & Peripherals

8000 SERIES
Systems & Peripherials

$1 MILLION + *DEC inventory
15% to 60% OFF DIGITAL LIST!!
CABLES TO CPU's!! CALL TODAY!!

WE ALSO BUY NEW & USED EXCESS *DEC INVENTORY

EMC² cipher CONTROL DATA EMULEX KENNEDY FUJITSU T.M. National Semiconductor

digital **FAX: 617-747-6255**
TELEX #920038BBS

Digital is a registered trademark of Digital Equipment Corporation

digital digital

DEC EQUIPMENT

When you need DEC equipment, come to Meadowlark. We can give you quality, service, dependability, guarantee equipment, and the best prices!! What more can you ask for??

For example — in stock now:

8530	New, w/ 9 mo. paid lic.	call
8200	Used	call
DV360T2AA	New, MVAX 3000	in stock
PRO 380	New, w/disk	exceptional value
Vaxstation II GPX	New, MVII in BA123	unbeatable price
KA630	New, in DEC box	call
MS630-CA	New, 8 MB DEC	$2200
TK50-DA	New, Tabletop TK50	$3000
TQK50-AB	New, ctrllr for TK50	$895
RQDX3	New	$1500
VAX750XA-AE	Used, 64K chip	$5000
VT100-AA	Used	$150
DECSA-DA	Used, 32 line term. server	$8500
DECSA-CA	Used, 16 line term. server	$6500
CI750-BC		$6000

MEADOWLARK ENTERPRISES,
37 High Street, Danvers, MA 01923

DDA DIGITAL DEALERS ASSOCIATION

617-777-4666 • 800-DEC-DLER • FAX-617-777-8433

HALT!

The reason to Secure your MicroVAX



BA123 BA23

Uncontrolled access to your **HALT** switch means uncontrolled access to your system and network. Even an entry level programmer can gain control of your μVAX or μ/PDP by HALTing it, rebooting it into SYSBOOT and changing SYSGEN parameters.

SECURE COVER™ provides total protection preventing access to controls, removal of disks and system or option boards. Sliding, key operated Lexan® windows provide easy access for authorized users.

Available for:

- BA123, VAXstation
- BA23
- MV2000
- VAXstation 2000
- System V, H9642
- PDP-11 rack mounts
- Rack mount Exp. unit

ORDER TODAY,
CALL TOLL FREE:

1-800-832-LOCK

IN MA (617) 326-7979

ST SECURE TECHNOLOGIES INC.

297 High Street, Dedham, MA 02026
Protected under U.S. Patent # PCT/US87/02197

ENTER 288 ON READER CARD

Imagine Buying *New Equipment* at *Used Prices!*

NEW
RA81-AA, AD
$10,995

NEW
DELUA-M
$3,195

NEW
DELNI-AA
$1,150

NEW
RA60-AA
$12,500

KE
KIMBERLY ELECTRONICS

800-843-4009
In NJ 201-387-0872
140 Route 17 North
Suite 210
Paramus, NJ 07652

MasterCard VISA

NEW
DHQ11-M
$1,295

NEW
HSC5X-BA, CA
$9,650

NEW
LA75-CA
$650

NEW
KDJ11-AB
$1,650

NEW
National
MVII 8mb Memory
$1,375

NEW
MS 630-CA
$2,195

NEW
Fujitsu Disks
&
Subsystems
$ CALL

NEW
Cipher Tapes
&
Subsystems
$ CALL

NEW
Emulex
Disk, TAPE, & Comm.
$ CALL

☑ Full Mfg. Warranty ☑ Customer Service ☑ Compatibility ☑ Immediate Delivery

Call us for our latest prices on Digital, Fujitsu, Emulex, National Semi and ask for our new catalog.

Call Kimberly where what you imagine can become a reality!

ENTER 211 ON READER CARD

DEC and VAX are Trademarks of Digital Equipment Corp.

Kimberly Disk and Tape EXTRAVAGANZA

NEW **Digital**

RA82-AA,AD	$13,895
RA81-AA, AD	$10,995
RA60-AA	$12,500

NEW **Cipher**

F880	$2,795
M890	$3,395
M891	$3,695
M990	$6,195

NEW **Fujitsu**

M2333K	$3,900
M2344K	$7,195
M2351A W/TERMINATOR	$7,495
M2361A W/TERMINATOR	$7,995

ALL EQUIPMENT IS NEW AND IN STOCK WITH WARRANTY

KE Kimberly Electronics

ENTER 216 ON READER CARD

140 Route 17N, Suite 210, Paramus, NJ 07652
1-800-843-4009 • In NJ 201-387-0872 • Fax 201-261-2206

REMTEC FUJITSU 2294K. 336MB, $2,495. (415) 463-3511.

REMTEC FUJITSU 2284. 168Mb, Disc Drive, $695. Fully guaranteed. (415) 463-3511.

C LANGUAGE CONSULTING AND EDUCATION by noted *DEC PROFESSIONAL* columnist. Also other languages and packages on RSX, VMS, RSTS and MS-DOS, including DBMS and DECnet. Applications experience includes real-time, process control, engineering, scientific and commercial systems. Rex Jaeschke. (703) 860-0091.

RALLY/RDB/TEAMDATA TRAINING AND CONSULTING. Proven track record in all phases, from simple prototyping to large-scale applications. Other skills include: All-In-1, Datatrieve, 3 GL's, and more. Curious? Fredrickson Consulting Services. (206) 283-0273.

- PRO 350/380 MEMORY BOARDS
- DISK DRIVES - BIG & FAST FOR PRO
- RAM-DISK Software for Micro/RSX,* 11M (+) & P/OS*

Call 415-420-9579
Proto Systems
1238 Josephine St, Berkeley, CA 94703

FONTMASTER-220: Create custom fonts for your VT220 or use one of the many provided. Fonts can be used in existing application or DEC product. VAX version $50.00 if you supply media, $75.00 without/specify. Maris Software, 901-6595 Bonsor Avenue, Burnaby, BC, Canada, V5H-4G5, (604) 437-3273, (604) 438-5267.

WANTED: BARE-BONES 8200/8250 (No Unibus) with or without DEBNA & KDB50. Call Kevin Kennelly at 215-542-7008.

CONSULTANT VAX/VMS SYSTEMS/APPLICATIONS DESIGN AND DEVELOPMENT. B.S./M.S. EE/SOFTWARE ENGINEER. John Hopkins University. Scientific, Signal Processing, Communications, Instrumentation Systems, A.I./Expert Systems. Fortran, C, ADA, etc. $1,000/Finders Fee. Our VAX or Yours - call (301) 252-7804.

PROGRAMMER/ASSISTANT DP MANAGER WANTED: Minimum 2 years experience programming. Fluent in C, knowledge of Dibol a plus. VAX/VMS background a plus. Must be familiar with major PC software. Will be involved in creating new software applications. Salary commensurate with experience and qualifications. Send resume to: Admarketing Inc., 1801 Century Park East, Suite 2000, Los Angeles, CA 90067, Attn: Stelios (213) 203-8400.

buy, sell trade **LSI*** **PDP*** **VAX***

SYSTEMS & PERIPHERALS

- CPUs • MEMORIES
- DISC & TAPE DRIVES
- CRTs • TERMINALS • PRINTERS
- INTERFACES Etc.

dce DIGITAL COMPUTER EXCHANGE INC
27773 Industrial Blvd., Hayward, CA. 94545
CALL-(415) 887-3100
FAX (415) 887-5590 TLX 709536

* Registered trademark of Digital Equipment Corporation

NEW SL-GMS (3.0)

THE SIMPLEST PATH TO DIRECT GRAPHICAL MODELING

- **Dynamic visualizations of processes and information**
- **Coherent binding of graphics to your own database variables**
- **Rapid screen and interface development for preview and production**
- **Compatible with GKS, CGI, IRIS GL, X and DECwindows**

The Sherrill-Lubinski Graphical Modeling System (SL-GMS 3.0) is an off-the-shelf software product designed to speed up your development of interactive graphics. With it you can build your own screens, displays or custom graphical interfaces.



Helping you at the lowest level

SL-GMS is fully compatible with standard graphics packages such as GKS, CGI, IRIS, Graphics Library and CORE, among others. Normally to exploit the versatility of standard packages a great deal of code has to be written to control the graphics functions at the low level. SL-GMS (3.0) eliminates this step to give users unprecedented speed and directness. Without time consuming development or study of low-level graphics functions you can easily create anything from simple screens to fully articulated dynamic visualizations.

SL-GMS handles the tasks of creating, modifying, saving, filing and displaying graphics. All calls to standard display packages are made for you by SL-GMS.

Your screens can be driven from a great variety of data streams such as external real-time sources, direct conversational input, deeper underlying models, mathematical expressions and from SL-GMS scripts for quick design evaluation and simulation.

SL-GMS supports 2D modes of operation in an integer coordinate system. It has all standard graphics primitives, including splines and bit maps, and offers hierarchical models and groups.

This high-level graphics management approach takes all the time and work out of handling graphical data objects. As a result you write much simpler programs to bring up screens, make changes and access objects by names you choose.

Using SL-GMS (3.0)

The **Graphical Model Editor (SL-DRAW)** is shown above, composing a process visualization screen. SL-DRAW allows you to edit, modify, combine and file screen icons and objects which are supplied by SL-GMS—or you can easily create your own. By making appropriate menu selections or by drawing with the mouse, display screens are composed effortlessly. Attributes such as line style, width, and color may be quickly selected or changed. Objects can be moved, scaled, rotated, or mirrored. Libraries of user-defined graphics symbols may be created and referenced from many different screens.

In its dynamics mode SL-DRAW contains additional menu options which allow you to make direct associations between the iconic objects on a screen and variables in your data base. The coherent binding of icon to dynamic variable is instantaneous. The dynamic behavior of each object may be completely specified from the editor and is stored with the objects when they are saved on disk. From SL-DRAW you can also engage "GMD-run", a Preview Utility which lets you animate and evaluate your screen displays without leaving the editor. This entire construction process of your user-interface is completely codeless.

As an alternative The **Graphical Modeling Language Interpreter** (SL-GML), may be used to exercise different screen scenarios. Using the simple SL-GMS command language, screen data files may be loaded and redisplayed. Sequences of attribute or position changes may be applied to objects by name. This allows you to experiment easily with the look and feel of graphics screens before binding the screens to your real-time program variables.

The **Graphical Modeling Function Library** (SL-GMF) consists of all the functions needed to impart and alter the attributes of objects or icons you have created with SL-DRAW. The Graphical Model Dynamics Function Library (SL-GMD) contains a powerful set of procedures and functions to support the codeless binding of icons as they are created with SL-DRAW directly to application variables. The automatic invocation of these functions permits the change of any or all icon attributes, e.g., shape, appearance, size, color, position, orientation, visibility. SL-GMD also allows formulas and expressions of variable combinations to control icons and displays.

Creating graphics display screens in this way eliminates the work necessary to attach even complex graphics to your applications. This is especially true if your requirement must maintain compatibility with **any** graphics standard . . . including new ones like X Window.

SL-GMS (3.0) Architecture

SL-GMS is a solid and robust environment for working with graphics screen development. This is the result of its design and its maturity.

It is a true, object-oriented, integrated, coherent, hierarchical-modeling system with all its components—SL-DRAW, for example—built up from combinations of its own graphics primitives and from functions in the SL-GMF library. All dynamic coherent-binding functions are contained in SL-GMD. These functions are organized according to classes and subclasses.

SL-GMS has particular value to many developers because of its strict underlying architecture, managed and controlled by the Object-Oriented Environment (SL-OOE). This is itself a library of versatile object-management functions, used within SL-GMS, and which is made accessible to interested users for application program development. SL-OOE also contains a program utility to define the user structural-framework and organize program code into strict hierarchical classifications. SL-GMS uses run-time class-information to provide the functionality present in object-oriented programming systems, such as messages to objects, dynamic binding, encapsulation, class inheritance, and so on. SL-OOE does not require the use of any language extensions or any special compilers.

Useful object management functions include: 1) an automatic facility for debugging and tracing function calls invoked on every object, 2) automatic archival and retrieval of arbitrary data structures, and 3) automatic "dumping" of object data.

The system contains a separate object layer called SL-GWS—Graphics WorkStation function library—to insure and simplify the transportability of SL-GMS to the widest variety of systems and devices.

SL-OOE together with the graphical function library (SL-GMF), can be seen as functionally similar to the emerging Programming Hierarchical Interface Graphics Standard, PHIGS. The structural differences, however, allow SL-GMS to be much more extensible than PHIGS with the same functionality. And SL-GMS contains the editor SL-DRAW and the coherent-binding capability. But SL-GMS can easily interface to PHIGS through the SL-GWS layer for users with this requirement.

While written in C, SL-GMS (3.0) is uniquely hospitable to other languages and code. It is extremely adaptable and is easily embedded, in part or in whole, in a user's application program.

Complete SL-DRAW source-code is offered at a low price, so that you may customize the editor to your particular requirements. For example, you may want to change the layout of SL-DRAW menus, or offer a different set of attributes or primitives to the user. You may need to have special symbols available at all times. Users often reconfigure SL-DRAW and add functionality relevant to their own applications, data bases or simulations.

License Prices and availability.

Development Configurations		Components
SL-GMS	$ 9,500	(SL-DRAW/GML/GMF)
SL-GMS-D	12,500	(above, plus SL-GMD)
Run-Time Licenses (Optional)		
SL-GMS	$ 2,400	(SL-GMF)
SL-GMS-D	3,600	(SL-GMF plus GMD)
Source code (Optional)		
SL-DRAW	$ 9,500	
SL-GML/GMF	55,000	
SL-GMD	20,000	

Available: UNIXbsd 4.2, 4.3,
System V, Ultrix, DEC-VMS
GKS level 2c (DEC Version 3.0 and others)
CGI, CORE, IRIS GL, X Window, DECwindows
Silicon Graphics IRIS 40/70, SUN3, SUN4,
VAX, MicroVAX

Call or write today.

Sherrill-Lubinski
Suite 110 Hunt Plaza
240 Tamal Vista Boulevard
Corte Madera, California 94925
415/927-1724

ENTER 271 ON READER CARD

ADVERTISERS INDEX

Reader Service Number		Page
196	Access Technology	60-61
260	ACM Siggraph	193
191	Advanced Technology Center	78
229	Advanced Technology International	195
247	Alisa Systems	175
178	American Digital Systems	187
246	American Digital Systems	189
267	Applied Digital Data Systems	87
238	Applix	29
	AT&T Training	77
199	BBN Software Products	73
219	Bear Computer	31
180	BLAST/Communications Research Group	117
102	C.P. International	109
195	Cardinal Data Corp.	188
274	Casecon	110-111
103	Chipcom Corp.	135
104	Chrislin Industries, Inc.	149
105	Clearpoint, Inc.	I.F.Cover
222	Clearpoint, Inc.	191
107	Coefficient Systems Corp.	120
108	Cognos Corporation	11
109	Comdisco Disaster Recovery Services, Inc.	127
111	CompuServe/Data Technologies	101
112	CompuServe/Data Technologies	103
113	CompuServe/Data Technologies	105
241	CompuShare	63
193	Computer Associates	89
218	Computer Associates	129
197	Computer Information Systems	139
220	Computer Information Systems	141
198	Computer Information Systems	143
179	Computer Methods Corp.	180
268	Computer Museum	105
233	Data Center Software	123
236	Data Processing Design	21
114	Datability Software Systems, Inc.	B.Cover
189	Datamedia Corp.	115
234	Datasouth Computer Corp.	I.B.Cover
270	Datavision	199
	DEC PROFESSIONAL	198
115	Demac Software Ltd.	150
	DEXPO	133
184	Digi-Data Corp.	184
228	Digital Data Systems	91
250	Digital Press	18
118	DynService Network	159
120	EEC Systems, Inc.	7
121	EMC Corporation	15
256	EMC Corporation	101
255	Empress Software Inc.	85
264	Emulex Corp.	94-95
122	Equinox Systems, Inc.	2
251	Exceptional Business Solutions	6
245	Executive Software	81
124	Grafpoint	71
265	Graph-On Corp.	67
221	Honeywell Bull	12-13
182	Human Designed Systems	1
	IBM	47
253	ICEX	84
125	Imperial Technology	142
126	Information Builders, Inc.	99
127	Interactive Software Systems	136
190	Interactive Technology	107
129	Intra Computer	197
130	James McGlinchey	182
230	K&H Project Management	45
132	Kea Systems Ltd.	80
266	Kinetics	172-173
133	Liberty Electronics	75
134	Logicraft, Inc.	131
135	Maintech, A Division of Volt Delta Resources	157
136	MASSCOMP	79
237	MCBA	23
137	MDBS, Inc.	119
138	MDBS, Inc.	121
139	MegaTape Corp.	35
223	MegaTape Corp.	36-37
231	Microsystems Engineering Corp.	17
141	Mint Digital Systems	197
185	Mod-Tap System	116
142	NBS Southern	113
235	Network Data Products	125
188	Nissho Electronics	62
144	Odesta Corp.	165
244	Pacer Software	177
242	PCS, Inc.	171
175	Persoft, Inc.	5
240	Polytron Corp.	151
148	Precision Visuals	27
149, 151	Printronix, Inc.	181
150, 152	Printronix, Inc.	183
153	Process Software	80
	Professional Press	195
154	Progress Software	83
259	Qualogy	132
257	RAD Data Communications Inc.	185
176	Random Corp.	55
249	Raxco	25
155	Relational Technology	33
156	Restor Communications	207
	SAS Institute	161
	SAS Institute	163
157	See First Technology Inc.	103
271	Sherrill-Lubinski	205
263	Sigma Information Systems	69
	Signal Technology	supplement
158	Sorbus	155
159	SPSS, Inc.	145
248	Stone Mountain Computing	182
160	Summus Computer Systems	148
161	Synctronics	46
243	System Industries	52-53
232	Systonetics	57
162	Talaris Systems	137
217	Template Graphics Software	65
262	Transitional Technology Inc.	39
252	Trimm Industries	192
165	TRW Customer Service Division	93
225	Unisolutions Associates	72
187	Upper Bound Micro Computers, Inc.	196
	Vermont Creative Software	19
166	Viking Software	154
167	Walker Richer & Quinn, Inc.	8-9
226	White Pine Software	169
169	Wollongong Group, Inc.	100
239	Wollongong Group, Inc.	97
170	Word Perfect	96
258	Wyse Technology	147
171	Xyplex, Inc.	41

More information about many of these advertisers is available electronically on our Automated Reader Information Service (ARIS). Dial (215) 542-9458.

SALES OFFICES

VICE PRESIDENT Helen Marbach
NATIONAL SALES MANAGER Jeffrey Berman
ADVERTISING SERVICES MANAGER Connie Mahon
ADVERTISING COORDINATOR Lori Goodson
SENIOR ACCOUNT EXECUTIVE Dan Mainieri Jr.
CLASSIFIED ADS & USED EQUIPMENT Mary Browarek

REGIONAL SALES MANAGERS

MID-ATLANTIC Mark Durrick
INTERNATIONAL Helen B. Marbach
MIDWEST, SOUTHEAST Peter Senft

Professional Press, Inc.
921 Bethlehem Pike
Spring House, PA 19477
(215) 542-7008

NEW ENGLAND

Trish McCauley
Senior Account Executive
Professional Press, Inc.
238 Bedford St., Suite 3
Lexington, MA 02173
(617) 861-1994

NORTHERN CALIFORNIA and NORTHWEST

A. G. Germano
Regional Sales Manager
Alonna Doucette
Account Executive
Professional Press, Inc.
715 El Camino Real, Suite 206
San Bruno, CA 94066
(415) 873-3368

SOUTHERN CALIFORNIA and SOUTHWEST

David Beardslee
Regional Sales Manager
Karin Altonaga
Senior Account Executive
Professional Press, Inc.
1010 East Union Street
Suite 101
Pasadena, CA 91106
(818) 577-5970

Sometimes NEW is too much and USED isn't good enough. Our REMANUFACTURED computer equipment fills this void and offers the best of both worlds. All system components are dynamically tested and inspected for wear before shipping. Included is a six-month warranty.

When Used Isn't Good Enough

Quality Equipment at Reasonable Prices

MICROVAX II

- Remanufactured DEC* MICROVAX II (3MB, BA23) available for only $17,500
- Remanufactured RD53, TK50 Subsystems $2,000 (with MVII purchase)
- Two user MICROVMS license $500
- Free video monitor and mouse with each full system purchase.

VAX 8600XA-AE

- Remanufactured DEC* VAX 8600 XA-AE VMS license, twelve-month warranty $389,000

Call toll-free 1-800-722-4777 today and cash in with savings on quality equipment.

Specialists in Depot Repair of Circuit Boards

See us in Booth #200 at DEXPO SPRING (Ohio)

RESTOR
a Cincinnati Bell company

7880 Foundation Drive
Florence, Kentucky 41042

ENTER 156 ON READER CARD

BACK END

John C. Dvorak

The Future Of Business

"People! People!" shouted the director as he clapped his hands. A former Broadway choreographer, he turned to directing commercials after a scandal struck his company.

He was seating a group of six computer executives for one of those New Age commercials — the kind where people sit around the table as if they're at work. They gab about how great their company is and how fabulous the products are. Meanwhile, the assembly line is falling apart, because the supervisors are gabbing instead of working.

"People," said the director, "this commercial is an experiment. We're going to use "real people" in this discussion. I want you to start talking as you would at work. We're going to film the whole thing and edit it to make the commercial. Trust me on this. I did those great Wang commercials." He modestly put his hands over his cheek bones. "I just love the name of that company!"

Another fellow holding a megaphone moved the two women at the table in a little closer and yelled, "Roll 'em." Within seconds one woman, a DEC sales rep, rolled back her chair.

"Cut!"

"I can't sit next to Mr. Jenkins. He reeks of garlic," she insisted.

Jenkins, the UNIX guru, was told to move next to Johnny Tong, the VMS guru. Tong had a cold and couldn't smell the garlic.

"Roll 'em!"

"Can you imagine the gall of AT&T to join forces with that creepy little Sun Microsystems," chimed Ben Fogerty, systems support supervisor.

"It's sick. It makes me want to puke. The irony is that most people run UNIX on DEC machines," said Sally the receptionist.

Jenkins continued, "It's a plot to change the nature of UNIX, so it performs better on certain CPUs."

Tong chimed in, "Who cares? UNIX is awful."

"It's universal, you moron!" retorted Jenkins.

"Says who, fatso?" replied Tong.

"Cut!! People! People!" screamed the director. "This isn't what we had in mind. Let's get rid of petty grievances and talk about the company. Jones, you're the X Window expert. You start by talking about DECWINDOWs. Roll 'em!"

Jones began, "DECWINDOWs is the best solution to the interface debate. It can be used to define any interface the user desires. What we've done is provide the tools for any user to. . . ."

Fogerty jumped in with, "What do you mean we? Do you have a mouse in your pocket?"

Jones was startled, "Excuse me?"

Fogerty continued, "You heard me, pipsqueak. Can DECWINDOWs be used to implement SAA?"

Jenkins joined in, "As long as I can run my UNIX applications in a window, who cares what it does, Fogerty? We know you're quitting to work for IBM anyway. Why don't you just get out of the studio. SAA is lousy."

Fogerty retorted, "It was a simple question."

Sally tried to clear the air. "Is anyone here on the X/Open committee? Let's talk about that."

Tong volunteered, "I used DECWINDOWs to design a NeWS lookalike running under VMS, which configures to emulate X/Open following the SAA standards under AIX on an IBM 4XXX under VM. The window reveals an MS-DOS application."

Fogerty said, "Wow! Does it work?"

Tong answered, "I'm still waiting for the prompt."

"Cut! People! People!" The director now was fretting. "Horace! It's obvious we can't use real people. Get the actors."

The group of real people, still arguing, were escorted out of the studio, and six actors were brought in to read from a script. The commercial finally was finished.

The scene was a brightly lit room with two women and four men sitting around a table. A woman spoke first, "So I showed him the plan: DECWINDOWs under VMS running UNIX, DOS, an MVS application and all the while exchanging data with a Macintosh over DECNET."

One of the male actors perked up. "Wow! Was he impressed?"

"Impressed!" she continued. "He took out his checkbook and said, 'How much?' I told him to hold his horses. He needed an RPO or an RFP for a system like this. I gave him a form RPC-129087, and he thought that was very professional."

"Not an RPC-129088B?" said the actor.

They all looked at each other, about to laugh. She spoke again. "The RPC-129088B is specific to machines not using coax. Remember memo D5-334582 from last year?"

"I didn't get that memo," he said.

"We figured. Jenkins, if you want to stay ahead in this game, you have to keep track of the memos. That's what it's all about!"

Superimposed on the screen were the words:
THE NEW DEC: Paper Power — When Gibberish Is Not Enough!

THINKS LIKE A DEC, PRINTS LIKE A DATASOUTH.

DEC is known for powerful systems.

Datasouth is known for powerful printers.

And now, your DEC and Datasouth's DS 400 make a powerful pair. Because the DS 400 is 100% code compatible with your DEC system. So the VAX thinks you've got an LA 120 printer.

But what you've really got is pure Datasouth. Draft text at 400 cps, memo quality at 180 cps, and near letter quality at 60 cps. Plus dot-addressable graphics, bar codes and OCR output.

You get a straight paper path for smooth forms handling. And the power to print multipart forms up to six layers thick. You also get Datasouth's 100% duty cycle, 24 hours a day. So you don't get any more emergency visits from the repairman.

If you've got a DEC system, and need a better printer, better get one that's on the same wavelength. Call 800-222-4528 to find your nearest Datasouth distributor.

Datasouth
AMERICA'S HIGH PERFORMANCE PRINTER COMPANY

ENTER 234 ON READER CARD

P.O. Box 240947, Charlotte, NC 28224 • (704) 523-8500 • Tlx: 6843018, DASO UW • Sales: 1-800-222-4528 • Service: 1-800-438-5050 • West Coast Office: (415) 940-9828

DEC is a registered trademark of Digital Equipment Corporation.

RAF. THE MAINLINE TO YOUR MAINFRAME.

RAF REMOTE ACCESS FACILITY.™ THE EASIEST, FASTEST, MOST COMPLETE WAY TO TAP DEC MAINFRAME POWER AT YOUR PC.

RAF is a PC-to-host communications system designed to integrate your PC with all the data and power of a VAX or DECSYSTEM-20. RAF does the job transparently, seamlessly and faster than any other PC-to-DEC host software. But read on, because RAF offers a lot more!

EASY ACCESS TO REMOTE DATA

RAF fools the PC into "thinking" that remote files are local. So you can utilize your regular PC software to access data stored on a remote system. It's as if the data were stored locally on your PC! Use WordPerfect, MASS-11 and other PC editors to create or edit files stored on a remote VAX. And use PC spreadsheet programs like Lotus 1-2-3 to manipulate remotely stored spreadsheets.

SHARE REMOTE SYSTEM PRINTERS

Why dedicate a printer to a PC when RAF allows PC's to share remote system printers transparently? With RAF, PC software thinks your PC is equipped with its own local printer! And RAF lets you define all remote printer options. With RAF, you decide which remote printer to use or which forms to utilize.

COMPLETE ACCESS OF REMOTE COMPUTERS

RAF delivers automatic access to remote computers through a scripting mechanism that allows you to define each step of an automatic login. Or complete VT100 and VT220 terminal emulators unlike any other software system. RAF's VT100 and VT220 support allows for instant switching between PC and VAX applications.

ASYNCHRONOUS AND ETHERNET SUPPORT

You can use RAF to communicate asynchronously or over Ethernet. A single copy supports both, so you can install RAF asynchronously now and switch to Ethernet if it's available in the future. Also, RAF allows some users to operate asynchronously while others utilize Ethernet. RAF supports asynchronous communications over modems, networks or via direct connections—at speeds from 300bps to 38kbps. Over Ethernet, RAF transfers data up to 100,000 characters per second (800 kbps)—that's about ten times faster than any other comparable communications product! And RAF allows Ethernet users to maintain multiple connections with remote systems—as if they're connected through a DEC terminal server.

TRAINING, SUPPORT AND UPDATES

In order to make sure you put every outstanding RAF capability to your fullest advantage, we have prepared a comprehensive RAF videocassette trainer. This two hour cassette—$29.95 if purchased separately—is yours *free* with the purchase of a RAF host master license.

For on-going and immediate technical support, eligible RAF users can call our special hotline, 1-800-DIAL-DSS. And as new RAF versions are made available, eligible users can update their PC software automatically through the RAF electronic distribution system. In so many ways, RAF is your main line to the DEC mainframe. Call for more information now.

DATABILITY

1-800-DIAL-DSS

In New York: (212) 807-7800
In Canada: (613) 938-3333

Datability Software Systems, Inc.
322 Eighth Avenue New York, NY 10001

DEC, VAX, DECSYSTEM 20, VT100 and VT220 are registered trademarks of Digital Equipment Corp.; Lotus 1-2-3 is a registered trademark of Lotus Development Corp.; WordPerfect is a registered trademark of WordPerfect Corp.; Mass-11 is a registered trademark of Microsystems Engineering Corp.; Ethernet is a registered trademark of Xerox Corp.

ENTER 114 ON READER CARD